### For KCC Use: Effective Date: District #\_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date August 5, 2006	Spot	East
month day year	S2SW SE SE Sec. 13 Twp. 20 S. R. 2	
OPERATOR: License# 32461		ine of Section
Name: Tailwater, Inc.	ieet ildin [v] E / [vv L	ine of Section
6421 Avondale Drive. Suite 212	Is SECTION Regular Irregular?	
Address: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse	side)
Contact Person: Chris Martin	County: Anderson	^ =
Phone: (405) 810-0900	Lease Name: East Hastert We	#: <del>0-E</del>
CONTRACTOR: License# 8509	Field Name: Garnett Shoestring	
CONTRACTOR: License# 8509  Name: Evans Energy Development, Inc.	Is this a Prorated / Spaced Field?	Yes [✓]No
Name: Evalis Energy Development, inc.	Target Formation(s): Bartlesville	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 190'	44 MOI
✓ Oil Enh Rec ✓ Infield Mud Rotary	Ground Surface Elevation: n/a	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No
OWNO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 50'	
Other	Depth to bottom of usable water: 180'	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none Projected Total Depth: 900'	
Well Name:	D41	
Original Completion Date:Original Total Depth:	Formation at total Depth.	·
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other X	
If Yes, true vertical depth:		/
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
NCC DRT #.		163 4 140
	If Yes, proposed zone:	
	IDAVIT REC	EIVED
	IDAVIT REC	
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	FIDAVIT  FINE COMPONENTS OF THIS WELL WILL WILL COMPONENTS OF THIS WELL WILL WILL WILL WILL WILL WILL WILL	RATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;	FIDAVIT  FINITE  FINIT  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE	RATION COMMISS 3 1 2006
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;	FIDAVIT  FINITE  FINIT  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE  FINITE	RATION COMMISS 3 1 2006
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea.  3. The minimum amount of surface pipe as specified below <b>shall be s</b>	ilDAVIT  blugging of this well will comply with K.S.A. **ANSASCORPOR  JUL  ach drilling rig;  of by circulating cement to the top; in all cases surface fig.	RATION COMMISS 3 1 2006
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the	PIDAVIT  Plugging of this well will comply with K.S.A. **ANSAS CORPOR  JUL  ach drilling rig;  of by circulating cement to the top; in all cases surface with the underlying formation.	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the second complete.	PIDAVIT  Plugging of this well will comply with K.S.A. ***ANSAS**CORPOR  ULL  ach drilling rig;  et by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary price	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a fit the well is dry hole, an agreement between the operator and the foundation.  5. The appropriate district office will be notified before well is either plus.	classing of this well will comply with K.S.A. **ANSAS**CORPOR**  JUL  ach drilling rig;  of by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price gged or production casing is cemented in;	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a fif the well is dry hole, an agreement between the operator and the statement of the surface of the	clidavit  blugging of this well will comply with K.S.A. **AUSAS***CORPORT  JUL  ach drilling rig;  but by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price gged or production casing is cemented in; and the form below any usable water to surface within 120 days ** #133,891-C, which applies to the KCC District 3 area, alter	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into a fit the well is dry hole, an agreement between the operator and the foundation.  5. The appropriate district office will be notified before well is either plus.	clidavit  blugging of this well will comply with K.S.A. **AUSAS***CORPORT  JUL  ach drilling rig;  but by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price gged or production casing is cemented in; and the form below any usable water to surface within 120 days ** #133,891-C, which applies to the KCC District 3 area, alter	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the testing the surface district office will be notified before well is either pluse. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  et by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary priorities or production casing is cemented in; the drom below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, after be plugged. In all cases, NOTIFY district office prior to an	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the surface pipe in the surface pipe as specified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig;  chet by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price gged or production casing is cemented in; the drown below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feat into a strength of the well is dry hole, an agreement between the operator and the answer of the surface of the specific strength of the specific strength of the specific strength of the specific strength of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	ch drilling rig;  et by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary priorities or production casing is cemented in; the drom below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, after be plugged. In all cases, NOTIFY district office prior to an	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the state of the surface pipe in the surface pipe as specified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig;  chet by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price gged or production casing is cemented in; the drown below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete statements are true and to the best of the complete statements.  Date: July 31, 2006  Signature of Operator or Agent:	characteristics of the self-self-self-self-self-self-self-self-	RATION COMMISS 3 1 2006 TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the state well is district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control o	ch drilling rig;  other by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary price good or production casing is cemented in; the drom below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an office my knowledge and belief.  Title: Agent	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 15. The appropriate district office will be notified before well is either pluficial for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the c	ch drilling rig;  chet by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price goed or production casing is cemented in; the drom below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration of	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the second strong that the statement between the operator and the second strong through thr	check drilling rig;  check by circulating cement to the top; in all cases sufface sufface or production casing is cemented in; ited from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dator Notify appropriate district office 48 hours prior to workover.	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the 15. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 31, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	check drilling rig;  check by circulating cement to the top; in all cases sufface with the underlying formation.  district office on plug length and placement is necessary price goed or production casing is cemented in; the drom below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an offing my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dator in the case of the complete in the complete state of the complete in the complete state of the complete in the complete	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the second state of the well is dry hole, an agreement between the operator and the second of the surface of the plus of the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the	ch drilling rig;  ch to y circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessary price good or production casing is cemented in; the drom below any usable water to surface within 120 days.  #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an office my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud data.  Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete.	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.  te; orders; or or re-entry; d:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be significant through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the second strict office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud state of the well shall.    Date: July 31, 2006	ch drilling rig;  In the underlying formation.  In the underlying formation to underlying formation to underlying formation.  In the underlying formation (form CDP-1) with Intent to Drill;  In the underlying formation (form CDP-1) with Intent to Drill;  In the underlying formation of the underlying field proration to underlying field proration to underlying field proration of underlying field	RATION COMMISS  3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.  te; or or re-entry; d; water.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the fourth of the well is dry hole, an agreement between the operator and the fourth of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the plus of the well shall.  For KCC Use ONLY  API # 15 - OO3 - 243 40 - OOO	ch drilling rig;  ch to y circulating cement to the top; in all cases surface the underlying formation.  district office on plug length and placement is necessary price good or production casing is cemented in; the drom below any usable water to surface within 120 days.  #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an office my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File completion Form ACO-1 within 120 days of spud data.  Notify appropriate district office 48 hours prior to workove. Submit plugging report (CP-4) after plugging is complete.	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.  te; orders; or or re-entry; d:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the state of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the pit of t	che drilling rig;  et by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary prior gged or production casing is cemented in; attended from below any usable water to surface within 120 days 14133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an off my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da: Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt.  If this permit has expired (See: authorized expiration date check the box below and return to the address below.  Well Not Drilled - Permit Expired	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.  te; orders; or or re-entry; d:
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the fourth of the well is dry hole, an agreement between the operator and the fourth of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the plus of the well shall.  For KCC Use ONLY  API # 15 - OO3 - 243 40 - OOO	che drilling rig;  et by circulating cement to the top; in all cases surface with the underlying formation.  district office on plug length and placement is necessary prior gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alter be plugged. In all cases, NOTIFY district office prior to an of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da  File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workove Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt  If this permit has expired (See: authorized expiration date check the box below and return to the address below.	RATION COMMISS 3 1 2006  TION DIVISION HITA, KS or to plugging; of spud date. nate II cementing ny cementing.  te; orders; or or re-entry; d:

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24340-0000	Location of Well: County: Anderson
Operator: Tailwater, Inc.	feet from N / S Line of Section
Lease: East Hastert	990 feet from / E / W Line of Section
Well Number: 6-E Field: Garnett Shoestring	Sec. 13 Twp. 20 S. R. 20 ✓ East Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔝 Irregular
QTR / QTR / QTR of acreage: S2SW - SE - SE	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	٠ .						-
							-
					•		•
			•				
	. ,						
							•
							•
			-				-
					• • •		
			•	•	•		•
	٠.		•		•		
				-			
				-	•		-
				•			•
							-
							_
					·		
-							
			1				•
	•						•
							•
•		•		•			•
•		-		-			•
					•		
	•			•			•
•	•	•			-		•
		-				· · · ·	
				_			
-	•	•		•	•		•
•	•	•	i	•	•	•	•
	•	-				T ·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drifling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Tailwater, Inc.			License Number: 32461		
Operator Address: 6421 Avondale Drive, Suite 212, Oklahoma City, OK 63116					
Contact Person: Chris Martin			Phone Number: ( 405 ) 810 - 0900		
Lease Name & Well No.: East Hastert #6-E			Pit Location (QQQQ):		
Type of Pit:	Pit is:		_S2 _ SW _ SE _ SE _		
Emergency Pit Bum Pit	Proposed Existing		Sec. 13 Twp. 20 R. 20		
Settling Pit	If Existing, date constructed:		190 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from 🗸 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	120	(bbls)	Anderson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No /	Chloride concentration: mg/l		
	1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	native clay		
Pit dimensions (all but working pits):1	O Length (fi	eet)10	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to d	eepest point: 5	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
NA Source of		Source of infor	′ [\7\]		
feet Depth of water wellfeet  Emergency, Settling and Burn Pits ONLY:			redwell ownerelectric logKDWR		
Producing Formation:			wer and Haul-Off Pits ONLY:  I utilized in drilling/workover: drilling mud		
			ring pits to be utilized: 1		
i i		Abandonment procedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date. RECEIVED			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief					
JUL 3 1 2006  July 31, 2006  Onservation Division  Date  Signature of Applicant or Agent  ONSERVATION DIVISION  WICHITA, KS					
KCC OFFICE USE ONLY					
Date Received: 7/3 (//// Permit Number: Permit Date: 7/3 //// Lease Inspection: Yes					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202