For KCC Use: Effective Date: District # __

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 5, 2006	Spot ✓ East
month day year	NWNE - SE - SE Sec. 13 Twp. 20 S. R. 20 West
DPERATOR: License# 32461	1080feet fromN / ✓S Line of Section
tomo. Tailwater, Inc.	515 Feet from Fe
6421 Avondale Drive, Suite 212	Is SECTIONRegularIrregular?
city/State/Zip: Oklahoma City, OK 73116	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Chris Martin	County: Anderson
hone: (405) 810-0900	Lease Name: East Hastert Well #: 7-E
	Field Name: Garnett Shoestring
CONTRACTOR: License# 8509	Is this a Prorated / Spaced Field?
Name: Evans Energy Development, Inc.	Target Formation(s): Bartlesville
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 515'
	Ground Surface Elevation: n/a feet MSL
✓ Oil Enh Rec ✓ Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50'
Seismic; # of Holes Other	Depth to bottom of usable water: 180'
Other	Surface Pipe by Alternate: 1 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 900'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Bartlesville
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	IDAVIT RECEIVED
ΔFF	
AFF The understaned hereby affirms that the drilling, completion and eventual or	lugging of this well will comply with K.S.A. 53954S.CORPORATION COMMISS
he undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notity the appropriate district office prior to soudding of well:	JUL 3 1 2006
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the countries. The appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; CONSERVATION DIVISION by by circulating cement to the top; in all cases surface pipe state as the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the continuous formulate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and reserve the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe state of the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the surface propriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the spud date or the well shall be completed within 30 days of the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud date or the well shall be plug to the spud to the spud date or the well shall be plug to the spud to the spu	ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface the spanning set of by circulating cement to the top; in all cases surface the spanning set of by circulating formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to:**
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the complete and	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe span, it set by circulating cement to the top; in all cases surface pipe span, it set by circulating formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the drill is dry hole, an agreement between the operator and the control of the set of the materials of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the spund at the plus of the spund date of the well shall hereby certify that the statements made herein are true and to the best of the control of the plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the well shall be plus of the spund date of the sp	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the complete of the surface propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the surface of the	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe fight and be underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Title: Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall be plus of the spud date or the well shall be provided by the plus of the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe in the production of the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the completed in the complete of the complete	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pine strains and by circulating cement to the top; in all cases surface pine strains and by circulating formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall be to be underlying formation. District office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be surface through all unconsolidated materials plus a minimum of 20 feet into the continuous state of the well is dry hole, an agreement between the operator and the continuous state of the well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the continuous signature of Operator or Agent (1) and the statements of Operator or Agent (2) approved by: Put 7-31-06	ch drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe strain its set to be underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is dry hole, an agreement between the operator and the composition of the set of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug of the plug of the plug of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plug of	ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe, shall be set to be underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24341-0000	Location of Well: County: Anderson
Operator: Tailwater, Inc.	
Lease: East Hastert	1080 feet from N / S Line of Section 515 feet from Feet from F E / W Line of Section
Well Number: 7-E	Sec. 13 Twp. 20 S. R. 20 V East West
Field: Garnett Shoestring	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:NWNE SE SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1					•	
1	•	•	•			•
1		•				
1						
1						
1 , , ,						
1		-				
1						
1			•	-		-
1						
1			·	1		
1 ' ' '					- • -	
1	_	•	_			_
1						
	•	•	•	•		•
1						•
1				•	•	
1		-		_		-
1						
1		•		•	•	•
!						
1						
1	•	•	•	•	•	•
i	•	•		•	•	•
!	•	•	•			•
1						
1						
1						
1	•	•	•	•	•	•
1		•	•			
1						
1	•					
1						
i						
1				_	•	. •
1		•		-		•
	-					
1						
1				-		
i		_				
i	-	•	•		•	-
1	•	•	•		•	•
1						
					•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Tailwater, Inc.			License Number: 32461		
Operator Address: 6421 Avondale Drive, Suite 212, 0					
Contact Person: Chris Martin	iic Dilve, O	uite Z 1Z,			
Lease Name & Well No.: East Hastert #7-E		Phone Number: (405) 810 - 0900			
Type of Pit:			Pit Location (QQQQ): NW _ NE _ SE _ SE		
Emergency Pit Burn Pit	Pit is: ✓ Proposed Existing				
Settling Pit Drilling Pit	If Existing, date of	_	Sec. 13 _{Twp.} 20 _{R.} 20		
Workover Pit Haul-Off Pit	" Existing, date o		Feet from North / South Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
	120	(bbis)	Anderson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No 🗸	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?	ļ	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗸	No	native clay		
Pit dimensions (all but working pits):1	O Length (fe	eet) 10	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 5	(feet)		
Distance to nearest water well within one-mile	of pit NA	Depth to shallow	west fresh waterfeet.		
			redwell owner electric logKDWR / to		
		ver and Haul-Off Pits ONLY:			
į		utilized in drilling/workover: drilling mud			
Number of producing wells on lease: Number of work Barrels of fluid produced daily: Abandonment p		rocedure: air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to		e closed within 365 days of spud date.			
I hereby certify that the above staten	nents are true and co		- FYECEIVED		
July 31, 2006 Date	<i>Qo</i>	nna	JUL 3 1 2006 JUL 3 1 2006 Inature of Applicant or Agent CONSERVATION DIVISION WIGHTA, KS		
	ксс о	FFICE USE ON			
Date Received: 7/31/06 Permit Number	er:	Permit	Date: 7/31/36 Lease Inspection: Yes VNo		