For KCC Use:	8-5-DO
Effective Date:	8-3 W
District #	
0040 🖂	□ No.

## Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Expected Spud Date AUGUST 2 2006 month day year	Spot Spx_sw NE NE Sec. 20 Twp. 18 S. R. 24	East West
OPERATOR: License# 6039 V	916 feet from V N / S Line of Sec 1025 feet from V E / W Line of Sec	tion
Name: L. D. DRILLING, INC. 7 SW 26 AVE		uon
ddress: 7 SW 20 AVE	_	
ity/State/Zip: GREAT BEND, KS 67530	(Note: Locate well on the Section Plat on reverse side)	
ontact Person: L. D. DAVIS hone: 620-793-3051	County: NESS Lease Name: STENZEL PARTNERSHIP Well #: 1-20	
hone:		
CONTRACTOR: License# 6039	Field Name:	
lame: L. D. DRILLING, INC.	Is this a Prorated / Spaced Field?  Target Formation(s):  MISSISSIPPI	<b>√</b> No
	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:		et MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary ✓		WO
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	V No
OWO Disposal Wildcat Cable	Depth to bottom of fresh water:	<b>Y</b> 110
Seismic;# of Holes Other	Depth to bottom of usable water: 800'	
Other	Surface Pipe by Alternate: 1 2	
OMMAN and well information on fallows:	Length of Surface Pipe Planned to be set: 650'	
OWWO: old well information as follows:	Length of Conductor Pipe required: NONE	
Operator:	Projected Total Depth: 4450'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: MISSISSIPPI	
Original Completion DateOriginal Total Deptil	Water Source for Drilling Operations:	
or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other HAUL	
Yes, true vertical depth:		
Sottom Hole Location:	(Note: Apply for Permit with DWR )	
(CC DKT #:		√No
	If Yes, proposed zone:	
All The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq.	
1. Notify the appropriate district office mules to equiding of wells		
through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE IL COMPLETION, production gipe shall be cem	e set by circulating cement to the top; in all cases surface pipe shall be so to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The pented from below any usable water to surface within 120 days of sould dispense.	<i>gIng;</i> ate.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on</li> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and th</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE IL COMPLETION, production pipe shall be cem</li> </ol>	e set by circulating cement to the top; in all cases surface pipe shall be so to the underlying formation. The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud day der #133,891-C, which applies to the KCC District 3 area, alternate II cernall be plugged. In all cases, NOTIFY district office prior to any cement	<i>gIng;</i> ate.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on</li> <li>The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int</li> <li>If the well is dry hole, an agreement between the operator and th</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sh</li> <li>hereby certify that the statements made herein are true and to the bes</li> </ol>	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud doter #133,891-C, which applies to the KCC District 3 area, alternate II centrall be plugged. In all cases, NOTIFY district office prior to any cement is to find my knowledge and belief.	<i>gIng;</i> ate.
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best poate:    Trick   Signature of Operator or Agent:   For KCC Use ONLY   API # 15 -   135 - 245 30 0000	to the underlying formation. The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in; The nented from below any usable water to surface within 120 days of spud doter #133,891-C, which applies to the KCC District 3 area, alternate II certail be plugged. In all cases, NOTIFY district office prior to any cementate of my knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File abreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entress.	ging; ate. nenting ing. CEIVE 2720 WICH
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be retired that the statements made herein are true and to the best poate:    Time	to the underlying formation. The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud deder #133,891-C, which applies to the KCC District 3 area, alternate II central be plugged. In all cases, NOTIFY district office prior to any cement st of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entral control of the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	ging; ate. nenting ing. EEIVI 2.7.20 EWICH
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be retired that the statements made herein are true and to the best poster.  For KCC Use ONLY API # 15 - 135 - 24530 COOD  Conductor pipe required feet per Alt. Approved by: Put 7-31-06  This authorization expires: 1-31-07	to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud did at #133,891-C, which applies to the KCC District 3 area, alternate II certically be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entred submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ging; ate. nenting ing. CEIVI 2720 WICH
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be retired that the statements made herein are true and to the best poster.  For KCC Use ONLY API # 15 - 135 - 24530 - 200  Conductor pipe required feet per Alt. Approved by: Put 7-31-06	to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud did and the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entrescent of the plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ging; ate. nenting ing. EEIVI 2.7.20 EWICH
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be retired before the well shall be retired and to the best of the spud date of the well shall be retired before the well shall be retired before the well shall be retired before the well shall be retired be retired between the specific production of the well shall be retired before the well shall be retired be retired between the operator of the well shall be retired between the shall be retired between the operator of the well shall be retired between the shall be retired be retired between the operator of the well shall be retired be retired between the operator of the well shall be retired between the operator of the well shall be retired between the operator of the well shall be retired between the operator and the sufficient production between the operator and the operator	to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud did and the special be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File alreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entred to the substantial plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	ging; ate. nenting ing. CEIVI 2.7.20 WICH y;
2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best pate:    Tize   135 - 24530	to the underlying formation.  The district office on plug length and placement is necessary prior to plug plugged or production casing is cemented in;  The nented from below any usable water to surface within 120 days of spud did and the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entrescent of the plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ging; ate. nenting ing. EEIVI 2.7.20 EWICH

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 135-24530-0000	Location of Well: County: NESS
Operator: L. D. DRILLING, INC.	
Lease: STENZEL PARTNERSHIP	916 feet from
Well Number:	Sec. 20 Twp. 18 S. R. 24 ☐ East ✓ Wes
Field:	
Number of Acres attributable to well: 10	Is Section:   ✓ Regular or Irregular
QTR / QTR / QTR of acreage: APX SW _ NE _ NE _ NE	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW

# PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

RECEIVED
JUL 2 7 2006

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section C WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: L. D. DRILLING, INC.			License Number: 6039		
Operator Address: 7 SW 26 AVE, GREAT BEND, KS 67530					
Contact Person: L.D. DAVIS			Phone Number: ( 620 ) 793 - 3051		
Lease Name & Well No.: STENZEL PARTNERSHIP #1-20		Pit Location (QQQQ):			
Type of Pit:	Pit is:		APPROYNUSW _ NE _ NE _		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 20 <sub>Twp.</sub> 18 <sub>R.</sub> 24  ☐ East  ✓ West		
Settling Pit	If Existing, date constructed:		916 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 🗹 East / West Line of Section		
(II VVP Supply APTIVO. OF Teal Diffied)	3490	(bbls)	NESS County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? BENTONITE SOLIDS FROM DRLG OPER		
Pit dimensions (all but working pits): 70 Length (feet) 70 Width (feet) N/A: Steel Pits					
Depth fr	om ground level to de	eepest point:	4 (feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
IF REQUIRED 10 MIL PLASTIC LINER EDGE COVERED W/ DIRT  VISUAL		VISUAL CI	HECK		
Distance to nearest water well within one-mile of pit  Depth to shallo Source of information in the shallon sh		owest fresh waterfeet.			
feet Depth of water well	feet	measu	uredwell owner electric logKDWR		
			over and Haul-Off Pits ONLY: al utilized in drilling/workover: DRILLING FLUID CUTTINGS		
Producing Formation: Type of materi		orking pits to be utilized: (3) SUCTION, SHALE, RESERVE			
Number of producing wells on lease: Number of v		Abandonment	ober of working pits to be utilized: (3) SUCTION, SHALE, RESERVE Indonment procedure: PITS ALLOWED TO EVAPORATE UNTIL		
			DRY THEN BACKFILL WHEN CONDITIONS ALLOW		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
JULY 26, 2006  Date  JUL 2 7 2006  Signature of Applicant or Agent  COC MAICH TO					
KCC OFFICE USE ONLY					
Date Received: 7/27/06 Permit Number: Permit Date: 7/31/06 Lease Inspection: Ves No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6720

SRFAC.



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

July 31, 2006

LD DAVIS L D DRILLING INC 7 SW 26 AVE GREAT BEND KS 67530

Re: Drilling Pit Application

Stenzel Partnership Lease Well No 1-20

916'FNL-1025'FEL 20-18S-24W

Ness County, Kansas

Dear Mr. Davis:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Sammy K. Flaharty, Management Systems Analyst

M Hala

Department of Environmental Protection and Remediation

cc:

File