For KCC Use: 8-5-06 Effective Date: 3 SGA? Yes No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

E A B. I. 1011/00	7 =
Expected Spud Date	Spot
	<u> </u>
OPERATOR: License# 33583	lost non Pik 7 Do Line of Oction
Name: Admiral Bay (USA), Inc. Address: 7060B S. Tucson Way	feet from ✓ E / W Line of Section Is SECTION ✓ Regularirregular?
Address: Contennial, CO 80112	
City/State/Zip: Steven Todosco	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Steven Tedesco Phone: 303-350-1255	County: Allen Lease Name: Wood Well #: 1-35
Phone:	Field Name: Humboldt-Chanute
CONTRACTOR: License# 5786	
Name: McGown Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Mulky, Bevier, Mineral and Riverton Coals
	Nearest Lease or unit boundary: 790 FEL
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 950 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
✓ Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100'
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Laurette of Conductor Ding required None
Well Name:	Projected Total Depth: 600'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	✓ No Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	—— Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT NUCLFIVED
The undersigned hereby affirms that the drilling, completion and every	AFFIDAVIT RECEIVED entual plugging of this well will comply with K.S.A. 55454SCORPORATION COMMISSION
	entual plugging of this well will comply with K.S.A. 5545-66-67-87-10-10-10-10-10-10-10-10-10-10-10-10-10-
It is agreed that the following minimum requirements will be met:	entual plugging of this well will comply with K.S.A. 55 4546 CORPORATION COMMISSIC JUL 3 1 2006
It is agreed that the following minimum requirements will be met:	entual plugging of this well will comply with K.S.A. 55 4546 CORPORATION COMMISSIC JUL 3 1 2006
It is agreed that the following minimum requirements will be met:	entual plugging of this well will comply with K.S.A. 55 4546 CORPORATION COMMISSIC JUL 3 1 2006
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fi	entual plugging of this well will comply with K.S.A. 55 et as CORPORATION COMMISSION JUL 3 1 2006; d on each drilling rig; conservation plugging to the set by circulating cement to the top; in all cases surface pice and plugging formation.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a	entual plugging of this well will comply with K.S.A. 55 ex.SeCORPORATION COMMISSION JUL 3 1 2006; id on each drilling rig; conservation plugging coment to the top; in all cases surface plugging to the control of the
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e	entual plugging of this well will comply with K.S.A. 55 et se CORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION PLUSION at the set by circulating cement to the top; in all cases surface with the set into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is comented in;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi	entual plugging of this well will comply with K.S.A. 55 et sec CORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION PLUSION at the set by circulating cement to the top; in all cases surface with the set into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi	entual plugging of this well will comply with K.S.A. 55 et SeCORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION PROSERVATION P
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of wel A copy of the approved notice of intent to drill <i>shall be</i> post The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 ft If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is etc. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the well. 	entual plugging of this well will comply with K.S.A. 55 ex-sec CORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; all be set by circulating cement to the top; in all cases surface with the property of the underlying formation. In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the	entual plugging of this well will comply with K.S.A. 55 ex-SeCORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION DIVISION and the destrict office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the	entual plugging of this well will comply with K.S.A. 55 ex-sec CORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; all be set by circulating cement to the top; in all cases surface with the property of the underlying formation. In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the	entual plugging of this well will comply with K.S.A. 55 exact CORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION Plugging; all be set by circulating cement to the top; in all cases surface with the set into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date. The plugged of production is to the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w I hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent: For KCC Use ONLY	entual plugging of this well will comply with K.S.A. 55 et. SeCORPORATION COMMISSION JUL 3 1 2006; do neach drilling rig; CONSERVATION DIVISION and the destrict office on plug length and placement is necessary prior to plugging; their plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. The good of the second of the spudged of the second of the secon
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w 1 hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent:	entual plugging of this well will comply with K.S.A. 55 et. SeCORPORATION COMMISSION JUL 3 1 2006 id on each drilling rig; conservation plugger conservation plugger conservation plugger conservation plugger conservation plugger det into the underlying formation. Indite district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; comented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II comenting ell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is etc. 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the control of the co	entual plugging of this well will comply with K.S.A. 55 ex-sec CORPORATION COMMISSION JUL 3 1 2006 Id on each drilling rig; CONSERVATION PLUSION Let into the underlying coment to the top; in all cases surface piece in the underlying formation. Indited district office on plug length and placement is necessary prior to plugging; there plugged or production casing is comented in; a comented from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II comenting the shall be plugged. In all cases, NOTIFY district office prior to any comenting. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w 1 hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29491-DOO Conductor pipe required feet	entual plugging of this well will comply with K.S.A. 55 ex-SeCORPORATION COMMISSION JUL 3 1 2006 Id on each drilling rig; CONSERVATION PLUSION PLUSION and the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is comented in; remember from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II comenting all shall be plugged. In all cases, NOTIFY district office prior to any comenting. Be best of my knowledge and belief. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the surface of the complete of the surface of the surf	entual plugging of this well will comply with K.S.A. 55 et. SeCORPORATION COMMISSION JUL 3 1 2006 Id on each drilling rig; CONSERVATION Plugger Let into the underlying coment to the top; in all cases surface piece in the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; remember from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w 1 hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29491-0000 Conductor pipe required Mone feet per Alt. Approved by: Put 7~31-06	entual plugging of this well will comply with K.S.A. 55 et. SeCORPORATION COMMISSION JUL 3 1 2006 Id on each drilling rig; CONSERVATION Plugger Let into the underlying coment to the top; in all cases surface piece in the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; remember from below any usable water to surface within 120 days of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of wel 2. A copy of the approved notice of intent to drill shall be post 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator of 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will be retire the statements made herein are true and to the complete statements of the spud date or the will be retire the statements made herein are true and to the conductor pipe required. For KCC Use ONLY API # 15 - OOI - 29491-0000 Conductor pipe required	entual plugging of this well will comply with K.S.A. 55 en Sec CORPORATION COMMISSION JUL 3 1 2006 d on each drilling rig; conservation plusion all be set by circulating cement to the top; in all cases surface property best of the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; comented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Enter the property of the
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w 1 hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29491-0000 Conductor pipe required 100/02 feet per Alt. Approved by: Put 7~31-06	entual plugging of this well will comply with K.S.A. 55 en Sec CORPORATION COMMISSION JUL 3 1 2006 Id on each drilling rig; CONSERVATION DIVISION AND SECURITY OF SECURITY O
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casi must be completed within 30 days of the spud date or the w 1 hereby certify that the statements made herein are true and to the Date: 7/28/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OOI - 29491-0000 Conductor pipe required Mone feet Minimum surface pipe required feet per Alt. Approved by: Pul 7-31-06 This authorization expires: 1-31-07	entual plugging of this well will comply with K.S.A. 55 9 S S CORPORATION COMMISSION JUL 3 1 2006 d on each drilling rig; conservation pursion all be set by circulating cement to the top; in all cases surface present the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Be best of my knowledge and belief. Title: President and CEO Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-29491-0000	Location of Well: County: Allen	
Operator: Admiral Bay (USA), Inc.		
Lease: Wood	970 feet from ✓ N / S Line of Section 790 feet from ✓ E / W Line of Section	
Well Number: 1-35 Field: Humboldt-Chanute	Sec. 35 Twp. 26S S. R. 17 Fast Wes	
Number of Acres attributable to well: 40	Is Section: ✓ Regular or ☐ Irregular	
QTR / QTR / QTR of acreage: NE _ NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

970

KANSAS CORPORATION COMMISSION

JUL 3 1 2006

CONSERVATION DIVISION
WICHITA, KS

EXAMPLE

1980

3390'

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Admiral Bay (USA), Inc.		License Number: 33583			
Operator Address: 7060B S. Tucson Way, Centennial CO 80112					
Contact Person: Steven Tedesco		Phone Number: (303) 350 - 1255			
Lease Name & Well No.: Wood 1-35		Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE SW NE NE		
Emergency Pit Bum Pit	Proposed Existing		Sec. 35 Twp. 26 R. 17		
Settling Pit	If Existing, date constructed:		970 Feet from 🗸 North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		790 Feet from 📝 East / 🗌 West Line of Section		
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: (feet)					
			odures for periodic maintenance and determining in the CEIVED including any special monitoring. KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS		
M/T Source		Source of infor	west fresh waterfeet. NA KASC		
			redwell ownerelectric logKDWR		
		T	Type of material utilized in drilling/workover: Fresh Water & Native mud		
l i		1	Number of working pits to be utilized: 2		
Barrels of fluid produced daily: Aba		Abandonment	Abandonment procedure: Evaporation and back fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Abandonment procedure: Evaporation and back fill Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
7/28/06 Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 7/31/06 Permit Number: Permit Date: 7/31/06 Lease Inspection: Yes 2 No					