For KCC Use:	86-06
Effective Date:	
District #	
	√ 1 N −

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

SGA? Yes ANO Must be approved by KCC five (5)	-,, -
A	√ East
Expected Spud Date August 10, 2006	Spot SW SE NW Sec. 22 Twp. 30 S. R. 14E West
month day year	3220 FSL
33074	3320 FELfeet from/ E / W Line of Section
Dart Cherokee basin Operating 66: 226	Is SECTION Regular Irregular?
Address: 211 W. Myrtle	
Address: 211 W. Myrtle Address: Lindependence KS 67301 City/State/Zip: Teny Milliams	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Wilson Lease Name: R & A Huser Trust Well #: B2-22
Phone: 620-331-7870	Field Name: Cherokee Basin Coal Gas Area
	Field Name: Strongton / Spaced Field?
CONTRACTOR: License# Unknown Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field? Target Information(s): Mississippian 200 feet
Name: VIIII advise of licensed contractor of the same	Nearest Lease or unit boundary: 680 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 908 feet MSL
Mud Potent	Water well within one-quarter mile: Yes ✓ No
Air Potant	Public water supply well within one mile: Yes No
✓ Gas Storage ✓ Pool Ext. ✓ Alt Hotaly OWNO Disposal Wildcat Cable	Depth to bottom of fresh water: 175' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
	Surface Pipe by Alternate: 1 2 Length of Surface Pipe Planned to be set: 40' Length of Conductor Pipe required:
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1529 feet
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
If Yes, true vertical depth:	DAALL SHIRE A.
	(Note: Apply for Permit with DWR)
Bottom Hole Location:	(Note: Apply for Permit with DWR □) Will Cores be taken? □ Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RESCRIPTION COMMIS
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED AUG 0 1 2006 Conservation Dayson Conserv
AFF The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the continuous forms of the specified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RUGGING of this well will comply with K.S.A. 55 of the Sas CORPORATION COMMIS AUG 0 1 2006 The underlying coment to the top; in all cases surface pipe the underlying formation. Statistical office on plug length and placement is necessary prior to plugging; goed or production casing is comented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II comenting be plugged. In all cases, NOTIFY district office prior to any comenting.
AFF The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED AUG 0 1 2006 Ch drilling rig; CONSERVATION DIVISION the underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the continuous formulation of the second of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RUGGING of this well will comply with K.S.A. 55 of the Sas CORPORATION COMMIS AUG 0 1 2006 The underlying coment to the top; in all cases surface pipe the underlying formation. Statistical office on plug length and placement is necessary prior to plugging; goed or production casing is comented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II comenting be plugged. In all cases, NOTIFY district office prior to any comenting.
AFF The undersigned hereby affirms that the drilling, completion and eventual pi It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RE
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RUGGING of this well will comply with K.S.A. 55 etc. S.C. CORPORATION COMMIS AUG 0 1 2006 Con drilling rig; Conservation Dayson The underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; Red from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pilt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the confliction of the surface district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the confliction of the price of the confliction of the confliction of the price of the confliction of the price of the confliction of the conflicti	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED AUG 0 1 2006 Ch drilling rig; CONSERVATION DIVISION The underlying formation. Restrict office on plug length and placement is necessary prior to plugging; red from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the superpopriate district office will be notified before well is either plus of the well shall be set of the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RUGGING of this well will comply with K.S.A. 55 etc. S.C. CORPORATION COMMIS AUG 0 1 2006 Con drilling rig; Conservation Dayson The underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; Red from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pile is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the conductor pipe required. Signature of Operator or Agent. For KCC Use ONLY API # 15 - 205 - 2690-0000 Conductor pipe required 100 feet per Alt. (2) Approved by: 2005 - 2000-0000	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGging of this well will comply with K.S.A. 55 et. S.C. CORPORATION COMMIS AUG 0 1 2006 Ch drilling rig; CONSERVATION DUISION The underlying formation. Restrict office on plug length and placement is necessary prior to plugging; riged or production casing is cemented in; riged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pile is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the tension of the well is dry hole, an agreement between the operator and the construction of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the p	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED AUG 0 1 2006 Ch drilling rig; CONSERVATION DIVISION The underlying formation. Restrict office on plug length and placement is necessary prior to plugging; red from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26900-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	3220 FSL feet from N / ✓ S Line of Section
Lease: R & A Huser Trust	3320 FEL feet from VE / W Line of Section
Well Number: B2-22	Sec. 22 Twp. 30 S. R. 14E VEast Wes
Field: Cherokee Basin Coal Gas Area Number of Acres attributable to well: 40	Is Section: 📝 Regular or 📗 Irregular
QTR / QTR / QTR of acreage:SW SE NW	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

T30S RECEIVED KANSAS CORPORATION COMMISSION AUG 0 1 2006 CONSERVATION DIVISION WICHITA, KS 3320 FEL **R14E EXAMPLE** 3220 FSL 1980 3390 SEWARD CO. NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

			22074	
Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074	
Operator Address: 211 W. Myrtle Inde			pendence KS 67301	
Contact Person: Tony Williams			Phone Number: (620) 331 - 7870	
Lease Name & Well No.: R & A Huser Trust B2-22			Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW _ SE _ NW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 30 R 14E Fast West	
Settling Pit Drilling Pit	If Existing, date constructed:		3220 FSL Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit			3320 FEL Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 926	(bbis)	Wilson County	
Is the pit located in a Sensitive Ground Water			Chloride concentration: mg/l	
is the pit located in a definition of the state of the st			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? ☐ Yes	No	How is the pit lined if a plastic liner is not used? Natural Clays	
Yes No				
Pit dimensions (all but working pits).		_	Width (feet) N/A: Steel Pits	
Depth i	from ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure.	e liner 'e.	Describe proc	edures for periodic maintenance and determining including any special monitoring. KANSAS CORPORATION COMMISSIO AUG () 1 2006 CONSERVATION DIVISION	
		Depth to shall	wichita, KS owest fresh waterfeet.	
NA feet Depth of water well	Source of in		ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY		<u> </u>	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover: Air		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air dry, fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
July 31, 2006 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 8 10 C Permit No	umber:	Per	mit Date: 8/1/66 Lease Inspection: Yes A No	