For KCC Use:	ماديماره
Effective Date:	8-6-06
District #	<u>/</u>
SGA? Yes	<b>X</b> ; No

# Kansas Corporation Commission Oil & Gas Conservation Division

## NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	e (5) days prior to commencing well
Expected Spud Date August 7 2006  month day year	Spot 80 'E of CS/2 S/2 NW Sec. 15 Twp. 9 S. R. 21W X West
OPERATOR: License# 32754 V	2310 Section XN / S Line of Section
Name: ELYSIUM ENERGY, LLC	1400 v feet from E / X W Line of Section
Address: 1625 Broadway, Suite 2000	Is SECTION X RegularIrregular?
City/State/Zip: Denver, CO 80202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Diane Blair	County: Graham
Phone: (303) 228–4069	Lease Name: TREXLER Well #: 21
CONTRACTOR: License# 31548	Field Name: Morel
Name: Discovery Drilling	Is this a Prorated / Spaced Field?  Target Information(s): LKC & Arbuckle Yes X No '
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330
X Oil Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 2225 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile:  People to better of fresh water:  Yes X No
Seismic;# of Holes Other	Depth to bottom of flesh water
Other	Depth to bottom of usable water: 9501
	Surface Pipe by Alternate: 1 1 X 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required:  None  Projected Total Depth:  None
Well Name:	A1-7 -
Original Completion Date:Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well X Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes X No
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	
It is agreed that the following minimum requirements will be met:	33 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t</li> </ol>	et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best or the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the statements made herein are true and to the best of the complete that the compl	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief.
Date: 29 July 2006 Signature of Operator or Agent: /////	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 065-23211-0000	- File Completion Form ACO-1 within 120 days of spud date;
llana	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required. 200 feet per Alt. (2)	<ul> <li>Notify appropriate district office 48 hours prior to workover or re-entry;</li> <li>Submit plugging report (CP-4) after plugging is completed;</li> </ul>
Approved by: Patt 8-1-06	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 2-1-07	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of effective date.)	check the box below and return to the address below.
	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
	Date:
Mail to: KCC - Conservation Division, 130	S. Market - Room 2078, Wichita, Kansas 67202

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - (	765-23211-000	Location of Well: County: Graham
Operator:	ELYSIUM ENERGY, LLC	2310 feet from XN / S Line of Section
Lease:	TREXLER	1400 feet from E / X W Line of Section
Well Number:	21	Sec. 15 Twp. 9 S. R. 21W East X West
Field:	Morel	<u> </u>
Number of Acre	es attributable to well:	Is Section: X Regular or Irregular
QTR / QTR / Q	TR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
		Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1			_				
1			•		•		
			_	i .	_		
			•		•		
				1 .	_		
	•		•	-			•
}				1			
i .							!
1							
1		1					
1	_						
1				1	-		
1		l.			_		
1		1	-	· -	•		
		1		l .			
		1					
• • •							
		Į.		l .			
i .		ł		1			
i	•	i	•	'	•	•	
4 -		l		1			
1.	231	1	•			•	
	221	1 O I		1			
1	・ ~ ~ )・	U.	•	'	•		
1	_	1					
1		1					
1		1		1			
1					•		
1		1					
		i .	•			•	
L				1			
	<del></del>	•	•	,	•	•	
1 1/	001						
1 17.							
' '~	100		1	5			
14	,001 :	<del></del>	<u>1</u>	5		· · · · · · · · · · · · · · · · · · ·	
1.4			1	5 <del></del>		•	
1.44		<del></del>	1	5	•		
1.4		<del></del>	1	5 <del></del>	:	:	
			1	5			
14	· .		7	5 - <del></del>	:	•	
	· .		7	5 <del></del>	:		
14	· .	<del>,</del>	1	5 <u>-</u> 	:		
14	· · · · ·		1 · ·	5 - <del></del> 		· · ·	
	·			5 - <del></del>			
			1 · ·	5			
				5			
			1 	5			
			1 	5			
			1 	5			
			1 	5			
			1 	5			
			1 	5			
			1 	5			
				5			
				5			
			1	5			
				5			
				5			
			1	5			
				5			
			1	5			
				5			
				5			
				5			
				5			
			1	5			
				5			
			1	5			



NOTE: In all cases locate the spot of the proposed drilling locaton.

Graham Co., KS

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: ELYSIUM ENERGY	Z, LLC		License Number: 32754		
Operator Address: 1625 Broadway, Suite 2000 Denver,			, CO 80202		
Contact Person: Diane Blair			Phone Number: ( 303 ) 228 - 4069		
Lease Name & Well No.: TREXLER # 21			Pit Location (QQQQ): 80°E of		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 15 Twp. 9S R. 21W East X West		
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	2310 Feet from X North / South Line of Section		
Workover Pit Haul-Off Pit	Dit consoits:		1400 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 3000	(bbls)	Graham		
Is the pit located in a Sensitive Ground Water	I	No (bbis)	Chloride concentration:mg/l		
	,	<u> </u>	(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
X Yes No	Yes X	No	Clay soil, native and fresh mud.		
Pit dimensions (all but working pits):	70 Length (f	eet) 70	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to d	eepest point:	5 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, is	dures for periodic maintenance and determining VED RECEIVED  JUL 3 1 2003		
		ļ	KCC WICHITA		
Distance to nearest water well within one-mile	of pit	Depth to shallo	west fresh waterfeet.		
Distance to nearest water well within one-mile	•	Source of infor	west fresh waterfeet.		
	•	Source of information	west fresh waterfeet. mation:		
N/4 feet Depth of water well	feet	Source of information measu Drilling, Worke	west fresh waterfeet. mation: redwell ownerelectric logKDWR		
NA feet Depth of water well	feet	Source of inform measu  Drilling, Worke  Type of material  Number of work	west fresh waterfeet. mation:  redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  Il utilized in drilling/workover: Fresh Mud  king pits to be utilized: 3		
N A feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:	feet	Source of inform measu  Drilling, Worke Type of materia  Number of work  Abandonment	west fresh waterfeet. mation:  redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover: Fresh Mud  king pits to be utilized: 3  procedure: Allow liquid contents to		
N/A feet Depth of water well	feet	Source of inform measu  Drilling, Worked Type of material Number of work Abandonment evaporate	west fresh waterfeet. mation:  redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  Il utilized in drilling/workover: Fresh Mud  king pits to be utilized: 3		
Freducing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	feet feet	Source of informed measu  Drilling, Worker  Type of material Number of work  Abandonment evaporate  Drill pits must be correct to the best	west fresh waterfeet. mation:  redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY:  all utilized in drilling/workover:Fresh Mud  king pits to be utilized:3  procedure: Allow liquid contents to  plet cuttings dry and backfill.  be closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?  I hereby certify that the above state  July 29, 2006	spilled fluids to	Source of informed measu  Drilling, Worker  Type of material Number of work  Abandonment evaporate  Drill pits must be correct to the best	west fresh waterfeet. mation: redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh Mud  king pits to be utilized:3  procedure: Allow liquid contents to  plet cuttings dry and backfill.  oe closed within 365 days of spud date.  of my knowledge and belief.		