For KCC Use: Effective Date:. District #___3 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

	Snot T Fact
Expected Spud Date August 11, 2006 month day year	Spot
	SW NE Sec. 35 Twp. 34 S. R. 15E West 1900 FSL feet from N / S Line of Section
OPERATOR: License# 33074	3510 FEL feet from VE / W Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	Is SECTION ✓ Regularirregular?
Address: 211 W. Myrtle	is Sectionregularirregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: Kaufman Well #: C2-35
CONTRACTOR: License# Unknown	Field Name: Cherokee Basin Coal Gas Area
Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field?Yes _✓ No
Name: This dayloo of moorlood doringdoor off Noo	Target Information(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 580 feet
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 773 feet MSL
✓ Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OMMO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic; # of Holes Other	Depth to bottom of fresh water:
Other	Depth to bottom of usable water: 175'
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1000 leet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	DAVIT KANSAS CORRES
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seg.
It is agreed that the following minimum requirements will be met:	AUG () 2 200c
Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig; CONSERVATION DIVISION
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface (all the heat be set
through all unconsolidated materials plus a minimum of 20 feet into the	ne underlying formation.
· · · · · · · · · · · · · · · · · · ·	istrict office on plug length and placement is necessary prior to plugging;
	1 4 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5. The appropriate district office will be notified before well is either plug	· · · · · · · · · · · · · · · · · · ·
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ed from below any usable water to surface within 120 days of spud date.
 If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	· · · · · · · · · · · · · · · · · · ·
 If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief.
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In which is the model of the
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent:	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implication of the KCC District 3 area, alternate II cementing on the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to:
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125-31190-0000	#133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125-3/190-0000 Conductor pipe required None feet	ritle: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25-3/190-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2)	ritle: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25-3//90-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: PW 8-2-06	ritle: Sr Regulatory & Safety Compliance Specialist **Remember to: - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Obtain written approval before disposing or injecting salt water.
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25-3/190-0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2)	ritle: Sr Regulatory & Safety Compliance Specialist **Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 3/190 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: 24 8-2-06 This authorization expires: 2-2-07 (This authorization void if drilling not started within 6 months of effective date.)	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 3/190 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2) Approved by: Lut 8-2-06 This authorization expires: 2-2-07	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to filed proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /25 - 3/190 - 0000 Conductor pipe required None feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: 24 8-2-06 This authorization expires: 2-2-07 (This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31190-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: Kaufman	3510 FEL feet from Feet fr
Well Number: C2-35	Sec. 35 Twp. 34 S. R. 15E
Field: Cherokee Basin Coal Gas Area	· Natural Linear
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SW - NE - SW	Is Section: ✓ Regular or Irregular
QTR/QTR/QTR or acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

KANSAS CORPORATION COMMISSION
AUG 0 2 2006
CONSERVATION DIVISION
WICHITA, KS

R15E

EXAMPLE

1900 FSL

SEWARD CO.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074		
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301	
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870		
Lease Name & Well No.: Kaufman	Lease Name & Well No.: Kaufman C2-35		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW_NE_SW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 35 Twp. 34 R. 15E	
Settling Pit	If Existing, date constructed:		1900 FSL Feet from North / 🗸 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		3510 FEL Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	l	(bbls)	Montgomery County	
Is the pit located in a Sensitive Ground Water		4No	Chloride concentration:mg/l	
			(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	No	Natural Clays	
Pit dimensions (all but working pits):	35 Length (fe	eet) 30	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: 5 (feet)				
material, thickness and installation procedure			AUG 0 2 2006 CONSERVATION DIVISION	
Source of it		Source of infor	west fresh waterfeet. feet. mation:	
3206 feet Depth of water well	<u>90</u> feet	meası	redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
		Type of material utilized in drilling/workover: Air Number of working pits to be utilized: One		
		1	· ,	
Barrels of fluid produced daily: Abandonment		procedure: Air dry, fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill		Drill pits must l	Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	
August 1, 2006 Date		Jone	ignature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 8/2/06 Permit Num	nber:	Perm	it Date: 8/2/06 Lease Inspection: Tyes 木 No	