For KCC Use:	0-7-06
Effective Date:	8-700
District #	20-7
	V

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed

	(E) days prior to commencing well
Must be approved by NCC live	e (5) days prior to commencing well
Expected Spud Date August 7 2006	Spot 30'5 \ 60'E
month day year	N/2 - S/2 - NE Sec. 34 Twp. 16 S. R. 10 West
OPERATOR: License# 33186	3600 feet from N / V S Line of Section
Name: LB Exploration, Inc.	1260 feet from 🗸 E / 🗌 W Line of Section
Address: 2135 2nd Road	Is SECTIONRegularirregular?
City/State/Zip: Holyrood KS 67450	(Note: Locate well on the Section Plat on reverse side)
Contact Person Michael Petermann	County: Ellsworth
Phone: 785-252-8034	Lease Name: Matosh Well #: 7
33724	Field Name: Stoltenberg
CONTRACTOR: License#_33724 V Name: Warren Drilling, LLC	Is this a Prorated / Spaced Field?Yes
Name: Transmitting, 220	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 360'
✓ Oil ✓ Enh Rec ✓ Infield ✓ ✓ Mud Rotary ✓	Ground Surface Elevation: 1803 feet MSL Water well within one-quarter mile: Yes ✓ No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes Voo
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 120'
Seismic; # of Holes Other	Depth to bottom of usable water: 280'
Other	Surface Pine by Alternate: 17-1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 600'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3400'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Haul
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes ✓ No
KCC DKT #:	Will Cores he taken?
NOO DICT W.	earth at 12.12.11
ΛΟΟ DK1 π	If Yes, proposed zone:
	If Yes, proposed zone:
	If Yes, proposed zone: FIDAVIT Character of this well will comply with K.S.A. 55 et sed
AF	If Yes, proposed zone: FIDAVIT Character of this well will comply with K.S.A. 55 et. sed.
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2000
AFI The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> .	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shallows to
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shape of KS the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> to through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shape in Ks district office on plug length and placement is necessary prior to plugging; ligged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shallow KS district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or oursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shallow KS district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; pet by circulating cement to the top; in all cases surface pipe shape the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. T #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; pet by circulating cement to the top; in all cases surface pipe shape the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. T #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; pet by circulating cement to the top; in all cases surface pipe shape the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. T #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; pet by circulating cement to the top; in all cases surface pipe shapes blivision the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If Yes, proposed zone: AUG 0 2 2006 CONSENTION CO AUG 0 2 2006 AUG 0 2 2006 AUG 0 2 2006 The underlying formation. If yes, proposed zone: AUG 0 2 2006 AUG 0 2 2006 CONSENTION CO AUG 0 2 2006 AUG 0 2 2006 AUG 0 2 2006 CONSENTION CO AUG 0 2 2006 AUG 0 2 2006 AUG 0 2 2006 CONSENTION CO AUG 0 2 2006
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shape the underlying formation. district office on plug length and placement is necessary prior to plugging; length or production casing is cemented in; anted from below any usable water to surface within 120 days of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the sest Date: Signature of Operator or Agent: For KCC Use ONLY Signature of Operator or Agent:	If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; set by circulating cement to the top; in all cases surface pipe shallow KS district office on plug length and placement is necessary prior to plugging; legged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to:
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest Date: 3/2/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 21186-0000	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; ach
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be come Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: OSS - 2186-0000 For KCC Use ONLY API # 15 - 653 - 2186-0000 Conductor pipe required 664	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; ach
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest Date: Signature of Operator or Agent: For KCC Use ONLY API # 15	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; CONSERVATION CO AUG 0 2 2006 CONSERVATION CO AUG 0 2 2006 AUG 0 2 2006 Aug 1
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: Signature of Operator or Agent:	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shallow KS the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting saft water.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; ach dri
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the sest Date: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; conservation co AUG 0 2 2006 ach drilling rig; the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the jest Date: Signature of Operator or Agent: For KCC Use ONLY	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006 ach drilling rig; ach dri

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 053-21/86-0000	Location of Well: County: Ellsworth
Operator: LB Exploration, Inc.	
Lease: Matosh	1260 feet from N / ✓ S Line of Section feet from ✓ E / W Line of Section
Well Number: 7	Sec. 34 Twp. 16 S. R. 10 East / Wes
Field: Stoltenberg	L Continue TC Browley on 1000 terrority
Number of Acres attributable to well:	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: N/2 - S/2 - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

			360		RESCEIVED KANSAS CORPORATION COMMISSION AUG 0 2 2006 CONSERVATION DIVISION WICHITA, KS
		34		EXAMPL	
 					1980
					3390'
 	· · · · · · · · · · · · · · · · · · ·				
•		,	· · · · · ·	SEWARD	CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: LB Exploration,	Inc.		License Number: 33186	
Operator Address: 2135 2nd Ro	ad Holyrood k	KS 674	50	
Contact Person: Michael Petermann			Phone Number: (785) 252 - 8034	
Lease Name & Well No.: Matosh #7			Pit Location (QQQQ):	
Type of Pit:	Pit is:		N/2 _ S/2 _ NE _	
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit	✓ Proposed ☐	Existing	Sec. 34 Twp. 16 R. 10 ☐ East ✓ West	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from North / South Line of Section 1260 Feet from Feet from East / West Line of Section	
		(bbls)	Ellsworth County	
Is the pit located in a Sensitive Ground Water	Area? Yes Vo	0	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Yes No	Yes V No		How is the pit lined if a plastic liner is not used? Native mud	
Pit dimensions (all but working pits):	Length (feet)	80	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to deepe		(feet)	
			dures for periodic maintenance and determining concluding any special monitoring.	
			AUG 0 2 2006 CONSERVATION DIVISION	
Distance to nearest water well within one-mile 3696 5021 feet Depth of water well	e of pit D	epth to shallo	west fresh water 45 34 feet. mation:	
3696	e of pit Di Si 70 42 feet	Depth to shallo Source of infor measu	west fresh water 45 34 feet. mation: well owner electric log KDWR	
5021 3696 Depth of water well	e of pit Di Si 70 42 feet	Pepth to shallo Source of infor measu Drilling, Worke	west fresh water 45 34 feet. mation: well owner electric log KDWR were and Haul-Off Pits ONLY:	
5021 3696 Seet Depth of water well Emergency, Settling and Burn Pits ONLY:	70 42 Solution	Depth to shallor Source of informates Prilling, Worke Type of material Sumber of work The shallor The sh	west fresh water 45 34 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Fresh Mud king pits to be utilized: 3	
	70 42 Solution	Depth to shallor Source of informates Prilling, Worke Type of material Sumber of work The shallor The sh	west fresh water 45 34 feet. mation: well owner electric log KDWR by read Haul-Off Pits ONLY: If utilized in drilling/workover: Fresh Mud king pits to be utilized: 3 procedure: Evaporate and backfill	
5021 3696 Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	of pit 70 42 feet D Ty Ni spilled fluids to	Depth to shalloger of information measu prilling, Worke the same of material fumber of work than don ment	west fresh water 45 34 feet. mation: redwell ownerelectric log	
5021 3696 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	pe of pit To 42 feet Ty No Spilled fluids to	Depth to shallor cource of information measu Drilling, Worked type of material dumber of work abandonment prill pits must be a source of the course of the c	west fresh water 45 34 feet. mation: redwell ownerelectric log	
5021 3696 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	pe of pit To 42 feet Ty No Spilled fluids to	pepth to shallor cource of information measu prilling, Worker of work dumber of work dubandonment prill pits must be council to the best	west fresh water 45 34 feet. west fresh water 45 34 feet. mation: redwell ownerelectric log	
5021 3696 feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	of pit 70 42 feet Ty Ni spilled fluids to Dements are true and corre	pepth to shallor cource of information measu prilling, Worker of work dumber of work dubandonment prill pits must be council to the best	west fresh water 45 34 feet. mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Fresh Mud king pits to be utilized: 3 procedure: Evaporate and backfill de closed within 365 days of spud date. of my knowledge and belief.	