For KCC Use: Effective Date: District # 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Spot East
NE NW Sec. 19 Twp. 32 S. R. 19 West
660 feet from N / S Line of Section
2190feet from E / V W Line of Section
Is SECTIONRegularIrregular?
(Note: Locate well on the Section Plat on reverse side)
County: Labette
Lease Name: Schroeder, Walter P. Well #: 19-1
Field Name: Cherokee Basin CBM
is this a Prorated / Spaced Field?
Target Formation(s): Cherokee Coals
Nearest Lease or unit boundary: 450
Ground Surface Elevation: 858 feet MSL
Water well within one-quarter mile:
Public water supply well within one mile: Yes ✓ No
Depth to bottom of fresh water:
Depth to bottom of usable water: 200
Surface Pipe by Alternate: 1 2 2
Length of Surface Pipe Planned to be set: 25
Length of Conductor Pipe required.
Projected Total Depth: 1500 Charakee Coals
Formation at Total Depth: Cherokee Coals
Water Source for Drilling Operations: Well Farm Pond Other Air
DWR Permit #:
(Note: Apply for Permit with DWR ☐) Will Cores be taken? Yes ✓ No
Will Cores be taken? Yes ▼ NO
If Yes, proposed zone:
Will Cores be taken? If Yes, proposed zone: IDAVIT Ilugging of this well will comply with K.S.A. 55 et. seq. AUG 0 2 2006
lugging of this well will comply with K.S.A. 55 et. seq. AUS
cours 2 200c
ch drilling rig; et by circulating cement to the top; in all cases surface pipe share services to a underlying formation.
ch drilling rig;
The state of the s
et by circulating cement to the top; in all cases surface pipe 304,500-304
ne underiving formation.
district office on plug length and placement is necessary <i>prior to plugging</i> ;
the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
ine underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133.891-C, which applies to the KCC District 3 area, alternate II cementing
the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; and or production casing is cemented in:
district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
ide threehyling lemator. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
district office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
ide threehyling lemator. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
ide threenying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
ine triderlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
ide triderlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
ide triderlying formation. district office on plug length and placement is necessary prior to plugging; digged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
idistrict office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
idistrict office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. # #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
idistrict office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
idistrict office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
idistrict office on plug length and placement is necessary prior to plugging; district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24032-000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Schroeder, Walter P.	2190 feet from E / V W Line of Section
Well Number: 19-1 Field: Cherokee Basin CBM	Sec. 19 Twp. 32 S. R. 19 Fast Wes
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:NENW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316	
Lease Name & Well No.: Schroeder, Walter P. #19-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 19 Twp. 32 R. 19 ✓ East West	
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		2190 Feet from East / 📝 West Line of Section	
(II VVP Supply APTINO. OF Teal Dillieu)			Labette County	
Is the pit located in a Sensitive Ground Water Area? Yes 🕢 No		No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Yes No	☐ Yes 🗸	No		
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth fo	om ground level to de	eepest point:	10 (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Operation lasting approx 3 days	
/				
		west fresh waterfeet.		
NA feet Depth of water well	Source of info		rredwell owner electric log KDWR	
		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Number of wor		king pits to be utilized: One		
Barrels of fluid produced daily: Abandonme		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must	be closed within 365 days of spud date. AUG 0 2 2006	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No No Drill pits must be closed within 365 days of spud date. 1 hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
ONSER!				
August 1, 2006 August 1, 2006 August 1, 2006			D_ 3200 WIGHTA, KS	
Date	Si		Signature of Applicant or Agent	
KCC OFFICE USE ONLY				
Date Received: 8/2/06 Permit Nur	nber:	Perm	nit Date: 8 2 0 6 Lease Inspection: Yes k No	