For KCC Use: 8-7-06 Effective Date: 3 District # X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 8, 2006	Spot √ East	
month day year	<u>SW</u> - <u>NW</u> <u>Sec.</u> 6 <u>Twp.</u> 31 S. R. 18 West	:
33344	1980 feet from VN / S Line of Section	
OPERATOR: License# 33344 Name: Quest Cherokee LLC	600 feet from E / W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION ✓ RegularIrregular?	
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette	_
Phone: (405) 286-9316	Lease Name: Smith, Jimmy Well #: 6-3	_
	Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?)
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 600	-
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 980 feet MSL	
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No	_
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No	>
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	-
✓ Other Coalbed Methane	Depth to bottom of usable water: 200	_
	Surface Pipe by Alternate: 1 2 2 Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	_
Operator:	Projected Total Depth: 1500	_
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air	_
If Yes, true vertical depth:	DWR Permit #:	-
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken? Yes ✓ No	
NOO DICT #.	VIII COICS BO LAKOTT)
NOO SKI #.	If Yes, proposed zone:	- -
	If Yes, proposed zone:	-
AFFI	If Yes, proposed zone:	-
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.	- MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.	- MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq.	- MMIS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION The drilling rig; The by circulating cement to the top; in all cases surface pipe shall be served.	- MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION The drilling rig; It by circulating cement to the top; in all cases surface pipe shanks set on the eunderlying formation.	- MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION the drilling rig; the by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;	- MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE IL COMPLETION, production pipe shall be cemente	If Yes, proposed zone: DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION the drilling rig; the production casing is cemented in; and of the row of the production casing is cemented in; and from below any usable water to surface within 120 days of spud date.	-) MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or nursuant to Appendix "B" - Fastern Kansas surface casing orders.	If Yes, proposed zone: DAVIT Urgging of this well will comply with K.S.A. 55 et. seq. CONSTRUCTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. 4133.891-C, which applies to the KCC District 3 area, alternate II cementing	-) MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO and the drilling rig; by circulating cement to the top; in all cases surface pipe shanks set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing, the plugged. In all cases, NOTIFY district office prior to any cementing.	-) MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Fastern Kansas surface casing orders.	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO and the drilling rig; by circulating cement to the top; in all cases surface pipe shanks set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing, the plugged. In all cases, NOTIFY district office prior to any cementing.	-) MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO and the drilling rig; by circulating cement to the top; in all cases surface pipe shanks set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing, the plugged. In all cases, NOTIFY district office prior to any cementing.	-) MMIS
AFFII The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTRUCTION DOLLS the drilling rig; the by circulating cement to the top; in all cases surface pipe shan to serve e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	-) MMIS
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent:	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION OF 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:	-) MMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	-) MMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of the Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99-24040-0000	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the difference of the strict office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the production of the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99-24040-0000 Conductor pipe required None feet	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSTRUCTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 4133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drilf Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24040 - 0000 Conductor pipe required 16et Minimum surface pipe required 20 feet per Alt.	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 4133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Plt Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on eunderlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 4133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24040 - 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X 2 Approved by: Put B-2-000 This authorization expires: 2-2-07	DAVIT Jugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 4133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Plt Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - O4040 - O000 Conductor pipe required None feet Minimum surface pipe required feet Minimum surface pipe required feet Approved by: Put B-2-000	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing. If plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	- MMMIS
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24040 - ODDO Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X(2) Approved by:	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO. 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	- MMis
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into th. 4. If the well is dry hole, an agreement between the operator and the di. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: August 1, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24040 - 0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X 2 Approved by: Put B-2-000 This authorization expires: 2-2-07	DAVIT ugging of this well will comply with K.S.A. 55 et. seq. CONSTITUTION CO 2006 In drilling rig; It by circulating cement to the top; in all cases surface pipe shan to set on e underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing. If plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drilt Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	- MMis


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24040 WW	Location of Well: County: Labette
Operator: Quest Cherokee LLC	1980feet from V N / S Line of Section
Lease: Smith, Jimmy	600 feet from E / V W Line of Section
Well Number: 6-3 Field: Cherokee Basin CBM	Sec6 Twp31 S. R18
Number of Acres attributable to well: QTR / QTR / QTR of acreage: _ SW _ NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316	
Lease Name & Well No.: Smith, Jimm	ny #6-3		Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed		Sec. 6 Twp. 31 R. 18 ✓ East West	
Settling Pit	If Existing, date co	onstructed:	1980 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		600 Feet from East / West Line of Section Labette County	
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes Vo		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ☐ Yes ✔ No	Artificial Liner? ☐ Yes ✓	No 	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):30 Length (feet)10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point:10 (feet)				
			Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh waterfeet. mation:		
N/♣feet Depth of water well _	feet	measu	uredwell owner electric logKDWR	
			over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled		
		king pits to be utilized: One procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud and corporation commission of my knowledge and belief.		
CONSERVATION 2006				
August 1, 2006			WICHITA, KS	
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 7 2 06 Permit Number: Permit Date: 8/2/06 Lease Inspection: Yes No				