# For KCC Use: Effective Date: District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

# **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 8, 2006	Spot
month day year	NE - SW Sec. 6 Twp. 31 S. R. 18 West
33344	1980 feet from N / S Line of Section
OPERATOR: License# 33344  Name: Quest Cherokee LLC	1830feet fromE / _V W Line of Section
9520 North May Avenue, Suite 300	Is SECTION ✓ RegularIrregular?
Address:  City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Labette
Phone: (405) 286-9316	Lease Name. Smith, Jimmy Well #-6-4
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Mall Drillad Fam. Mall Class. Type Foreignments	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1000 feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other  Other Coalbed Methane	Depth to bottom of usable water: 200
✓ Other States Histians	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: KANSAS CORPORATION
٨٥	
AFFI The undersigned hereby affirms that the drilling, completion and eventual place is a record that the fallenting religious requirements will be mate	If Yes, proposed zone:  KANSAS CORPORATION COMMISSION  Ligating of this well will comply with K.S.A. 55 et. seAUG 11 2 2000
The undersigned hereby anims that the drilling, completion and eventual pro-	See
it is agreed that the following minimum requirements will be met.	CONSERVATION DIVISION  h drilling rig;
Notify the appropriate district office <i>prior</i> to spudding of well;	MOUSION DIVISION
<ol> <li>A copy of the approved notice of intent to drill shall be posted on eac</li> <li>The minimum amount of surface pipe as specified below shall be se</li> </ol>	the circulating coment to the tent in all cases surface nine shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
unough an unoonsongateg materials plus a mithinum of 20 feet fillo ti	e underlying formation.
4. If the well is dry hole, an agreement between the operator and the di	e underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i>
<ol> <li>If the well is dry hole, an agreement between the operator and the di</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;
<ol> <li>If the well is dry hole, an agreement between the operator and the dist.</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.
<ol> <li>If the well is dry hole, an agreement between the operator and the dist.</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in;  ed from below any usable water to surface within <i>120 days</i> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>If the well is dry hole, an agreement between the operator and the dist.</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
If the well is dry hole, an agreement between the operator and the di     The appropriate district office will be notified before well is either plug     If an ALTERNATE II COMPLETION, production pipe shall be cemented     Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.
<ol> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be</li> </ol>	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 099-2404/-DDDD	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	e underlying formation.  strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 099-2404/-DDDD	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 099-24041-0000  Conductor pipe required None feet  Minimum surface pipe required feet per Alt.	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 099-24041-0000  Conductor pipe required 10010 feet  Minimum surface pipe required 20 feet per Alt. (2)  Approved by:  Approved by:  Approved by:  Approved Signature of Operator or Agent:	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 099-24041-0000  Conductor pipe required 10010 feet  Minimum surface pipe required 20 feet per Alt. (2)  Approved by:  Approved by:  Approved by:  Approved Signature of Operator or Agent:	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  August 1, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24041-DOOD  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. (2)  Approved by: Put 8-2-06  This authorization expires: 2-2-07  (This authorization void if drilling not started within 6 months of approval date.)	e underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 099-24041-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	
Lease: Smith, Jimmy	1980 feet from N / ✓ S Line of Section 1830 feet from E / ✓ W Line of Section
Well Number: 6-4	Sec. 6 Twp. 31 S. R. 18
Field: Cherokee Basin CBM	
Number of Acres attributable to well:  OTP (OTP (OTP of parage): NF SW	Is Section: ✓ Regular or Irregular
QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: { 405 } 286 * 9316  Phone Number: { 405 } 286 *	Operator Name: Quest Cherokee LLC		License Number: 33344	
Pit Location (QQQQ):   Type of Pit:	Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120			
Type of Pit:    Emergency Pit   Burn Pit   Existing, Other Constructed:   Workover Pit   Haul-Off Pit   Haul-Of	Contact Person: Richard Marlin		Phone Number: ( 405 ) 286 - 9316	
Emergency Pit Burn Pit Proposed Existing Settling Pit Proposed Existing If Existing, date constructed:    Settling Pit   Drilling Pit   Drilling Pit   Pit capacity:   Workover Pit   Haul-Off Pit   Pit capacity:   300	Lease Name & Well No.: Smith, Jimm	ny #6-4		Pit Location (QQQQ):
Settling Pit	Type of Pit:	Pit is:		
Workover Pit	Emergency Pit Burn Pit	✓ Proposed		Sec. 6 _Twp. 31 _R. 18
Feet from   East /   West Line of Section   Labette   County	Settling Pit	If Existing, date constructed:		1980 Feet from North / 🗹 South Line of Section
Successive Section   Success		Pit capacity:		1830 East / 🗸 West Line of Section
Is the bottom below ground level?	(If WP Supply APT No. of Teal Diffled)	300	(bbls)	<u>Labette</u> County
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used?  Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 10 (feet)  If the pit is lined give a brief description of the liner material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation lasting approx 3 days  Depth to shallowest fresh water	Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l
Pit dimensions (all but working pits):    30	Is the bottom below ground level?  Artificial Liner?		· · · · · · · · · · · · · · · · · · ·	
Depth from ground level to deepest point:	l	1	No	
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet)			
liner integrity, including any special monitoring.	Depth fr	om ground level to de	eepest point:	10 (feet)
Air Drilling Operation lasting approx 3 days  Distance to nearest water well within one-mile of pit    Depth to shallowest fresh water	, , , , , , , , , , , , , , , , , , ,		,	
Distance to nearest water well within one-mile of pit    N   K   feet   Depth of water well   feet   measured   well owner   electric log   KDWR				
Source of information:			7 5	operation labiting approx o days
Source of information:				
Mark   feet   Depth of water well   feet   measured   well owner   electric log   KDWR	Distance to nearest water well within one-mile	e of pit		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  August 1, 2006  Date  Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Air Drilled  Number of working pits to be utilized:  One  Abandonment procedure:  Air Dry, Back Fill and Cover  KANSAS CORPORATION COMMISSION  FIGURE 1  August 1, 2006  Drill pits must be closed within 365 days of spud date.  AUG 0 2 2006  CONSERVATION DIVISION  WICHITA, KS  Signature of Applicant or Agent				
Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  August 1, 2006  Date  Number of working pits to be utilized:  Abandonment procedure:  Air Dry, Back Fill and Cover  KANSAS CORPORATION COMMISSI  Abandonment procedure:  Abandonment procedure:  Air Dry, Back Fill and Cover  KANSAS CORPORATION COMMISSI  CONSERVATION DIVISION  WICHITA, KS  Signature of Applicant or Agent			Drilling, Work	over and Haul-Off Pits ONLY:
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover    No	Producing Formation: Type of mater		Type of materia	al utilized in drilling/workover: Air Drilled
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.    August 1, 2006				
August 1, 2006  Date  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  CONSERVATION DIVISION  WICHITA, KS  Signature of Applicant or Agent			Van Marken	
August 1, 2006  Date  Thereby certify that the above statements are true and correct to the best of my knowledge and belief.  CONSERVATION DIVISION  WICHITA, KS  Signature of Applicant or Agent	Does the slope from the tank battery allow all spilled fluids to    Does the slope from the tank battery allow all spilled fluids to   Drill pits		Drill nite must	consider within 365 days of sould date
August 1, 2006  Date  Signature of Applicant or Agent	2 2006			
August 1, 2006  Date  Signature of Applicant or Agent	CONSERVATion -			
Date Signature of Applicant or Agent	August 1, 2006		-	
KCC OFFICE USE ONLY			S	ignature of Applicant or Agent
	KCC OFFICE USE ONLY			
Date Received: 8/2/06 Permit Number: Permit Date: 8/2/06 Lease Inspection: Yes X No				