For KCC Use: Effective Date: .. District #___

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date August 12, 2006 month day year	Spot <u>SW</u> <u>NW</u> <u>SW</u> <u>Sec. 21</u> <u>Twp. 30</u> <u>S. R. 14E</u>	ast /est
OPERATOR: License# 33074 Pagin Counting Co. U.S.	1700 FSLfeet from N / ✓S Line of Section	
OPERATOR: License#	4660 FELfeet from ✓ E / W Line of Section	
Autoria 211 W. Myrtle	is SECTION Regular Irregular?	
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Tony Williams	County: Wilson	
Phone: 620-331-7870	Lease Name: I & J Yeoman Well #: C1-21	
	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# Unknown	Is this a Prorated / Spaced Field?	No
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 620 feet	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 996 feet	-
Gas Storage ✓ Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	_
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	No
Seismic;# of Holes Other	Depth to bottom of fresh water: 175' + -	
Other	Depth to bottom of usable water: 200'	
	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required:	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Tormation at Total Depth,	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:	Will Cores be taken?	No
	If Yes proposed zone:	="
	RECEIVED	
	DAVIT KANSAS CORPORATION CO	OIRSIMMC
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.) 6
It is agreed that the following minimum requirements will be met:	A00 () 3 200	<i>,</i> 0
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	It by circulating cement to the top; in all cases surface pipe stall to see underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.	g;
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.	
Date: August 2, 2006 Signature of Operator or Agent:	Title: Sr Regulatory & Safety Compliance Spec	cialist
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	ı
API # 15 - 205 - 26908-0000 Conductor pipe required None feet	- File Completion Form ACO-1 within 120 days of spud date;	8
Conductor pipe required None feet	- File acreage attribution plat according to field proration orders;	_
Minimum surface pipe required	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; 	1
Approved by: PH 8-3-06	- Obtain written approval before disposing or injecting salt water.	6
)	If this permit has expired (See: authorized expiration date) please	30
Titis authorization expires.	check the box below and return to the address below.	
(This authorization void if drilling not started within 6 months of effective date.)	Well Not Drilled - Permit Expired	
Spud date:Agent:	Signature of Operator or Agent:	
<u> </u>	Date:	1
Mail to KOO Consensation Division 190.6	S. Market - Room 2078, Wichita, Kansas 67202	12

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26908-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: I & J Yeoman	1700 FSL feet from N / ✓ S Line of Section 4660 FEL feet from ✓ E / W Line of Section
Well Number: C1-21	Sec. 21 Twp. 30 S. R. 14E ✓ East West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: SW - NW - SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T30S

21

4660 FEL


1700 FSL

RECEIVED KANSAS CORPORATION COMMISSION

AUG 0 3 2006

CONSERVATION DIVISION WICHITA, KS

R14E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074		
Operator Address: 211 W. Myrtle		Inde	ependence KS 67301	
Contact Person: Tony Williams		Phone Number: (620) 331 - 7870		
Lease Name & Well No.: & J Yeoman C1-21		1-21	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SW</u> . <u>NW</u> . <u>SW</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 21 Twp. 30 R. 14E East Wes	t
Settling Pit	If Existing, date c	constructed:	1700 FSL Feet from North / South Line of So	ection
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	 	4660 FEL Feet from ✓ East / West Line of S	ection
(ii Wr Supply Art No. or real Dillieu)	926	(bbls)	Wilson	ounty
Is the pit located in a Sensitive Ground Water		Ø∕No	Chloride concentration:(For Emergency Pits and Settling Pits only)	mg/l
Is the bottom below ground level? ✓ Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?	
	<u> </u>		Natural Clays	
			Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de		(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	dures for periodic maintenance and determining	
		Describe proce liner integrity, in	KANSAS CORPORATION	COMMISSION
		Describe proce liner integrity, in		COMMISSION
		Describe proce liner integrity, in	AUG 0 3 2	COMMISSION 106 VISION
	.	Depth to shallo	CONSERVATION DI WICHITA, KS west fresh waterfeet.	COMMISSION 106 VISION
material, thickness and installation procedure Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	CONSERVATION WICHITA, KS west fresh waterfeet.	COMMISSION 2006 VISION
material, thickness and installation procedure Distance to nearest water well within one-mile ハノA feet Depth of water well	e of pit	Depth to shallo Source of infor	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDW.	COMMISSION 2006 VISION
material, thickness and installation procedure Distance to nearest water well within one-mile	e of pitfeet	Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: redwell owner electric logKDW.	COMMISSION 2006 VISION
material, thickness and installation procedure Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY:	e of pitfeet	Depth to shallo Source of infor measu Drilling, Worke	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDW.	COMMISSION 2006 VISION
material, thickness and installation procedure Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation:	e of pitfeet	Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of world	CONSERVATION WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDW over and Haul-Off Pits ONLY:	COMMISSION OG VISION (Complete Signature) (Complete Signature)
material, thickness and installation procedure Distance to nearest water well within one-mile Note	e of pitfeet	Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of world Abandonment	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDW. over and Haul-Off Pits ONLY: Il utilized in drilling/workover: Airking pits to be utilized: One	COMMISSION OG VISION (Complete Signature) (Complete Signature)
Distance to nearest water well within one-mile \[\lambda \int A \] feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	e of pitfeetspilled fluids to	Depth to shallo Source of infor measu Drilling, Worke Number of work Abandonment Drill pits must be	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: One one of the closed within 365 days of spud date.	COMMISSION OG VISION (Complete Signature) (Complete Signature)
Distance to nearest water well within one-mile NA feet Depth of water well	e of pitfeetspilled fluids to	Depth to shallo Source of infor measu Drilling, Worke Number of work Abandonment Drill pits must be	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: One one of the closed within 365 days of spud date.	COMMISSION OG VISION (Complete Signature) (Complete Signature)
Distance to nearest water well within one-mile \[\lambda \int A \] feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state August 2, 2006	e of pitfeetspilled fluids to	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of world Abandonment Drill pits must be correct to the best	CONSERVATION DI WICHITA, KS west fresh water feet. mation: red well owner electric log KDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: or o	COMMISSION 2006 VISION
Distance to nearest water well within one-mile NA feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	e of pitfeetspilled fluids to	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of world Abandonment Drill pits must be correct to the best	CONSERVATION DI WICHITA, KS west fresh waterfeet. mation: red well owner electric log KDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: One one of the closed within 365 days of spud date.	COMMISSION OG VISION (Complete Signature) (Complete Signature)
Distance to nearest water well within one-mile \[\lambda \int A \] feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state August 2, 2006	e of pitfeetspilled fluids to ments are true and c	Depth to shallo Source of infor measu Drilling, Worke Type of material Number of world Abandonment Drill pits must be correct to the best	CONSERVATION DE WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: One procedure: Air dry, fill de closed within 365 days of spud date. of my knowledge and belief. Juliur gnature of Applicant or Agent	COMMISSION OG VISION (Complete Signature) (Complete Signature)
Distance to nearest water well within one-mile \[\lambda \int A \] feet Depth of water well Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state August 2, 2006	spilled fluids to	Depth to shallo Source of infor measu Drilling, Worke Type of materia Number of world Abandonment Drill pits must be correct to the best Signature of Signature o	CONSERVATION DE WICHITA, KS west fresh waterfeet. mation: redwell ownerelectric logKDW. over and Haul-Off Pits ONLY: all utilized in drilling/workover: Air king pits to be utilized: One procedure: Air dry, fill pe closed within 365 days of spud date. of my knowledge and belief.	COMMISSION