For KCC Use:	8-8-06
Effective Date;	0.0.00
District #	
	ST No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

SGA? Yes X No Must be approved by KCC five	(5) days prior to commencing well	
Expected Spud Date August 12, 2006		Z East
month day year	SW NW NW Sec. 7 Twp. 30 S. R. 15E	West
33074	4125 FSL feet from N / VS Line of Sec	
OPERATOR: License# 33074 Name: Dart Cherokee Basin Operating Co. LLC	4720 FEL feet from FE / W Line of Sec	tion
211 W Myrtle	Is SECTION RegularIrregular?	
City/Cata/Zin; Independence KS 6/301	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Lony Williams	County: Wilson	
Phone: 620-331-7870	Lease Name: R Graff Trust Well #: A1-7	
	Field Name: Cherokee Basin Coal Gas Area	
CONTRACTOR: License# Unknown		✓ No
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 382 feet	eet MSL
The state of the s	Ground Surface Elevation.	₩SL VNo-
Oil Enh Rec Infield Mud Hotary Gas Storage Pool Ext. Air Rotary	Water wer mann one degree	V No
OWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 175' + - 200'	<u>v</u>
Seismic;# of Holes Other	Depth to bottom of usable water: 200'	
Other	Surface Pipe by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 40'	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1450 feet	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	s √ No
	If Yes, proposed zone:	
AFI	FIDAVIT KANSAS CORPORATION CO	AMISSIMA
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seg.	_
It is agreed that the following minimum requirements will be met:	AUG 0 3 200	6
Notify the appropriate district office <i>prior</i> to spudding of well;		
a the second the second potice of intent to drill chall be noticed on the	each drilling rig: CONSERVATION DIVIS	
Z. A copy of the approved from the first to		
 The minimum amount of surface pipe as specified below shall be s 	set by circulating cement to the top; in all cases surfaction and the set by circulating cement to the top; in all cases surfactions are surfactions.	
3. The minimum amount of surface pipe as specified below shall be s	set by circulating cement to the top; in all cases surfaction to the underlying formation.	set
 The minimum amount of surface pipe as specified below shall be stronged all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the 	set by circulating cement to the top; in all cases surfactions the underlying formation. I district office on plug length and placement is necessary prior to plug length or production casing is cemented in:	set gging;
 The minimum amount of surface pipe as specified below shall be stronged all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus 	set by circulating cement to the top; in all cases surfactions the underlying formation. In district office on plug length and placement is necessary prior to pluy ugged or production casing is cemented in; In the district office on plug length and placement is necessary prior to pluy ugged or production casing is cemented in; In the district of the pluy any usable water to surface within 120 days of spud	set gging; date.
 The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be compared to the plus of the pl	set by circulating cement to the top; in all cases surfactions the underlying formation. In district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; Intend from below any usable water to surface within 120 days of spud are #133,891-C. which applies to the KCC District 3 area, alternate II or	set gging; date. ementing
 The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	set by circulating cement to the top; in all cases surfactions the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer	set gging; date. ementing
 The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	set by circulating cement to the top; in all cases surfactions the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer	set gging; date. ementing
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	set gging; date. ementing nting.
 The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	set by circulating cement to the top; in all cases surfactions the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief.	set gging; date. ementing nting.
 The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either plu If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best 	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to:	set gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent:	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	set gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26907-0000	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	set gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26907-0000	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; under the plug ugged or production casing is cemented in; and the plug ugged or production casing is cemented in; and the plug ugged or production casing is cemented in; and the plug ugged or production applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26907 - 0000 Conductor pipe required None feet	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en-	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated by the completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26907 - OOO Conductor pipe required Minimum surface pipe required feet per Alt. 12	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; under the plug ugged or production casing is cemented in; and the plug ugged or production casing is cemented in; and the plug ugged or production casing is cemented in; and the plug ugged or production applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26907 - 000 Conductor pipe required None feet Minimum surface pipe required Approved by: PUH 8-3-06	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-election written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best best and the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best best and the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best best and the post of the spud date or the well shall hereby certify that the statements made herein are true and to the best best and the post of the spud date or the well shall hereby certified and the statements made herein are true and to the best best and the post of the spud date or the well shall hereby certified and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the best best and the statements are true and to the statements are true and to the best best and the statements are true and to the statements are true are true and to the statements are true are true are true	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; unted from below any usable water to surface within 120 days of spud or #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-en-	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: August 2, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26907 - 000 Conductor pipe required None feet Minimum surface pipe required Approved by: PUH 8-3-06	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II could be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-election written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	gging; date. ementing nting.
3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerated or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best best and the surface pipe required Signature of Operator or Agent: Por KCC Use ONLY	set by circulating cement to the top; in all cases surface the underlying formation. It district office on plug length and placement is necessary prior to plug ugged or production casing is cemented in; anted from below any usable water to surface within 120 days of spud er #133,891-C, which applies to the KCC District 3 area, alternate II or all be plugged. In all cases, NOTIFY district office prior to any cemer of my knowledge and belief. Title: Sr Regulatory & Safety Compliance Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-election written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	gging; date. ementing nting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26907-0000	Location of Well: County: Wilson
Operator: Dart Cherokee Basin Operating Co. LLC	
Lease: R Graff Trust	4125 FSL feet from N / ✓ S Line of Section 4720 FEL feet from ✓ E / W Line of Section
Well Number: A1-7	Sec. 7 Twp. 30 S. R. 15E
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SW - NW - NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T30S

RECEIVED

KANSAS CORPORATION COMMISSION

AUG 0 3 2006

CONSERVATION DIVISION

WICHITA, KS

R15E

EXAMPLE

SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

Wilson Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC		License Number: 33074		
			ependence KS 67301	
Operator Address: 211 W. Myrtle Inde		Phone Number: (620) 331 - 7870		
Lease Name & Well No.: R Graff Trust	A1	<u> </u>	Pit Location (QQQQ):	
			_ SW _ NW _ NW_	
Type of Pit:	Pit is:	- Evicting	Sec. 7 _{Twp.} 30 _{R.} 15E	
Emergency Pit Burn Pit	Proposed Existing		4405 ECI	
Settling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
Сарручичист	926	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	nd Water Area? Yes Y No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓		Natural Clays	
Pit dimensions (all but working pits):	35 Length (fe	eet)30	Width (feet) N/A: Steel Pits	
Depth 1	from ground level to de	epest point: 5	(feet)	
material, thickness and installation procedure			AUG 0 3 2006 CONSERVATION DIVISION WICHTA, KS	
Distance to nearest water well within one-mile of pit		Depth to shalk	owest fresh waterfeet.	
NA feet Depth of water well	feet		ured well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY	f :	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air dry, fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above sta	tements are true and	correct to the be	st of my knowledge and belief.	
August 2, 2006 Date		Jony a	Signature of Applicant or Agent	
	ксс	OFFICE USE C	DNLY	
Date Received: 8/3/06 Permit Nu		_	nit Date: 8/3/06 Lease Inspection: Yes 🔏 No	