# Effective Date: 8-9-06 District # 3

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

SGA? ☐ Yes ☐ No Must be approved by KCC five (£	All Digital Hust be i mos
Expected Spud Date August 9, 2006	Spot ✓ East
month day year	SESESec. 19 Twp. 28 S. R. 16 West
33344	660feet from N / S Line of Section
OPERATOR: License# 33344  Name: Quest Cherokee LLC	660teet from VE / W Line of Section
9520 North May Avenue, Suite 300	Is SECTION V Regular Irregular?
Address: Sold Volume Andrew City, Oklahoma 73120  City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Wilson
Phone: (405) 286-9316	Lease Name: Crites, David EWell #:Well #:
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660  Cround Surface Flagation: 982feet MSL
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation.
✓ Gas Storage Pool Ext. ✓ Air Rolary	Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓ No  Yes ✓ No
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Other	Depth to bottom of usable water: 200
Seismic;# 6/ Flores Street  Coalbed Methane	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFFI	DAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plu	ugging of this well will comply with K.S.A. SANSAS CORPORATION COMMISS
It is agreed that the following minimum requirements will be met:	AUG 0 4 2006
1. Notify the appropriate district office prior to spudding of well;	-
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	ch drilling rig; CONSERVATION DIVISION
2. The minimum amount of surface nine as specified below shall be se	if by circulating cement to the top, in all cases serials and the cases
through all unconsolidated materials plus a minimum of 20 feet into th	istrict office on plug length and placement is necessary prior to programs,
- " " " " " " " " " " " " " " " " " " "	#133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
must be completed within 30 days of the spud date of the well shall be	f my knowledge and helief
I hereby certify that the statements made herein are true and to the best of	
Date: August 3, 2006 Signature of Operator or Agent:	Title: VP
Date: Digitator of operation of the	Remember to:
	- File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 205-26911-0000	<ul> <li>File Completion Form ACO-1 within 120 days of spud date;</li> </ul>
l No.a	- File acreage attribution plat according to field proration orders;
Conductor pipe required None feet	- Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per Alt. (2)	<ul> <li>Submit plugging report (CP-4) after plugging is completed;</li> <li>Obtain written approval before disposing or injecting salt water.</li> </ul>
1 2 14 8-4-00	10
This authorization expires: 2-4-07  This authorization expires: 2-4-07	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	
	Well Not Drilled - Permit Expired Signature of Operator or Agent:
Spud date: Agent:	Signature of Operator of Agent
0,000 000000000000000000000000000000000	Date:6

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -205-269/11-0000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660
Lease: Crites, David E.	feet from N / S Line of Section  660 feet from F E / W Line of Section
Well Number: 19-1 Field: Cherokee Basin CBM	Sec. 19 Twp. 28 S. R. 16 VEast Wes
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SE	SE If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC  Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marilin  Phone Number: ( 405 ) 286 9316  Phone Nu	Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  I hereby certify that the above statements are true and August 3, 2006	Type of material utilized in drilling/workover: All Number of working pits to be utilized: One Abandonment procedure: Air Dry, Back Fill and Drill pits must be closed within 365 days of spurorrect to the best of my knowledge and belief.	ir Drilled  Id Cover  Id date.  RECEIVED  KANSAS CORPORATION COMMI  AUG () 4 2006  CONSERVATION DIVISION	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Emergency Pit   Burn Pit   Prit is:   SE   SE   SE   Pit Location (OQQQ):   Fit capacity:   Workover Pit   Haul-Off Pit   Pit capacity:   Workover Pit   Haul-Off Pit   Pit capacity:   Globbia   Gest from   North / South Line of Section   660   Feet from   North / South Line of Section   660   Feet from   Pit and Setting Pits only   South Line of Section   Gest from   Well No.: County   Gest from   Morth / South Line of Section   Gest from   Gest from   Morth / South Line of Section   Gest from   Gest from   Gest from   Gest from   Morth / South Line of Section   Gest from   Gest	Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  I hereby certify that the above statements are true and	Type of material utilized in drilling/workover: All Number of working pits to be utilized: One Abandonment procedure: Air Dry, Back Fill an Drill pits must be closed within 365 days of spurorrect to the best of my knowledge and belief.	ir Drilled  Id Cover  Id date.  RECEIVED  KANSAS CORPORATION COMMI	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Pit is:	Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No	Type of material utilized in drilling/workover: All Number of working pits to be utilized: One  Abandonment procedure: Air Dry, Back Fill and Drill pits must be closed within 365 days of specific pits.	ir Drilled  d Cover  d date.	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Fit Setting Pit   Pit Is:   Setting Pit   Drilling Pit   Proposed   Existing   Setting Pit   Set   Proposed   Setting Pit   Set   Set	Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to	Type of material utilized in drilling/workover: All Number of working pits to be utilized: One  Abandonment procedure: Air Dry, Back Fill and	ir Drilled  Id Cover	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 9316  Pit Location (QQQQ):  SE	Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced dally:	Type of material utilized in drilling/workover: A	ir Drilled	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Type of Pit:   Pit is:   Pit is:   Proposed   Existing   Sec_ 19_ Twp_ 28S_R_ 16_   East   West	Emergency, Settling and Burn Pits ONLY:  Producing Formation:	Type of material utilized in drilling/workover: A	ir Drilled	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: (405) 286 9316  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit Pit is:  Sec. 19 Twp. 28S R. 16 East West  660 Feet from North / South Line of Section  Workover Pit Haul-Off Pit Pit capacity: 300 (bbls)  Is the pit located in a Sensitive Ground Water Area? Yes No  Chloride concentration:  Morth of Section Pit Indied if a plastic liner is not used?  Artificial Liner?  Yes No  Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation lasting approx 3 days  Distance to nearest water well within one-mile of pit  Depth to shallowest fresh waterfeet.	Emergency, Settling and Burn Pits ONLY:			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: (405) 286 9316  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit Pit is:  Sec. 19 Twp. 28S R. 16 East West  660 Feet from North / South Line of Section  Workover Pit Haul-Off Pit Pit capacity: 300 (bbls)  Is the pit located in a Sensitive Ground Water Area? Yes No  Chloride concentration:  Morth of Section Pit Indied if a plastic liner is not used?  Artificial Liner?  Yes No  Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation lasting approx 3 days  Distance to nearest water well within one-mile of pit  Depth to shallowest fresh waterfeet.	leet Depth of Water Well	Diming, Horkover and Hadron Fits Onzer	electric log KDWK	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: (405) 286 9316  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit Pit is:  Sec. 19 Twp. 285 R. 16 East West  660 Feet from North / South Line of Section  Workover Pit Haul-Off Pit Pit capacity: 300 (bbls)  Is the pit located in a Sensitive Ground Water Area? Yes No  Chloride concentration:  Morth of Section Pit Series only  Is the bottom below ground level?  Artificial Liner?  Yes No  Chloride concentration:  Morth of Section Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?  Pit dimensions (all but working pits):  Depth from ground level to deepest point:  Depth from ground level to deepest point:  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.  Air Drilling Operation lasting approx 3 days  Distance to nearest water well within one-mile of pit  Depth to shallowest fresh water feet.	NAfeet Depth of water wellfeet		_ electric log NOWN	
Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Emergency Pit   Burn Pit   Prit capacity:   300	Distance to fledited ratio from maint one time of pa	Source of information:	mation:	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:    Emergency Pit   Burn Pit   Proposed   Existing   Sec. 19 Twp. 28S R. 16   East   West     Settling Pit   Drilling Pit   Fix   Set   Set   West     Workover Pit   Haul-Off Pit   Pit capacity:   300   (bbls)   Wilson   County     Is the pit located in a Sensitive Ground Water Area?   Yes   No     Yes   No   Artificial Liner?   How is the pit lined if a plastic liner is not used?     Pit dimensions (all but working pits):   30   Length (feet)   10   Width (feet)   N/A: Steel Pits     Depth from ground level to deepest point:   Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Distance to nearest water well within one-mile of pit	Depth to shallowest fresh water	feet.	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Weil No.: Crites, David E. #19-1  Type of Pit:    Fit is:   Emergency Pit   Burn Pit   Proposed   Existing   Sec. 19 Twp. 28S R. 16   East   West     Settling Pit   Drilling Pit   Fit capacity:   Workover Pit   Haul-Off Pit   Pit capacity:   300   (bbls)   Wilson   County     Is the pit located in a Sensitive Ground Water Area? Yes   No   No   Pit sime for ground level?   Artificial Liner?   How is the pit lined if a plastic liner is not used?     Pit dimensions (all but working pits):   30   Length (feet)   10   Width (feet)   N/A: Steel Pits   Depth from ground level to deepest point:   10   Geet)     If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Air Drilling Operation lasting appr	ox 3 days	
Digerator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120		liner integrity, including any special monitoring.	•	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 - 9316  Pit Location (QQQQ):  ————————————————————————————————		coor point (root)	and determining	
Departor Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: (405) 286 9316  Pit Location (QQQQ):  Pit is:  Pit is:  Proposed Existing Sec. 19 Twp. 28S R. 16 East West  If Existing, date constructed:  Workover Pit Haul-Off Pit Workover P		10	N/A: Steel Pits	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit Pit is:  Sec. 19 Twp. 28S R. 16 Feast West  Settling Pit Drilling Pit Fast West  Workover Pit Haul-Off Pit Pit Capacity:  Workover Pit Haul-Off Pit Pit Capacity:  Workover Pit Aul-Off Pit WP Supply API No. or Year Drilled)  Sec. 19 Twp. 28S R. 16 Feast West  Milson County  County  Chloride concentration:  Milson Milson Milson  County  Chloride concentration:  Milson Milson  County	·	' '		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit If Existing, date constructed:  Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)  Phone Number: (405) 286 - 9316  Pit Location (QQQQ):  Sec. 19 Twp. 28S R. 16   East West 660  Feet from North / South Line of Section Wilson  County	Is the bottom below ground level? Artificial Liner?			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 - 9316  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Emergency Pit Burn Pit Proposed Existing  Sec. 19 Twp. 28S R. 16 East West  Settling Pit Drilling Pit Feet from North / South Line of Section  Workover Pit Haul-Off Pit Pit capacity:  Wilson	Is the pit located in a Sensitive Ground Water Area? Yes [	No Chloride concentration:	mg/l	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 9316  Pit Location (QQQQ):  Type of Pit:  Emergency Pit Burn Pit Proposed Existing Section Pit Settling Pit Proposed Existing Workover Pit Haul-Off Pit  Pit capacity:  Pit capacity:  Phone Number: ( 405 ) 286 9316  Pit Location (QQQQ):  SE SE  Section North / South Line of Section Feet from North / South Line of Section Feet from Feet from Feet from Feet from Section	(If WP Supply API No. or Year Drilled)	(bbls) Wilson	County	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 - 9316  Pit Location (QQQQ):  Type of Pit:  Emergency Pit Burn Pit Proposed Existing  Sec. 19 Twp. 28S R. 16   East West	Pit capacity:	660 Feet from ✓	East / West Line of Section	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: ( 405 ) 286 - 9316  Lease Name & Well No.: Crites, David E. #19-1  Type of Pit:  Pit is:  Phone Number: ( 405 ) 286 - 9316  Pit Location (QQQQ):	Settling Pit	nstructed: 660 Feet from	North / 🗸 South Line of Section	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1  Phone Number: (405) 286 - 9316  Pit Location (QQQQ):	Emergency Pit Burn Pit Proposed	Existing Sec. 19 Twp. 28S R.	16 ✓ East  West	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120  Contact Person: Richard Marlin  Phone Number: (405) 286 - 9316	Type of Pit: Pit is:	SE _	SE	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120		Pit Location (QQQQ):		
	Lease Name & Well No.: Crites, David E. #19-1	400 2	Phone Number: ( 405 ) 286 - 9316	
Operator Name: Quest Cherokee LLC License Number: 33344	ease Name & Well No.: Crites, David E. #19-1	Phone Number: ( 405 ) 2	70120	
	Contact Person: Richard Marlin  Lease Name & Well No.: Crites, David E. #19-1		nma 73120	