RECEIVED

For KCC Use:	0-11-010
Effective Date:	8-12-06
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

AUG 0 4 2006

Form C-1 December 2002

KCC WICHIT Form must be Typed

DEFEATOR: Licensee .500	SCA! LIES LINO	TENT TO DRILL KCC WICHIT Arm must be Signed All blanks must be Filled
OPERATOR: Licenses 5699 OPERATOR: SPORT SWARD Comment Schmitt Inc. OPERATOR: SPORT SWARD CONTROL		a) days prior to commencing well
Age	Expected Spud Date	
December 2009 Name: Camer Schmittine: Section Sectio	,	· · · · · · · · · · · · · · · · · · ·
Is SECTION Regular Irregular?	OPERATOR: License# 6569 V	ICCC HOLL TO ELLO SI GOOKSII
Mote: Locate well on the Section Plat on reverse side)	Name: Carmen Schmitt Inc.	1981 from V E / W Line of Section
County - Well #:	Address: PO Box 47	Is SECTION _▼ RegularIrregular?
County - Well #:	City/State/Zip: Great Bend, KS 67530	
Field Name: Shields Drilling Company	Contact Person, Jacob Forter	County: Lane
Is this a Prorated / Special Field? Is this a Prorated / Special Field? Is this a Prorated / Special Field? Is the service of the provided for the property of the provided for the provi	Phone: 620-793-5100	
Name Shelds Unling Company Well Drilled For: Well Class: Type Equipment:	5184	
Well Drilled For: Well Class: Type Equipment: Ground Surface Elevation: 912827 least least ground Surface Elevation: 912827 least ground Surface Pipe Bund Surface Pipe Surface Pipe Bund Surface Elevation: 912827 least ground Surface Elevation: 912827 least ground Surface Pipe Bund Surface Elevation: 912827 least ground Surface Pipe Bund Surface Ele	Shields Drilling Company	,
Ground Surface Elevation: establishment Ground Surface Elevation: es	Name:	
Water well within one-quarter mile: Yes Yes Water well within one-mile: Yes Yes Water well within one-mile: Yes Yes Water well within one-mile: Yes Yes Water Surface Pipe by Alternate: 1 Yes Ye	Well Drilled For: Well Class: Type Equipment:	
Gas Storage Pool Ext Cable Pool Ext Public water supply well within one mile: Poel to bottom of trosh water. 100 Poel to Destroin of usable water. 200 Poel to Destroin of Usable value. 200 Poe	Oil Enh Rec Infield Mud Rotary	
Depth to bottom of trosh water: 1807 Depth to bottom	Gas Storage Pool Ext. Air Rotary	
Seismic;		
MowWo: old well information as follows: Operator:	Seismic; # of Holes Other	Depth to bottom of usable water: 1900' 199
Length of Surface Pipe Planned to be set: 200 Operator:	Other	Surface Bine by Alternate:
Length of Conductor Pipe required: Projected Total Depth: Projected Total Depth: Projected Total Depth: Projected Total Depth: Mississippian Water Source for Drilling Operations: Water Source or Drilling Operations with DWA Water Source or Drilling Operations with DWA Water Source or Drilling Operations Water Source or Drilling Operation Operations Water Source or Drilling Operation Operation Wat		t ength of Surface Pine Planned to be set: 200'
Projected Total Depth: 4700 Formation at Total Depth: Mississippian Formation at Total Depth: Mississippian Mater Source for Drilling Operations: Water Source for Drilling Operations on Source for Drilling Operations on Source for Drilling Operations on Source for Drilling Operations Manager Water Source for Drilling Operation Operatio		Length of Conductor Pipe required: -0-
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source operation operation orders: Water Source operation operation orders: Water	•	Projected Total Depth: 4700'
Original Completion Date:		
If Yes, true vertical depth:	Original Completion Date:Original Total Depth:	Tomason at Total Bopan
DWR Permit #: (Note: Apply for Permit with DWR)	Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other hauled
Will Cores be taken? Yes	•	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin for through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API #15 - / O1 - 21953 - W		
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date or presument to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /O/ - 2/953 - COO feet per Alt. Approved by: Date Province Test of the Approval date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. 1. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Pe		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin for the appropriate district office will be notified before well is either plugged or production casing is cemented in; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: July 28, 2006 Title: Operations Manager Remember to: File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 wi	NOO DICE W.	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shalf be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing 1 hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101 - 21953 - 000 Approved by: Path 8 - 7 - 00 This authorization expires: 2 - 707 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent: 1. Notify appropriate district office within 120 days of spud date; Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration dat		
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: July 28, 2006 Signature of Operator or Agent: July 28, 2006 Signature of Operator or Agent: July 28, 2006 Signature of Operator or Agent: File Completion Form ACO-1 within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		ugging of this well will comply with K.S.A. 55 et. seq.
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: Jul	It is agreed that the following minimum requirements will be met:	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: Jul	 Notify the appropriate district office prior to spudding of well; 	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: July 28, 200	2 A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig;
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggin 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: Submit plugging report (CP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Signature of Operator or Agent:	3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe shall be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /01-21953-000 Approved by: Date 3-7-00 Approved by: Date 3-7-00 This authorization expires: 2-7-07 (This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date:Agent:	through all unconsolidated materials plus a minimum of 20 feet into tr	ie underlying formation. istrict office on plug length and placement is necessary prior to plugging:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent:	4. If the well is dry note, an agreement between the operator and the d	need or production casing is cemented in:
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 101-21953-000 Conductor pipe required None feet per Alt. Approved by: Dat 8-7-00 This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: #133,891-C, which applies to the KCC District 3 area, alternate II cemer must be completed. In all cases, NOTIFY district office Prior to any cementing II cemer for the well shall be plugged. In all cases, NOTIFY district office Prior to any cementing II cemer for the well shall be plugged. In all cases, NOTIFY district office Prior to any cementing II cemer for the well shall be plugged. In all cases, NOTIFY district office Prior to any cementing II cemer for the well shall be plugged. In all cases, NOTIFY district office Prior to any cementing II cemer for the well shall be plugged. In all cases, NOTIFY district office Prior to any cementing II cases, NOTIFY district office Prior to any cementing II cases, NOTIFY district office Prior to any cementing II cases, NOTIFY district office Prior to any cementing II cases, NOTIFY district office Prior to any cementing II cases. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration da	6 If an ALTERNATE II COMPLETION, production pipe shall be cement.	ed from below any usable water to surface within 120 days of spud date.
I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: July 28, 2006 Signature of Operator or Agent:	Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
Signature of Operator or Agent: Jack For KCC Use ONLY API # 15 - 101-21953-000	must be completed within 30 days of the spud date or the well shall t	be plugged. In all cases, NOTIFY district office prior to any cementing.
Signature of Operator or Agent: Jack For KCC Use ONLY API # 15 - 101-21953-000	I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
For KCC Use ONLY API # 15 - 101-21953-0000 Conductor pipe required None feet per Alt. XCO Approved by: Pot 8-7-000 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:		<u></u>
For KCC Use ONLY API # 15 - 101-21953-0000 Conductor pipe required None feet per Alt. XCO Approved by: Pot 8-7-000 This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	Date: July 28, 2006 Signature of Operator or Agent:	Title: Operations Manager
API # 15 - 101-21953-0000 Conductor pipe required None feet per Alt. XC2 Minimum surface pipe required 200 feet per Alt. XC2 Approved by: 101-205 This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Spud date: Agent: Spud date: Pile Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
API # 15 - 101-21953-0000 Conductor pipe required None feet per Alt. XC2 Minimum surface pipe required 7-000 Approved by: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent:	For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
Conductor pipe required	101-21953-7220	- File Completion Form ACO-1 within 120 days of spud date;
Minimum surface pipe required 200 feet per Alt. XO Approved by: P+8-7-06 This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	Mar 2	
Approved by: Pot 8-7-06 This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	Conductor pipe required	2 11 1
Approved by:	Will initially surface pipe required	
This authorization expires: 2-7-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: See: authorized expiration date) this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Signature of Operator or Agent:	Approved by: 448-7-00	
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent:	This authorization expires: 2-7-07	
Spud date: Agent: Signature of Operator or Agent:	(This authorization void if drilling not started within 6 months of approval date.)	
apud date		-
I lioto:	Spud date: Agent:	
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101-21953-000	Location of Well: County: Lane
Operator: Carmen Schmitt Inc.	
Lease: Goertz	4290 feet from N / ✓ S Line of Section 330 feet from ✓ E / W Line of Section
Well Number: 1	Sec14 Twp17 S. R30 East
Field:	
Number of Acres attributable to well:	Is Section: ✓ Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SE - NE - NE - NE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RECEIVED
AUG 0 4 2006
KCC WICHITA

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

RECEIVED

Kansas Corporation Commission Oil & Gas Conservation Division AUG 0 4 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PITKCC WICHITA

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.			License Number: 6569		
Operator Address: PO Box 47, Great Bend, KS 67530					
Contact Person: Jacob Porter			Phone Number: (620) 793 - 5100		
Lease Name & Well No.: Goertz #1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>_ SE _ NE _ NE</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 14 _{Twp.} 17s _{R.} 30w ☐ East ✓ West		
Settling Pit	If Existing, date co	onstructed:	4290 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	1500	(bbls)	Lane		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes ✓) No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓ I		Natural clays and bentonite		
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits					
Depth fr	rom ground level to de	eepest point: 4	(feet)		
material, thickness and installation procedure. liner integrity, including any special monitoring. Visual inspection					
Source of		Source of infor			
			over and Haul-Off Pits ONLY:		
		_	Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Bentonite		
			Number of working pits to be utilized: 4		
Number of producing wells on lease: Barrels of fluid produced daily:		Abandonment procedure: Evaporate and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
August 3, 2006 Date Da					
KCC OFFICE USE ONLY					
Date Received: 8/4/04 Permit Num	nber:	Perm	nit Date: 8/4/06 Lease Inspection: Yes Ho		