Effective Date: 8-12-06 District # 3 SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	(a) aayo prior to commonomy tron		
Expected Spud Date August A, 2006 month day year	Spot Spot Sw Sw Sec 26 Twn 29 S. R. 18 West		
	Sec Sec Iwp S. H West		
OPERATOR: License# 33344	800feet from N / V S Line of Section 350feet from E / V W Line of Section		
Name: Quest Cherokee LLC			
Address: 9520 North May Avenue, Suite 300	Is SECTIONRegularIrregular?		
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)		
Contact Person: Richard Marlin	County: Neosho		
Phone: (405) 286-9316	Lease Name: Goins Trust Well #: 26-3		
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM		
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ No		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 350		
	Ground Surface Elevation: 1008 feet MSL		
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No ✓		
	Public water supply well within one mile:		
OWO Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 100		
✓ Other Coalbed Methane	Depth to bottom of usable water: 200		
A Other	Surface Pipe by Alternate: 1 2 2		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25		
Operator:	Length of Conductor Pipe required:		
Well Name:	Projected Total Depth: 1500		
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals		
	Water Source for Drilling Operations:		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air		
If Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
KCC DKT #:	Will Cores be taken? Yes ✓ No		
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:		
	Will Cores be taken? Yes ✓ No If Yes, proposed zone:		
	Will Cores be taken? Yes ✓ No If Yes, proposed zone:		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? If Yes, proposed zone: DAVIT Was V No RECEIVED KANSAS CORPORATION COMMISSION SERVICE OF SERVI		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: PACEIVED KANSAS CORPORATION COMMISSION AUG 0 7 2006		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 CONSERVATION DIVISION		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface ₩ 10 mm 1		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface Wind Hall Kee set the underlying formation.		
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di	Will Cores be taken? If Yes, proposed zone: PACEIVED RANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; The dri		
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office in the second of the second of the propriate district office will be notified before well is either plus. 1. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus.	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 CONSERVATION DIVISION to by circulating cement to the top; in all cases surface with the set office on plug length and placement is necessary prior to plugging; good or production casing is cemented in;		
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved in the second of th	Will Cores be taken? If Yes, proposed zone: PACEIVED CANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; To by circulating cement to the top; in all cases surface Wight Series series and for production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing		
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved in the second of th	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 The drilling rig; The by circulating cement to the top; in all cases surface with the sequence of the comply and placement is necessary prior to plugging; good or production casing is cemented in;		
AFFI: The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the lif the well is dry hole, an agreement between the operator and the died. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order:	Will Cores be taken? If Yes, proposed zone: PACEIVED RANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; The conservation division by circulating cement to the top; in all cases surface Winding Kase set in the underlying formation. In this proposed is compact to the top; in all cases surface Winding Kase set in the underlying formation. In this proposed zone: PASSICEIVED CONSERVATION DIVISION The underlying formation division in all cases surface Winding Kase set in the underlying formation. The proposed zone: PASSICEIVED CONSERVATION DIVISION The underlying formation division in all cases surface within 120 days of spud date. PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The proposed zone: PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The proposed zone: PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The prop		
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: PACEIVED RANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; The conservation division by circulating cement to the top; in all cases surface Winding Kase set in the underlying formation. In this proposed is compact to the top; in all cases surface Winding Kase set in the underlying formation. In this proposed zone: PASSICEIVED CONSERVATION DIVISION The underlying formation division in all cases surface Winding Kase set in the underlying formation. The proposed zone: PASSICEIVED CONSERVATION DIVISION The underlying formation division in all cases surface within 120 days of spud date. PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The proposed zone: PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The proposed zone: PASSICEIVED AUG 0 7 2006 The drilling rig; The proposed zone: The prop		
AFFI The undersigned hereby affirms that the drilling, completion and eventual pla It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall by I hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: Pace Ves		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	Will Cores be taken? If Yes, proposed zone: PACEIVED KANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; To by circulating cement to the top; in all cases surface William (Kesset) The underlying formation. In the underlying formation is recessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of	Will Cores be taken? If Yes, proposed zone: Pacceived Paccei		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the shall in the well is dry hole, an agreement between the operator and the drill shall be compared to the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26683-000	Will Cores be taken? If Yes, proposed zone: Page Ves Ves Ves Ves		
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent sent sent sent sent sent sen	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION to be circulating cement to the top; in all cases surface with the set of fice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the displayment of the well is either plugion. The appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the Date; August 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26683-0000 Conductor pipe required 1000 feet per Alt.	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION The underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in the set	Will Cores be taken? If Yes, proposed zone: PacciveD		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the displayment of the well is district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26683-cccc Conductor pipe required	Will Cores be taken? If Yes, proposed zone: DAVIT Lugging of this well will comply with K.S.A. 55 et. seq. AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION to be underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in the set	Will Cores be taken? If Yes, proposed zone: PACEIVED KANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION The underlying formation. Set ic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: **PREMEMBER to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26683 - 222 Conductor pipe required	Will Cores be taken? If Yes, proposed zone: PASCEIVED KANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION Auge of production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the displayment of the well is district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: August 4, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133-26683-cccc Conductor pipe required	Will Cores be taken? If Yes, proposed zone: PACEIVED KANSAS CORPORATION COMMISSION AUG 0 7 2006 The drilling rig; CONSERVATION DIVISION The underlying formation. Setrict office on plug length and placement is necessary prior to plugging; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-26483-0000	Location of Well: County: Neosho		
Operator: Quest Cherokee LLC			
Lease: Goins Trust	feet from N / V S Line of Section see from E / V W Line of Section		
Well Number: 26-3 Field: Cherokee Basin CBM	Sec. 26 Twp. 29 S. R. 18 Ves		
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SW - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW		

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	Avenue, Su	ite 300 Ok	lahoma City, Oklahon	na 73120
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Goins Trust #26-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		Sec. 26 Twp. 29 R. 18 ✓ East West	
Settling Pit	If Existing, date constructed:		800 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit Pit capacity:				
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neceho	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration:	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A AlGulal Linauo		(For Emergency Pits a	- ''
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ I	No	How is the pit lined if a plastic line	er is not used?
Pit dimensions (all but working pits):	Length (fe	et) 10	Width (feet)	N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	10 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	edures for periodic maintenance an ncluding any special monitoring. Operation lasting approx	3 days
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.		
		measu		
		ured well owner electric log KDWR tover and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled rking pits to be utilized: One		
Producing Formation: Type of mater		erial utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Number of wor		rking pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief. KA	INSAS CORPORATION COMMISS
		-	51 00	AUG 0 7 2006
August 4, 2006 Date		9	ignature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KS
	KCC (OFFICE USE O	NLY	
Date Received: 87706 Permit Num			it Date: 8 7 06 Lease In	spection: Yes No