For KCC Use: 8-13-06 Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL approved by KCC five (5) days prior to commencing well

			For	m C-1
		Dece	mber	2002
	Form	must	be 1	yped
	Form r	nust b	e Si	gned
AΠ	blanks	must	be l	Filled

Must be approved by NCC live (s	of days prior to commonding won
Expected Spud Date Aug 12 2006	Spot
month day year	SE SE NW Sec. 3 Twp. 12 S. R. 17 West
5363	2106 feet from VN / S Line of Section
OPERATOR: License# 5363	2246feet from E / W Line of Section
Name: Berexco Inc.	Is SECTIONRegularIrregular?
Address: P.O. Box 20380 City/State/Zip: Wichita, KS 67208	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip: Bruce Meyer	County: Ellis
Contact Person: Bruce Meyer Phone: (316) 265-3311	Lease Name: Dreiling Well #: D-5
/	Field Name: Bemis-Shutts
CONTRACTOR: License# 5147	Is this a Prorated / Spaced Field?
Name: Beredco Inc.	Target Formation(s): Lansing/KS City, Arbuckle
TMITO,	Nearest Lease or unit boundary: 394'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2100 Est. feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water: 750
Other	Surface Pipe by Alternate: 1 2
to the second se	Length of Surface Pipe Planned to be set: 250 feet
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 3700
Well Name:Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [])
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFEI	DAVIT PECENTED
•	IMBULIATO
	ugging of this well will comply with K.S. KANSAS CORPORATION COMMISSION
It is agreed that the following minimum requirements will be met:	AUG 0 8 2006
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se 	t by circulating cement to the top; in all cases ChisErvarion richeral
through all unconsolidated materials plus a minimum of 20 feet into the	ne underlying formation. WICHTA KS
4. If the well is dry hole, an agreement between the operator and the d	istrict office on plug length and placement is necessary prior to plugging ;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
Or pursuant to Appendix "B" - Eastern Karisas surface casing order	pe plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	
Date: 8 August 2006 Signature of Operator or Agent:	and - South Title: Engineering Technician
	Remember to:
- voo II ONIV	- File Orill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 051-25565- CXX	and a series of any date:
	- File acreage attribution plat according to field proration orders;
Conductor pipe required None feet	 Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per Alt.	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Lett 8-8-00	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 2-8-07	If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of approval date.)	check the box below and return to the address below.
	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
1	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25565-0000	Location of Well: County: Ellis
Operator: Berexco Inc.	2106 feet from VN / S Line of Section
Lease: Dreiling	2246 feet from E / 🗾 W Line of Section
Well Number: D-5	Sec. 3 Twp. 12 S. R. 17 ☐ East ✔ West
Field: Bemis-Shutts	Is Section: 🔽 Regular or 🔲 Irregular
Number of Acres attributable to well:	· -
QTR / QTR / QTR of acreage: SE - SE - NW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

T115								
T.125				1		•		
	j			`				
		· · · · · ·		2106				·
		224	6'			· · · ·		
		· ·		: , :	<u>'</u> 3	•		<u>.</u>
							,	
			, , , , , , , , , , , , , , , , , , ,					· · · · ·
								·
	ļ			,		• • • • • •		
						•		•

RECEIVED KANSAS CORPORATION COMMISSION AUG 0 8 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Barrels of fluid produced daily: Abandonment procedure: Allow liquid to evaporate until bottom of	Operator Name: Berexco Inc.			License Number: 5363		
Lease Name & Well No. Dreiling No. D-5 Type of Pit: Pit Is:	Operator Address: P.O. Box 203	80, Wichita	, KS 672	08		
Lease Name & Well No. Dreiling No. D-5 Type of Pit: Type of Pit:	Contact Person: Bruce Meyer					
Emergency Pit Burn Pit Proposed Existing Sec. 3 Twp. 12 R. 17 East West	**	lo. D-5				
Settling Pit Drilling Pit Haul-Off Pit Haul-Off Pit Pit capacity: 7000 (bbis) Ellis Feet from North / South Line of Section 2246 Feet from East / West Line of Section 2246 Feet from East / West Line of Section 2246 Feet from East / West Line of Section Ellis County Supply API No. or Year Drilled) Pit capacity: 7000 (bbis) Ellis County Ellis County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) Is the pot tom below ground level? Artificial Liner? Yes No How is the pit lined if a plastic liner is not used? Yes No No No Steel Pits No No No No No No No N				N/2 _ SE _ SE _ NW		
Workover Pit	Emergency Pit Burn Pit	✓ Proposed	Existing	•		
Pit capacity:	Settling Pit	If Existing, date of	onstructed:	Feet from V North / South Line of Section		
Is the pit located in a Sensitive Ground Water Area?	(Pit capacity:		Feet from East / 🗹 West Line of Section		
Is the bottom below ground level? Artificial Liner? Yes No Artificial Liner? Yes No How is the pit lined if a plastic liner is not used? Pit dimensions (all but working pits): Depth from ground level to deepest point: If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION AUG 0 8 2006 CONSERVATION DIMISSION AUG 0 8 2006 CONSERVATION DIMISSION FOR EMERGENCY DIMISSION AUG 1 8 2006 CONSERVATION DIMISSION FOR EMERGENCY DIMISSION FOR EMERGENCY DIMISSION AUG 1 8 2006 CONSERVATION DIMISSION FOR EMERGENCY DIMISSION FOR EMERGENCY DIMISSION AUG 1 8 2006 CONSERVATION DIMISSION FOR EMERGENCY DIMISSION FOR EMERGENCY DIMISSION AUG 1 8 2006 CONSERVATION DIMISSION FOR EMERGENCY DIMISSION FOR EM	(If VVP Supply API No. or Year Drilled)	7000	(bbls)	Ellis County		
Is the bottom below ground level? Ves No Pit dimensions (all but working pits): Depth from ground level to deepest point: Depth from ground level to deepest point: (feet) Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION DAVISION AUG 0 8 2006 CONSERVATION DAVISION Depth to shallowest fresh water 40 feet. WICHITA, KS Source of information: Liq27 feet Depth of water well 44 feet Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief.	Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Pit dimensions (all but working pits): 100 Length (feet) 100 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 4 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION DIVISION AUG 0 8 2006 CONSERVATION DIVISION Length (feet) Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION DIVISION AUG 0 8 2006 CONSERVATION DIVISION Feet WICHTA, KS Source of information: KHKLS Source of information: KHKLS Source of information: KHKLS Type of material utilized in drilling/workover: Bentonite mud Number of working pits to be utilized: 4 Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief.	ls the hottom helow ground level?	Artificial Liner?	, ₁₀			
Depth from ground level to deepest point: 4 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION AUG 0 8 2006 CONSERVATION DIVISION AUG 0 8 2006 CONSERVATION DIVISION Feet. Distance to nearest water well within one-mile of pit source of information: I 9.27 feet Depth of water well feet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Number of producing wells on lease: Number of working pits to be utilized: 4 Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date. 1 hereby certify that the above statements are true and correct to the best of my knowledge and belief.	· · · · · · · · · · · · · · · · · · ·	I	No			
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Producing Formation:	Pit dimensions (all but working pits):	00 Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
Iliner integrity, including any special monitoring. RECEIVED KANSAS CORPORATION COMMISSION AUG 0 8 2006 CONSERVATION DIVISION Depth to shallowest fresh water	Depth fi	rom ground level to de	eepest point: 4	(feet)		
AUG 0 8 2006 CONSERVATION DIVISION Distance to nearest water well within one-mile of pit Depth to shallowest fresh water 40 feet. WICHITA, KS Source of information: KHKLS Source of information: Well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Bentonite mud Number of producing wells on lease: Number of working pits to be utilized: 4 Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Advantage Signature of Applicant or Agent	1			ncluding any special monitoring.		
Depth to shallowest fresh water						
Source of information: Manage			CONSERVATION DIVISION			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Barrels of Applicant or Agent Number of working pits to be utilized: Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date.	Distance to nearest water well within one-mile of pit		Source of information:			
Producing Formation: Type of material utilized in drilling/workover: Bentonite mud Number of producing wells on lease: Number of working pits to be utilized: 4 Barrels of fluid produced daily: Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Type of material utilized in drilling/workover: Bentonite mud Number of working pits to be utilized: 4 Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date.	ા 927 feet Depth of water well 나 feet		E (3)			
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Number of working pits to be utilized: 4 Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date.			_	101		
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Abandonment procedure: Allow liquid to evaporate until bottom of pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date.	Producing Formation: Type of materi					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Does the slope from the tank battery allow all spilled fluids to pit is dry, then fill and level to contour of ground. Drill pits must be closed within 365 days of spud date.	, ,			- · · · · · · · · · · · · · · · · · · ·		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Additional fluids to pit 1s dry, then ill and level to contour or ground. Drill pits must be closed within 365 days of spud date.	1					
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 8 August 2006 Date Signature of Applicant or Agent	Does the slope from the tank battery allow all spilled fidids to		pit is dry, then illi and level to contour or ground.			
8 August 2006 Date Signature of Applicant or Agent	The state of the s					
8 August 2006 Date Signature of Applicant or Agent	I hereby certify that the above state	ements are true and (correct to the bes	t of my knowledge and belief.		
KCC OFFICE USE ONLY	8 August 2006 / A Value /					
1	KCC OFFICE USE ONLY					
Date Received: 8 8 06 Permit Number: Permit Date: 8 8 06 Lease Inspection: Yes No	NCC .	OFFICE USE O	NLI			