# RECEIVED

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
NOTICE OF INTENT TO DRILL

KCC WICHITA
Form must be Signed
All blanks must be Filled

For KCC Use: Effective Date:

Expected Spud Date	August 20	2006	Spot	East
	month day	year	E/2 - SE - SW Sec. 15 Twp. 13	S. R. <sup>32</sup>
OPERATOR: License# 7345	8 7311		720feet from ☐N / ✓	S Line of Section
lame: Shakespeare Oil Comp			3200feet from	W Line of Section
ddragg: 202 West Main Stree	et		Is SECTION ✓ RegularIrregular?	
ity/State/Zip: Salem, IL 6288	31		(Note: Locate well on the Section Plat on re	verse side)
Contact Person: Donald R. W	/illams		County: Logan	70.00 0.00)
hone: 618-548-1585			Lease Name: Frey	Well #: 3-15
			Field Name: Stratford	
CONTRACTOR: License# 3	30606		Is this a Prorated / Spaced Field?	Yes ✓ No
lame: Murfin Drilling Co., Inc	IC.		Target Formation(s): LKC / Johnson	
Well Drilled For:	Well Class: Type	Equipment:	Nearest Lease or unit boundary: 720'	
	<u> </u>		Ground Surface Elevation: 2955	feet MSI
V Oil Enh Red	_ <del>                                    </del>	Mud Rotary  Air Rotary	Water well within one-quarter mile:	Yes 🗸 No
Gas Storage  OWWO Disposal		Cable	Public water supply well within one mile:	Yes 🗸 No
Seismic;# of H		Cable	Depth to bottom of fresh water:	
Other	loles Other		Depth to bottom of usable water: 1800 /580	···
Other		·	Surface Pipe by Alternate: 1 2	
OWWO: old well informati	ion as follows:		Length of Surface Pipe Planned to be set: 220	
Operator:	MANAGEMENT &		Length of Conductor Pipe required: None	
Well Name:			Projected Total Depth: 4700'	
Original Completion Date	e:Original Tota	al Depth:	Formation at Total Depth: Miss.	
Directional, Deviated or Hori	izantal wallhara?	Yes No	Water Source for Drilling Operations:	
			Weil Farm Pond Other X	
·			DWR Permit #:	<del></del>
			(Note: Apply for Permit with DWR	)
	****		Will Cores be taken?	Tes   V
**************************************			If Yes, proposed zone:	
**************************************		AEE		
	firms that the drilling compa		DAVIT	
The undersigned hereby aff		letion and eventual p		
The undersigned hereby aff t is agreed that the followin	ng minimum requirements v	letion and eventual p vill be met:	DAVIT	
The undersigned hereby aff t is agreed that the followin 1. Notify the appropriate 2. A copy of the approv. 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate distriction of the control of the	ng minimum requirements we district office <i>prior</i> to sputed notice of intent to drill so that of surface pipe as specificated materials plus a minior, an agreement between the ict office will be notified be COMPLETION, production ndix "B" - Eastern Kansas	eletion and eventual provill be met:  Indding of well;  Indall be posted on eared below shall be some simum of 20 feet into the operator and the offere well is either plugipipe shall be cemen surface casing order	IDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  if by circulating cement to the top; in all cases surface	prior to plugging; days of spud date. alternate II cementing
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II ( Or pursuant to Appermust be completed we hereby certify that the state	ng minimum requirements we district office <i>prior</i> to spured notice of intent to drill stated materials plus a minima, an agreement between the complete will be notified be COMPLETION, production ndix "B" - Eastern Kansas within 30 days of the spud of the ments made herein are to	vill be met:  Idding of well;  Idding of earth of the operator and the office well is either plugippe shall be cemen  Idding order date or the well shall  Idding of the best of the operator.	ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  if by circulating cement to the top; in all cases surface in the underlying formation.  istrict office on plug length and placement is necessary ged or production casing is cemented in;  ed from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	a prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby aff tis agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amounthrough all unconsolid 4. If the well is dry hole 5. The appropriate distriction of pursuant to Appelmust be completed whereby certify that the statement is agreed to the complete of the comp	ng minimum requirements we district office prior to sputed notice of intent to drill so to surface pipe as specificated materials plus a minior, an agreement between the ict office will be notified bei COMPLETION, production notix "B" - Eastern Kansas within 30 days of the spud of	eletion and eventual provill be met:  Idding of well;  Idding of well be sementate of the well shall  Idding or the well shall  Idding of the best of the well of the well shall  Idding of the well shall  Idding of the well shall  Idding of the best of the well of the well of the well shall  Idding of the well shall	ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  if by circulating cement to the top; in all cases surface in the underlying formation.  istrict office on plug length and placement is necessary ged or production casing is cemented in;  ed from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	y prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby aff t is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate distri 6. If an ALTERNATE II ( Or pursuant to Apper must be completed we	ng minimum requirements we district office <i>prior</i> to spured notice of intent to drill stated materials plus a minima, an agreement between the complete will be notified be COMPLETION, production ndix "B" - Eastern Kansas within 30 days of the spud of the ments made herein are to	vill be met:  Idding of well;  Idding of earth of the operator and the office well is either plugippe shall be cemen  Idding order date or the well shall  Idding of the best of the operator.	ugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  if by circulating cement to the top; in all cases surface in the underlying formation.  istrict office on plug length and placement is necessary ged or production casing is cemented in;  ed from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	a prior to plugging; days of spud date. alternate II cementing to any cementing.
The undersigned hereby aff t is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate distriction of the following for pursuant to Appen must be completed whereby certify that the statement of the following for KCC Use ONLY API # 15 - 109-2	ng minimum requirements we district office prior to sputed notice of intent to drill so to of surface pipe as specific dated materials plus a minit, an agreement between the ict office will be notified be COMPLETION, production notix "B" - Eastern Kansas within 30 days of the spud of tements made herein are to Signature of Operator of COMPLETION.	vill be met:  vill be met:  vidding of well;  thall be posted on ear  vied below shall be so  mum of 20 feet into to  the operator and the co  fore well is either plug  pipe shall be cemen  surface casing order  date or the well shall  rue and to the best of  Agent:	ch drilling rig; If by circulating cement to the top; in all cases surface in the underlying formation. In this istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 of #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in my knowledge and belief.  Title: Vice Preside	prior to plugging; days of spud date. alternate II cementing. to any cementing. ent
The undersigned hereby affit is agreed that the followin  1. Notify the appropriate 2. A copy of the approv. 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate district 6. If an ALTERNATE III or pursuant to Apper must be completed with the state of the	ng minimum requirements was district office prior to sput sed notice of intent to drill set of surface pipe as specificated materials plus a minite, an agreement between the completion, production notix "B" - Eastern Kansas within 30 days of the spud of tements made herein are to signature of Operator of COTOCOCO	vill be met:  Idding of well;  Idding of earth of the operator and the office well is either plugippe shall be cemen  Idding order date or the well shall  Idding of the best of the operator.	ch drilling rig; If by circulating cement to the top; in all cases surface in the underlying formation. In this istrict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, the plugged. In all cases, NOTIFY district office prior in the model of the model of the model of the completion of the completion (form CDP-1) with Intent to Define the Completion form ACO-1 within 120 days of sput	days of spud date. alternate II comenting. to any cementing. ent  prill; ad date; tion orders; rkover or re-entry; pleted;
The undersigned hereby affit is agreed that the followin  1. Notify the appropriate 2. A copy of the approv. 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate distriction of the first an ALTERNATE II ( Or pursuant to Appermust be completed with the completed with the state of the first and the state of the state o	ng minimum requirements we eldistrict office prior to sput sed notice of intent to drill so to of surface pipe as specific dated materials plus a minity, an agreement between the ict office will be notified being COMPLETION, production notix "B" - Eastern Kansas within 30 days of the spud of tements made herein are the Signature of Operator of COMPLETION (COMPLETION) and the spud of the	eletion and eventual provill be met:  Idding of well;  Id	ch drilling rig; If by circulating cement to the top; in all cases surface in the underlying formation. In the underlying formation form the underlying formation of the underlying formation. In the underlying formation form the underlying formation of the underlying fo	days of spud date. alternate II cementing. to any cementing.  ent  Orill; d date; tion orders; rkover or re-entry; upleted; g salt water.
The undersigned hereby affit is agreed that the followin  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole 5. The appropriate distric 6. If an ALTERNATE II of Or pursuant to Appenmust be completed with the state of the second of the seco	ng minimum requirements was district office prior to spured notice of intent to drill so the office of intent to drill so the office office office office office office will be notified be completion of the spud of the spud office off	eletion and eventual possible to met:  Idding of well;  Idding of well of well;  Idding of well of	ch drilling rig; In the by circulating cement to the top; in all cases surface in the underlying formation. In the initiation of the initi	days of spud date. alternate II cementing. to any cementing.  ent  prill; d date; tion orders; rkover or re-entry; pleted; salt water. date) please
The undersigned hereby aff t is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole 5. The appropriate distriction of pursuant to Appen must be completed whereby certify that the state Date: 8/4/06  For KCC Use ONLY API # 15 - 109 - 24  Conductor pipe required Minimum surface pipe required Approved by: Lut 8-2.	ng minimum requirements we eldistrict office prior to sput sed notice of intent to drill so to of surface pipe as specific dated materials plus a minity, an agreement between the ict office will be notified being COMPLETION, production notix "B" - Eastern Kansas within 30 days of the spud of tements made herein are the Signature of Operator of COMPLETION (COMPLETION) and the spud of the	eletion and eventual possible to met:  Idding of well;  Idding of well of well;  Idding of well of	ch drilling rig; If the production casing is cemented in; If the production casing is completed in the production casing is completed in the production casing is completed.  If this permit has expired (See: authorized expiration is production) If this permit has expired (See: authorized expiration)	days of spud date. alternate II cementing. to any cementing.  ent  prill; d date; tion orders; rkover or re-entry; pleted; salt water. date) please

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 109- 20 770- 0000	Location of Well: County: Logan	
Operator: Shakespeare Oil Company, Inc.		
Lease: Frey	feet from V E / W Line of Section	
Well Number: 3-15	Sec. 15 Twp. 13 S. R. 32 East ✓ Wes	
Field: Stratford	=	
Number of Acres attributable to well:	ls Section: 📝 Regular or 🔲 Irregular	
QTR / QTR / QTR of acreage: SESW	If Section is irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	


### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

JACK FREY:	JACK FREY:
	1-15
	5
	2-15
	; <b>\( \rightarrow</b> :
3-15	3200
JACK FREY	JACK FREY

RECEIVED
AUG 0 7 2003
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### APPLICATION FOR SURFACE PIT

RECEIVED

AUG 0 7 2006

Form CDP-1

April 2004

KCC WICHITA April 2004

KCC WICHITA April 2004

Submit in Duplicate

Operator Name: Ob alcassas Oli O	ompany Inc		License Number: 7311			
Operator Name: Shakespeare Oil C	<u> </u>					
Operator Address: 202 West Main	Street	<u> </u>	Phone Mumber ( a.e.) 5.12			
Contact Person: Donald R. Williams		Phone Number: ( 618 ) 548 - 1585				
Lease Name & Well No.: Frey #3-15		Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>E/2</u> _ <u>SE</u> _ <u>SW</u>			
Emergency Pit Burn Pit	✓ Proposed		Sec. 15 Twp. 13S R. 32 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		720 Feet from North / 🗸 South Line of Section			
Workover Pit Haul-Off Pit		<u> </u>	3200 Feet from 🗸 East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Logan County			
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?			
Is the bottom below ground level?  Yes No	Artificial Liner?	ło	How is the pit lined if a plastic line is not used.			
Pit dimensions (all but working pits):	00 Length (fe	et) 100	Width (feet) N/A: Steel Pits			
Depth f	from ground level to de	epest point:	5 (feet)			
Distance to nearest water well within one-mi	_	Depth to shallowest fresh water150() feet. Source of information: どれだら				
4962 feet Depth of water well	lfeet		ured well owner electric log ✓ KDWR			
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY: Fresh Water Mud				
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud				
Number of producing wells on lease:		Number of working pits to be utilized: 1  Abandonment procedure: Ventilate pit walls to allow water to				
Barrels of fluid produced daily:		Abandonment procedure: evaporate, backfill and smooth.				
Does the slope from the tank battery allow a flow into the pit? Yes No	all spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above sta	atements are true and	correct to the be	st of my knowledge and belief.			
8/4/06 Date		Donald	P. Will			
KCC OFFICE USE ONLY						
Date Received: 8 7 OL Permit Nu	umber:	Peri	mit Date: 8 7 06 Lease Inspection: Yes 1 No			