RECEIVED

Form C-1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL KCC WICHITAForm must be Signed

For KCC Use: 8-13-06 KANSAS CORF	PORATION COMMISSION AUG 0 7 2006 Form C-1 December 2002 Form Must be Typed
	FINTENT TO DRILL Five (5) days prior to commencing well well blanks must be Filled
Expected Spud Date August 9, 2006 month day year	Spot
OPERATOR: License# Name: Baird Oil Company LLC Address: PO Box 428	1320 feet from ✓ E / W Line of Section is SECTION ✓ Regular Irregular?
City/State/Zip: Logan, KS 67646	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jim R. Baird Phone: 785-689-7456	County: Graham Lease Name: Rader Well #: 1-30
CONTRACTOR: License# 33575 Name: W W Drilling LLC	Field Name: Wildcat Is this a Prorated / Spaced Field? Target Formation(s): Lansing/Kansas City/Arbuckle Yes V No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 340'
✓ Oil Finh Rec Infield ✓ Mud Rotary	Ground Sanaco Elevation.
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic;# of Holes Other	Depth to bottom of usable water: 1100'
Other	— Surface Pine by Alternate: 1 1 √ 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
Operator:	Length of Conductor Pipe required: hore
Well Name:	Projected Total Depth: 3900' Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓	
If Yes, true vertical depth:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗍)
KCC DKT #:	Will Cores be taken?Yes ✓ No
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and even	
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 A copy of the approved notice of intent to drill shall be posted and the minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 feet and the well is dry hole, an agreement between the operator and the appropriate district office will be notified before well is either. If an ALTERNATE II COMPLETION, production pipe shall be computed of the well are completed within 30 days of the spud date or the well 	to the underlying formation. If the district office on plug length and placement is necessary prior to plugging; the plugged or production casing is cemented in; the meaning the plugged or production casing is cemented in; the meaning length and usable water to surface within 120 days of spud date. Order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is shall be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the	best of my/knowledge and belief.
Date: August 2, 2006 Signature of Operator or Agent:	w / Dure
	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 065-23216-0000	= 0 testion Form ACO 1 within 120 days of sould date:
I loud	- File acreage attribution plat according to field proration orders;
Conductor pipe required None feet Minimum surface pine required 200 feet per Alt.	- Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
Minimum surface pipe required feet per Alt.	- Submit plugging report (CP-4) after plugging is completed, - Obtain written approval before disposing or injecting salt water.
Approved by: Putt 8-3-00	- If this permit has expired (See: authorized expiration date) please
This authorization expires:	check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval da	Afti lot pilited - i citim Expirat
Spud date: Agent:	Signature of Operator or Agent:
	Date: L

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 065-23216-000	Location of Well: County: Graham
Operator: Baird Oil Company LLC	2300 feet from N / V S Line of Section
Lease: Rader	1320 feet from VE / W Line of Section
Well Number: 1-30	Sec. 30 Twp. 6 S. R. 22 East ✓ West
Field: Wildcat	Is Section: ✓ Regular or Irregular
Number of Acres attributable to well:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

_							
ļ							
1							
]		•					
Ļ							
				•			
1	•		'	•			
			. , . ,				
i				-	•	•	
i				-			
			.				
ļ	•	•					
1	•	•			•		
	•	•	•				
	•	•	1	Λ			+
		,		ν.	•	. 1231	h
			· · · · · · · ·	ָ ע		× 1321	د
,			ク :	ָּט ו	•	× 1321	\longrightarrow
,			· 2	<u> </u>	5	× 1321	0 }
,			? : 	·	· ·	× 1321)
	•		? 			× 1321)
					,	× 1321)
	•				• • • • • • • • • • • • • • • • • • • •	× 1321)
	•				, 5))
	•)
	•)
					,	× 13.21))
			7)
					,		0 -)
)
					,		0 -)
					, , , , , , , , , , , , , , , , , , ,		D
					, , ,		0 -)

RECEIVED AUG 0 7 2006 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED AUG 0 7 2006

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

	Subn			Į.
perator Name: Baird Oil Compa	iny LLC		License Number: 32819	
perator Address: PO Box 428		Т		
ontact Person: Jim R. Baird			Phone Number: (785) 689	7456
Pase Name & Well No.: Rader 1-3			Pit Location (QQQQ):	<u>,</u>
	Pit is:		10' S N/2 N/2 SE	<u>/4</u>
rpe of Pit:	Proposed [Existing	Sec. 30 Twp. 6S R. 22	East ✓ West
	If Existing, date cor	nstructed:	2300 Feet from North	th / 🗸 South Line of Section
Settling Pit ✓ Drilling Pit Workover Pit ☐ Haul-Off Pit			1320 Feet from 🗸 Eas	t / West Line of Section
f WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Graham	County
			Chloride concentration:	mg/l
s the pit located in a Sensitive Ground Water	r Area? [Yes [▼]		(For Emergency Pits ar	nd Settling Pits only)
s the bottom below ground level?	Artificial Liner?	lo.	How is the pit lined if a plastic line	er is not used?
✓ Yes No	Yes V			N/A: Steel Pits
Dit dimensions tall but working Pito/. ————	60 Length (fe	- •	vidii (icci)	NA. Steer Fits
Depth	from ground level to de			- Labermining
If the pit is lined give a brief description of the material, thickness and installation procedu	ire.	liner integrity,	cedures for periodic maintenance ar including any special monitoring.	
if the pit is lifted give a biter description of a material, thickness and installation procedi	ire.	liner integrity,	including any special monitoring.	
Distance to nearest water well within one-r	nile of pit	Depth to shall	including any special monitoring. lowest fresh water 30 ormation:	_feet. Kパパにょ ①
Distance to nearest water well within one-reference to nearest page 15000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	nile of pit	Depth to shall Source of info	Including any special monitoring. Illowest fresh water 30 ormation: Sured well owner o	_feet. Kパパにょ ①
Distance to nearest water well within one-rection of the standard	nile of pit 80 feet	Depth to shall Source of info	lowest fresh water 30 ormation: sured well owner orkover and Haul-Off Pits ONLY:	_feet. Kパパ似 () electric logKDWR
Distance to nearest water well within one-referency, Settling and Burn Pits ONI	nile of pit feet	Depth to shall Source of information Drilling, World Type of mate	llowest fresh water 30 ormation: sured well owner orkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drilling.	_feet. K r /くい () electric log KDWR ling mud
Distance to nearest water well within one-record to nearest water water well within one-record to nearest water wa	nile of pit 80 feet LY:	Depth to shal Source of information of water Abandonmer	Ilowest fresh water 30 ormation: sured well owner orrkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drill orrking pits to be utilized: 4 ont procedure: Allow contents to e	_feet. K r /くい () electric log KDWR ling mud evaporate and dry and
Distance to nearest water well within one-rest stance to nearest water well within one-rest stance. 5000 3687 Depth of water well within one-rest stance. Emergency, Settling and Burn Pits ON Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow	nile of pit 80feet	Depth to shal Source of informate Number of was then back	llowest fresh water 30 ormation: sured well owner orkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drilling.	_feet. Kパ/くい () electric logKDWR ling mud evaporate and dry and
Distance to nearest water well within one-r 5000 3687 feet Depth of water well Emergency, Settling and Burn Pits ONI Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow flow into the pit? Yes No	nile of pit 80feet LY: all spilled fluids to	Depth to shal Source of informate Drilling, Wood Type of mate Number of w Abandonmer then back Drill pits must	lowest fresh water 30 ormation: sured well owner orkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drillyorking pits to be utilized: 4 ent procedure: Allow contents to entitle and restore to original state	_feet. Kパ/くい () electric logKDWR ling mud evaporate and dry and
Distance to nearest water well within one-r 5000 3687 feet Depth of water well Emergency, Settling and Burn Pits ONI Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow flow into the pit? Yes No	nile of pit 80feet LY: all spilled fluids to	Depth to shall Source of informate Drilling, Work Type of mate Number of w Abandonmer then back Drill pits must correct to the back	llowest fresh water 30 ormation: sured well owner or rkover and Haul-Off Pits ONLY: prial utilized in drilling/workover: drill torking pits to be utilized: 4 ont procedure: Allow contents to entitle and restore to original state st be closed within 365 days of spuciest of my knowledge and belief.	_feet. Kパ/くい () electric logKDWR ling mud evaporate and dry and
Distance to nearest water well within one-r 5000 3687 feet Depth of water well Emergency, Settling and Burn Pits ONI Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow flow into the pit? Yes No	nile of pit 80feet LY: all spilled fluids to	Depth to shal Source of informate Drilling, Wood Type of mate Number of w Abandonmer then back Drill pits must	llowest fresh water 30 ormation: sured well owner or rkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drill vorking pits to be utilized: 4 Int procedure: Allow contents to exist and restore to original state st be closed within 365 days of spucest of my knowledge and belief.	_feet. Kパ/くい () electric logKDWR ling mud evaporate and dry and
Distance to nearest water well within one-r 5000 3687 feet Depth of water well Emergency, Settling and Burn Pits ONI Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow flow into the pit? Yes No I hereby certify that the above s August 2, 2006	nile of pit 80feet LY: vall spilled fluids to	Depth to shall Source of informate Drilling, Work Type of mate Number of w Abandonmer then back Drill pits must correct to the back	llowest fresh water 30 ormation: sured well owner orkover and Haul-Off Pits ONLY: erial utilized in drilling/workover: drill rorking pits to be utilized: 4 Int procedure: Allow contents to entitle and restore to original state st be closed within 365 days of spucest of my knowledge and belief. Signature of Applicant or Agent	_feet. Kパ/くい () electric logKDWR ling mud evaporate and dry and