KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed

Expected Spud Date October 1 2006 month day year OPERATOR: License# 9911	Spot SW SE SW Sec. 6 Twp. 17 S. R. 9 W West 450 feet from N / X S Line of Section
Name: Har-Ken Agent OK	3540' (900'+2640') feet from X E / W Line of Section
Address: 12028 N. Pennsylvania,	Is SECTIONRegularX_Irregular?
City/State/Zip: Oklahoma City, OK 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Stuart Kirk	County: Ellsworth
Phone: (405) 752-0318	Lease Name: Schneweis Well #: 3
/	Field Name: Stoltenberg
CONTRACTOR: License# 6039	Is this a Prorated / Spaced Field?
Name: L. D. Drilling Co.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 450
	Ground Surface Elevation: 1805 Est feet MSL
X Oil Enh Rec Infield X Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic:# of Holes Other	Depth to bottom of fresh water: 75.1
Other Other	Depth to bottom of usable water: 200 230
	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 275
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 3300 *
Original Completion Date:Original Total Depth:	Formation at Total Depth: <u>Arbuckle</u>
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
,	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes \(\frac{1}{X} \) No
	If Yes, proposed zone:
AFF	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq. ALIC 11.7 7916
	AUG V Para
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each at the state of the state of the state of the appropriate district office will be a minimum of 20 feet into the state of the stat	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the statements made herein are true and to the best of the statements. 	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is is is is increased in; in it is increased in it is increa
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is is is is is increased in the set of the underlying formation. It is is increased in the set of
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the decomposition of the second of	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. If it is a specific to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface pipe as specified before well is either plug for a purpopriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the entire that the statements made herein are true and to the best of the post of the spud state of the second	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the surface propriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the intensity of the spud date or the well shall be the intensity of the spud date or the well shall be completed. It has a surface propriate of the spud date or the well shall be completed. 1. August 1, 2008 gnature of Operator or Agent: 1. For KCC Use ONLY API # 15 - 053-21190-000 Conductor pipe required 1909 feet per Alt 1909 feet	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead. 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is all the setherough agreement between the operator and the description of the setherough and the description of the setherough and the setherough	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the document of the surface district office will be notified before well is either plug of the surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plug of the surface casing order must be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plug of the surface plug of the spud date or the well shall be completed. The plug of the spud date or the well shall be completed. For KCC Use ONLY API # 15	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough all unconsolidated materials plus a minimum of 20 feet into the setherough and the description of the setherough and the description of the sether plus of the setherough and the description of the setherough and the description of the setherough and the seth	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mite of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 053 - 21190-0000	Location of Well: County: Ellsworth
Operator: Har-Ken Agent OK Lease: Schneweis	$\frac{450}{3540^{\text{t}}} \text{ (900^{\text{t}}+2640^{\text{t}}) feet from } \boxed{\text{N / } X \text{ S Line of Section}}$
Well Number: 3 Field: Stoltenberg	Sec. 6 Twp. 17 S. R. 9 East W Wes
Number of Acres attributable to well: 10	Is Section: Regular or X Irregular
QTR/QTR/QTR of acreage: <u>SW</u> - <u>SE</u> - <u>SW</u> (Approx - See Loc)	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW XSE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Har-Ken Agent OK		License Number: 9911		
Operator Address: 12028 N. Pennsylvania, Oklahoma City, OK 73120				
Contact Person: Stuart Kirk		Phone Number: (405) 752-0318		
Lease Name & Well No.: Schneweis No. 3			Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>SWSESW</u>	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 6 Twp. 17S R. 9 East X West	
Settling Pit X Drilling Pit	If Existing, date constructed:		450 Feet from North / X South Line of Section	
Workover Pit Haul-Off Pit	rkover Pit Haui-Off Pit Pit capacity:		3540 Feet from X East / West Line of Section	
(If WP Supply API No. or Year Drilled)	2564	(bbls)		
Is the pit located in a Sensitive Ground Water Area? Yes X		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? X Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 60	Length (feet	t) 60	Width (feet)N/A: Steel Pits	
·	rom ground level to dee		•	
If the pit is lined give a brief description of the material, thickness and installation procedure	e.	liner integrity, in	RECEIVED AUG 0 7 2003 KCC WICHITA West fresh water	
Fource of into		Source of infor	mation: KHKLS	
			redwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY		-	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Starch	
1			king pits to be utilized:	
, , , , , , , , , , , , , , , , , , ,			procedure: Fluid depth below 3' level to	
Does the slope from the tank battery allow all spilled fluids to dry out		and be filled within l year be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
August 1, 2006 Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY				
Date Received: 8706 Permit Nur	mber:	Perm	nit Date: 8/7/06 Lease Inspection: Yes No	