For KCC Use:	8-14-06
Effective Date: _	3-77-00
District #	<u></u>

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed

District # NOTICE O	FINT	ENT TO DRILL	Form must be Signed
SGA: K les 140) days prior to commencing well	All blanks must be Filled
		590'FSL & 1130'FEL -	
Expected Spud Date August 14th 2006		Spot W/2 SE SE Se 25 Turn	East
month day year	Appr		23 _{S. R.} 13 X West
OPERATOR: Liconsett 5614			N / X S Line of Section
OPERATOR: License#		1130feet from X	
P.O. BOX 521		Is SECTION X RegularIrregular?	
City/State/Zin: Derby, KS 67037-0521		(Note: Locate well on the Section F	Plat on reverse side)
Contact Person Steve Hutchinson	- 	County: Stafford	
Phone: 316-788-5440		Lease Name: Bookstore	well #: 1-25
22724		Field Name: Wildcat	
Warron Drilling 110		Is this a Prorated / Spaced Field?	Yes X No
Name: Warren Drilling, LLC		Target Formation(s): LKC-ARB	
Well Drilled For: Well Class: Type Equipment:		Nearest Lease or unit boundary 590	
		Ground Surface Elevation: 1884	feet MSL
X Gas Storage Pool Ext. Air Rotary		Water well within one-quarter mile:	Yes No
OWO Disposal X Wildcat Cable		Public water supply well within one mile: Depth to bottom of fresh water: 210.	Yes X No
Seismic;# of Holes Other		2401	
Other		Deptil to bottom or asable water.	
		Surface Pipe by Alternate: X 1 2	280'
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set: NC Length of Conductor Pipe required: NC	one /
Operator:		Projected Total Depth: 3900 '	
Well Name:		Formation at Total Depth: Arbuckle	
Original Completion Date: Original Total Depth:		Water Source for Drilling Operations:	
		maior course to: Diming operations	+0 00 4037704)
Directional, Deviated or Horizontal wellbore?	√ No	Well Farm Pond Other	to be drilled)
		M Mell I I I I I I I I I I I I I I I I I I	to be ariffed)
If Yes, true vertical depth:		DWR Permit #:	
If Yes, true vertical depth: Bottom Hole Location:		M Mell I I I I I I I I I I I I I I I I I I	
If Yes, true vertical depth:		DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone:	DWR Yes X No
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met:	AFFID.	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone:	DWR (Y)
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an	AFFID. centual plug d on each if be set is est into the nd the dist	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT gging of this well will comply with K.S.A. 55 et. drilling rig; by circulating cement to the top; in all cases sunderlying formation. trict office on plug length and placement is ne	PECEIVED SAS CORPORATION COMMISSI AUG U 7 2005 CONSERVATION DIVISION Surface PIRCHITA, KS
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the operator of the pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well.	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT Iging of this well will comply with K.S.A. 55 etc. drilling rig; by circulating cement to the top; in all cases sunderlying formation. Irrict office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with 133,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district office.	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface VICHTA, KS ecessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the operator of the pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT gging of this well will comply with K.S.A. 55 etc. drilling rig; by circulating cement to the top; in all cases sunderlying formation. Irrict office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with (33,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district officing knowledge and belief.	Yes X No RECEIVED SAS CORPORATION COMMISSI AUG U 7 2005 CONSERVATION DIVISION Surface PINCHITA, KS excessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing on prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT gging of this well will comply with K.S.A. 55 etc. drilling rig; by circulating cement to the top; in all cases sunderlying formation. trict office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with (33,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district officing knowledge and belief.	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface VICHTA, KS ecessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the operator of the pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT ging of this well will comply with K.S.A. 55 et. drilling rig; by circulating cement to the top; in all cases sunderlying formation. trict office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with 133,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district offing knowledge and belief.	RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface PINCHITA, KS ecessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing on prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 8/07/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /85 - 233 74 - 0000 For Conductor pipe required feet per Alt 1	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT ging of this well will comply with K.S.A. 55 et. drilling rig; by circulating cement to the top; in all cases sunderlying formation. Interest office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office. File Drill Pit Application (form CDP-1) with Interest of the completion Form ACO-1 within 120 day File acreage attribution plat according to file. Notify appropriate district office 48 hours prices Submit plugging report (CP-4) after plugging	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface PROPERTY, KS ACCESSARY PRIOR to Plugging; in 120 days of spud date. 3 area, alternate II cementing to prior to any cementing. Derator tent to Drill; is of spud date; id proration orders; or to workover or re-entry; is is completed;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either. 6. If an ALTERNATE II COMPLETION, production pipe shall be of the completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - /85 - 233 74 - 000 Conductor pipe required feet Minimum surface pipe required feet per Alt 1 Approved by Pur 8 - 9 - 000	AFFID. centual plug d on each if be set to est into the nd the dist her plugge cemented g order #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT ging of this well will comply with K.S.A. 55 et. drilling rig; by circulating cement to the top; in all cases sunderlying formation. trict office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with 133,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district offinity knowledge and belief. File Drill Pit Application (form CDP-1) with integration of the File Completion Form ACO-1 within 120 day. File acreage attribution plat according to fiel. Notify appropriate district office 48 hours price. Submit plugging report (CP-4) after plugging. Obtain written approval before disposing or	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface PICHITA, KS ecessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing. perator tent to Drill; is of spud date; id proration orders; or to workover or re-entry; is is completed; injecting salt water.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 8/07/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /85 - 233 74 - 000 For KCC Use ONLY API # 15 - /85 - 233 74 - 000 For KCC Use ONLY API # 15 - /85 - 233 74 - 000 Feet per Alt 1 Approved by 448 - 906 This authorization expires:	AFFID entual plug do on each if be set the into the end the dist her plugge cemented gorder #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT ging of this well will comply with K.S.A. 55 et. drilling rig; by circulating cement to the top; in all cases sunderlying formation. Interest office on plug length and placement is need or production casing is cemented in; If from below any usable water to surface with plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office. File Drill Pit Application (form CDP-1) with Interest of the completion Form ACO-1 within 120 day File acreage attribution plat according to file. Notify appropriate district office 48 hours prices Submit plugging report (CP-4) after plugging	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface PINCHITA, KS Excessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing. Derator tent to Drill; is of spud date; id proration orders; or to workover or re-entry; is is completed; injecting salt water. Expiration date) please
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted. 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator an. 5. The appropriate district office will be notified before well is eith. 6. If an ALTERNATE II COMPLETION, production pipe shall be of the organization of the property of the spud date or the well hereby certify that the statements made herein are true and to the pattern of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 185-23374-000 Conductor pipe required 1900 feet per Alt 1 Approved by 1999-1996	AFFID entual plug do on each if be set the into the end the dist her plugge cemented gorder #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: drilling rig; by circulating cement to the top; in all cases sunderlying formation. trict office on plug length and placement is need or production casing is cemented in; from below any usable water to surface with (133,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district officing knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Interpretation of the Completion Form ACO-1 within 120 day File acreage attribution plat according to fiel. Notify appropriate district office 48 hours price Submit plugging report (CP-4) after plugging or obtain written approval before disposing or lif this permit has expired (See: authorized echeck the box below and return to the additional contents of the content	Yes X No RECEIVED SAS CORPORATION COMMISS AUG U 7 2005 CONSERVATION DIVISION Surface PINCHITA, KS Excessary prior to plugging; in 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing. Derator tent to Drill; is of spud date; id proration orders; or to workover or re-entry; ig is completed; injecting salt water. Expiration date) please
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and ever it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 fee 4. If the well is dry hole, an agreement between the operator an 5. The appropriate district office will be notified before well is eith 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the Date: 8/07/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /85 - 233 74 - 000 For KCC Use ONLY API # 15 - /85 - 233 74 - 000 For KCC Use ONLY API # 15 - /85 - 233 74 - 000 Feet per Alt 1 Approved by 44 8 - 9 - 96 This authorization expires:	AFFID entual plug do on each if be set the into the end the dist her plugge cemented gorder #1 ill shall be	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: AVIT ging of this well will comply with K.S.A. 55 etc. drilling rig; by circulating cement to the top; in all cases sunderlying formation. In the office on plug length and placement is need or production casing is cemented in; if from below any usable water to surface with 133,891-C, which applies to the KCC District plugged. In all cases, NOTIFY district officing knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Interpretation of the completion Form ACO-1 within 120 day File acreage attribution plat according to field Notify appropriate district office 48 hours priced Submit plugging report (CP-4) after plugging of this permit has expired (See: authorized etc.)	Yes X No RECEIVED SAS CORPORATION COMMISSI AUG U 7 2005 CONSERVATION DIVISION Surface VINCHITA, KS DECESSARY prior to plugging; In 120 days of spud date. 3 area, alternate II cementing the prior to any cementing. December of the plugging; It is of spud date; It

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23374-0000	Location of Well: County:		
Operator:	feet from N / S Line of Section		
Lease:			
Well Number:	1.21		
Field:			
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•						
,							
			·				
	•	•					
		•			•		
2	•			.5 ————————————————————————————————————			
	•	 		· · ·			
		 	·				
						0-590	1130—
						590	

13W



NOTE: In all cases locate the spot of the proposed drilling locaton. Stafford Co., KS $\,$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

235

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hutchinson Oil Co.			License Number: 5614		
Operator Address: P.O. BOX 521, Derby, KS 67037-0521					
Contact Person: Steve Hutchinson			Phone Number: (316) 788 - 5	440	
Lease Name & Well No.: BOOKSTORE	#1-25		Pit Location (QQQQ):		
Type of Pit:	Pit is:		W/2 <u>SE</u> <u>SE</u>		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 25 Twp. 23S R. 13	East West	
Settling Pit X Drilling Pit	If Existing, date c	onstructed:	Feet from North / [X]	South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)			
Is the pit located in a Sensitive Ground Water		No (DDIS)	Chloride concentration: 5,000 (For Emergency Pits and Settlin	County mg/l	
Is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not Drilling mud, bentonite	used?	
Pit dimensions (all but working pits): 100) Length (fe	et) 100	Width (feet)	N/A: Steel Pits	
Depth from	om ground level to de	eepest point:	Four (4) (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determineluding any special monitoring.	nini n g	
Pull free			e fluids after cutting Hu ng chemical mud system.	tch Salt, before	
			west fresh water55feet.		
Source of in 1000 feet Depth of water well 80 feet mea			information: easured X well owner electric log KDWR Vorkover and Haul-Off Pits ONLY: aterial utilized in drilling/workover: Chemical mud working pits to be utilized: (3)		
Emergency, Settling and Burn Pits ONLY: Drilling, We		Drilling, Work	forkover and Haul-Off Pits ONLY:		
Producing Formation: Type of mat		Type of materia	pe of material utilized in drilling/workover: chemical mud		
·					
;		Abandonment procedure: Pull free fluids, knock windows in pit walls, crowd pits and backfill when dry.		•	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION					
			- (AC	AUG 0 7 2006	
8/07/06 Date	·	Uni	ignature of Applicant or Agent	CONSERVATION DIVISION	
Date		<u> </u>		WICHITA, KS	
KCC OFFICE USE ONLY R.F.A.S.a.C.					
Date Received: 8 7 64 Permit Numl	per:	Permi	t Date: 8/8/04 Lease Inspection	: 🔀 Yes 🗌 No	



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAFR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

August 8, 2006

Mr. Steve Hutchinson Hutchinson Oil Co. PO Box 521 Derby, KS 67037-0521

Re: Drilling Pit Application

Bookstore Lease Well No. 1-25

SE/4 Sec. 25-23S-13W Stafford County, Kansas

Dear Mr. Hutchinson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File