## SGA? Yes X No

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

AUG 1 0 2006

RECEIVED

Form C-1 December 2002 Form must be Typed Form must be Signed

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date 8-14-08	Spot
month day year	NE4 - NE4 - NE4 Sec. 32 Twp. 33S S. R. 16 We
PERATOR: License# 32219	330' feet from VN / S Line of Section
dame: Production Maintenance Service	330' feet from ✓ E / W Line of Section
ddress: 3922 CR 1250	Is SECTION Regular Irregular?
ity/State/Zip: Coffeyville, KS 67337	
contact Person, Mike McClenning	(Note: Locate well on the Section Plat on reverse side)  County: Montgomery
hone: 620-988-0042	Lease Name: McClenning Well #: 32-2
	Field Name: Jefferson-Sycamore Well #:
CONTRACTOR: License# 5831 V	Is this a Prorated / Spaced Field?
lame: MOKAT	Target Formation(s): Arbuckle
W. II Dally J. C	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 800 / feet MS
✓ Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:   ✓ Yes   ✓ No.
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile: Yes ✓ N
☐ CWWO ☐ Disposal ☑ Wildcat 🐔 ☐ Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 / 2
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 1480
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
CCC DKT #:	Will Cores be taken? Yes ✓
	If Yes, proposed zone:
	• •
	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	
he undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the continuous formulation of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig;  of by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cementir  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be sus</i> through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the control of the surface propriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the continuous formulation of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator
The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.  3. The minimum amount of surface pipe as specified below <i>shall be surface</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the surface prior and the confidence of the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of th	ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging, gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual post is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging the surface of the specified before well is either pluging to the	ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging, gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator  Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> surface pipe as specified below <i>shall be</i> surfaced in the surface pipe as specified below <i>shall be</i> surfaced in the surface pipe as a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the composition of the surface of the well shall be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface of the su	ch drilling rig;  of by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging, gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate il cementi be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason and the completion of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as a minimum of 20 feet into the completion of the completion of the complete of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the complete	ch drilling rig;  of by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging, gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea  3. The minimum amount of surface pipe as specified below shall be surfaced in the surface of intent to drill shall be posted on ea  4. If the well is dry hole, an agreement between the operator and the composition of the surface well is either pluging the surface of the well shall be determined by control of the surface of the surface of the well shall be the surface of the s	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual pot is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surfaced in the complete side of the well is dry hole, an agreement between the operator and the composition of the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the composition of the statements of the complete states and the complete states are surfaced by the surface pipe required feet feet feet per Alt. X (2)  Approved by: Pull 8"-//- 06  Approved by: Pull 8"-//- 06	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced in the surfaced pipe as specified below shall be surfaced.  4. If the well is dry hole, an agreement between the operator and the composition of the surfaced pipe shall be comented.  5. The appropriate district office will be notified before well is either plug of the surfaced pipe shall be comented.  6. If an ALTERNATE II COMPLETION, production pipe shall be comented by completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surfaced pipe required.  6. Signature of Operator or Agent:  7. For KCC Use ONLY  API # 15 - Signature of Operator or Agent:  8. Signature of Operator or Agent:  9. Conductor pipe required feet per Alt.  9. Approved by:  9. Publ 8 - I/- 0 to This authorization expires:  9. Publ 8 - I/- 0 to This authorization expires:  9. Publ 8 - I/- 0 to This authorization expires:  9. Publ 8 - I/- 0 to This authorization expires:	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate il cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-311 98-0000	Location of Well: County: Montgomery
Operator: Production Maintenance Service	330' feet from ✓ N / S Line of Section
Lease: McClenning	330' feet from VE / W Line of Section
Well Number: 32-2	Sec. 32 Twp. 33S S. R. 16
Field: Jefferson-Sycamore	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: NE4 _ NE4 _ NE4	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	 	· · · · · · · · · · · · · · · · · · ·	,330	) · ·
	 			RECEIVED
-	 · ·	·		AUG 1 0 2006 KCC WICHITA
	•	32	· · · · · · · · · · · · · · · · · · ·	EXAMPLE
-	•	: NE/Y		1980
	 · · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	1980
	 	•	·	3390'
		.   .		SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Production Maintenance Service			License Number: 32219	
Operator Address: 3922 CR 1250 Coffeyville, KS 67337				
Contact Person: Mike McClenning		Phone Number: ( 620 ) 988 - 0042		
Lease Name & Well No.: McClenning 32-2		Pit Location (QQQQ):		
Type of Pit:			SW4 NE4 NE4 NE4	
Emergency Pit Burn Pit Settling Pit ✓ Drilling Pit	Proposed Existing  If Existing, date constructed:		Sec. 32 Twp. 33S R. 16 VEast West  330' Feet from V North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		330' Feet from ✓ East / West Line of Section  Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Ves No	Artificial Liner?  ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?  Natural Clays	
Pit dimensions (all but working pits): 45' Length (feet) 10' Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 3 (feet)				
If the pit is lined give a brief description of the material, thickness and installation procedure Natural Clays			dures for periodic maintenance and determining notuding any special monitoring.  RECEIVED  AUG 10 2000  KCC WICHITA	
Distance to nearest water well within one-mile of pit		Source of infor	west fresh water 25feet.	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
•			Type of material utilized in drilling/workover: Air	
Number of producing wells on lease:  Barrels of fluid produced daily:		Number of working pits to be utilized:   Abandonment procedure: Air dried and backfilled		
Does the slope from the tank battery allow all spilled fluids to			e closed within 365 days of spud date.	
hereby certify that the above statements are true and correct to the best of my knowledge and belief.    8-08-06				
CC OFFICE USE ONLY  Date Received: 8 10 0 Permit Number: Permit Date: 8 10 0 Locase Inspection: Yes 6 No				