For KCC Use: 8-16-06
Effective Date: 3 SGA? Yes X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date August 17, 2006	Spot ✓ East
month day year	NE NE Sec. 18 Twp. 31 S. R. 19 West
OPERATOR: License# 33344	660 feet from VN / S Line of Section
Name. Quest Cherokee LLC	Teet from VE / W Line of Section
Address: 9520 North May Avenue, Suite 300	is SECTIONRegularIrregular?
Address: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Labette
Phone: (405) 286-9308	Lease Name: Superior Inv. Company Well #: 18-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	1s this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
	Ground Surface Elevation: 911 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No_
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
CWWODisposalWildcatCable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other ✓ Other_Coalbed Methane	Depth to bottom of usable water: 200
✓ Other_States Modulate	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation.	t by circulating cement to the top; in all cases surfation TA stell be set ne underlying formation.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the left of the best of the statements made herein are true and to the best of the statements.	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing pe plugged. In all cases, NOTIFY district office prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the complete or the well shall the complete or the well shall the complete or the well shall the complete or the	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and pelief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: August 10, 2006 Signature of Operator or Agent: All API # 15 · O99 - 24066-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. X (2)	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: August 10, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 099 - 24066-0000 Conductor pipe required Nome feet	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: August 10, 2006 Signature of Operator or Agent: All Completed Signature of Operator or Agent: All Complete Signature of Operator or Agent:	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: August 10, 2006 Signature of Operator or Agent: All the best of For KCC Use ONLY API # 15 - O99 - 24000 - COOO Conductor pipe required None feet Minimum surface pipe required feet Approved by: All the best of the bes	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: VP
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it I hereby certify that the statements made herein are true and to the best of Date: August 10, 2006 Signature of Operator or Agent: All and a signature of Operator or A	ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. The my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24066-0007	Location of Well: County: Labette
Operator: Quest Cherokee LLC	660 feet from N / S Line of Section
Lease: Superior Inv. Company	660 feet from 🗸 E / W Line of Section
Well Number: 18-1	Sec. 18 Twp. 31 S. R. 19 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9308	
Lease Name & Well No.: Superior Inv. Company #18-1		±18-1	Pit Location (QQQQ):
Type of Pit:	Pit is:		<u>NENE</u> _
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 _{Twp.} 31 _{R.} 19
Settling Pit	If Existing, date constructed:		660 Feet from 🗸 North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from ✓ East / West Line of Section
	300	(bbls)	<u>Labette</u> County
Is the pit located in a Sensitive Ground Water Area? Yes No		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:10(feet)			
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, in	edures for periodic maintenance and determining ncluding any special monitoring. Operation lasting approx 3 days
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh waterfeet.	
.31.		measu	rmation: uredwell ownerelectric logKDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Air Drilled king pits to be utilized: One
		I	over and Haul-Off Pits ONLY:
			al utilized in drilling/workover: Air Drilled
Number of producing wells on lease: Number of wo		king pits to be utilized: One	
Barrels of fluid produced daily: Abandonment		procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMIS			
August 10, 2006 Date	- '}	i Hari	ignature/of Applicant or Agent
KCC OFFICE USE ONLY CONSERVATION DIVISION WICHITA, KS			
Date Received: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	nber:	Perm	it Date: 8 11 36 Lease Inspection: Yes X No