For KCC Use: 8-20-06
Effective Date: 3
District #

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 24, 2006	
month day year	Spot V NW NW Soc 12 Turn 34 S. R. 15E West
	Sec. IWp. S. R. West
OPERATOR: License# 33074	4000 FFL
Name: Dart Cherokee Basin Operating Co. LLC	
Address: 211 W. Myrtle	
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: Mays-Mavers Well #: A1-12 Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown	, many
Name: Will advise of licensed contractor on ACO-1	Is this a Prorated / Spaced Field? ✓ No ———————————————————————————————————
	Target Information(s): Mississippian Nearest Lease or unit boundary: 380 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 845feet MSL
Oil Enh Rec Infield Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	
Other	Depth to bottom of usable water: 175'
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1538 feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
State of the state	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well 🗸 Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFÉ	DAVIT KANSAS CORPORATION COMMISSION
AFF	DAY!
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	agging of this well will comply with N.S.A. 33 et. sed
It is agreed that the following minimum requirements will be met:	
	i e ok
 Notify the appropriate district office prior to spudding of well; 	CONSEDIATION DU ANGEL
2. A copy of the approved notice of intent to drill shall be posted on each	ch drilling rig: CONSERVATION DIVISION
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se 	ch drilling rig; the by circulating cement to the top; in all cases surface with the set
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 	ch drilling rig; It by circulating cement to the top; in all cases surface by Conservation.
 A copy of the approved notice of intent to drill shall be posted on eac The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the doesn't be appropriate district office will be notified before well is either plug 	ch drilling rig; th by circulating cement to the top; in all cases surface of the conservation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement 	ch drilling rig; th by circulating cement to the top; in all cases surface platfactive set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of th	ch drilling rig; It by circulating cement to the top; in all cases surface planting set to the underlying formation. It is included the set to the underlying formation. It is included the set to the underlying formation. It is included the set to the underlying formation to the underlying formation. It is included the set to the underlying formation to the underlying formation. It is included the underlying to the underlyi
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of th	ch drilling rig; th by circulating cement to the top; in all cases surface platfactive set to enderlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of th	conservation division on different sets of the drilling rig; the by circulating cement to the top; in all cases surface professions at the underlying formation. In the constant of the consta
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the set of the	conservation division of the desired formula
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the description of the set of the spropriate district office will be notified before well is either plug than ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	conservation division on different sets of the drilling rig; the by circulating cement to the top; in all cases surface professions at the underlying formation. In the constant of the consta
 A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the set of the	conservation division of the desired formula
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 14, 2006 Signature of Operator or Agent:	conservation division of the design of the d
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 14, 2006 Signature of Operator or Agent:	conservation division of the desired formation. In dilling rig; If by circulating cement to the top; in all cases surface of the set of the underlying formation. In all cases surface of the set of the underlying formation. In all cases surface of the set of the underlying formation. If the underlying formation. In all cases of the set of the se
 A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: August 14, 2006 Signature of Operator or Agent: The CCC Use ONLY API # 15 - 125 - 31 203 - 0000 	conservation division of the design of the d
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the constitution of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the complete of 4. If the well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be represented in the following state of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the constitution of t	conservation division In drilling rig; If by circulating cement to the top; in all cases surface production. It is by circulating cement to the top; in all cases surface production. It is the underlying formation. It is the underlying is cement in secessary prior to plugging; It is the underlying is cement in secessary prior to plugging; It is the underlying is the
2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the description of the set of the se	conservation division of the top; in all cases surface of the set of the underlying formation. In the production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the well is dry hole, an agreement between the operator and the description of the set of the se	conservation division by circulating cement to the top; in all cases surface production division is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Tritle: Sr Regulatory & Safety Compliance Specialist Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; Obtain written approved before disposing or injecting self water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the drop of the set of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: August 14, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 31 203 - 0000 Conductor pipe required None feet per Alt. X 2 Approved by: Put 8-15 000	conservation division of the top; in all cases surface plantifies set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug to the supportance of the set of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the support of the support of the support of the set of the support of the support of the set of the support of the supp	conservation division of the top; in all cases surface provide set to be circulating cement to the top; in all cases surface provide set to be underlying formation. Set in the underlying formation. Set in the underlying formation is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; set from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the drop of the set of the surface district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of Date: August 14, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 31 203 - 0000 Conductor pipe required None feet per Alt. X 2 Approved by: Put 8-15 000	conservation division of the top; in all cases surface provide set to be circulating cement to the top; in all cases surface provide set to be underlying formation. In instrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The my knowledge and belief. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
2. A copy of the approved notice of intent to drill shall be posted on ead 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface plantifies set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is dry hole, an agreement between the operator and the constitution of the set of the well is either plug to the supportance of the set of the surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of the support of the support of the support of the set of the support of the support of the set of the support of the supp	CONSERVATION DIVISION of by circulating cement to the top; in all cases surface production described by circulating cement to the top; in all cases surface production casing is cemented in; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Sr Regulatory & Safety Compliance Specialist Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-3/203-000	Location of Well: County: Montgomery	
Operator: Dart Cherokee Basin Operating Co. LLC	4500 FSL feet from N / ✓ S Line of Section	
Lease: Mays-Mavers	4900 FEL feet from 🗸 E / W Line of Section	
Well Number: A1-12	Sec. 12 Twp. 34 S. R. 15E	
Field: Cherokee Basin Coal Gas Area		
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SW - NW - NW	Is Section: Regular or Irregular	
	Section corner used: NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		1348		
	4900 FEL			RECEIVED KANSAS CORPORATION COMMISSION
	4500 FSL	·		AUG 1 2006 CONSERVATION DIVISION
		·	·	WICHITA, KS R15E
	• •	: 12		EXAMPLE
, .				1980
				3390'
			· · · · · · · · · · · · · · · · · · ·	
				SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC			License Number: 33074		
Operator Address: 211 W. Myrtle Inde			ependence KS 67301		
Contact Person: Tony Williams			Phone Number: (620) 331 -7870		
Lease Name & Well No.: Mays-Mavers	Α	1-12	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW . NW . NW</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 12 Twp. 34 R. 15E		
Settling Pit	If Existing, date constructed:		4500 FSL Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		4900 FEL Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	926	(bbis)	Montgomery		
is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No	Natural Clays		
Pit dimensions (all but working pits):	5 Length (fe	eet) 30	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 5	(feet)		
Distance to nearest water well within one-mile of pit Depth to shallor Source of infor		west fresh water 90 feet. mation: KHKBS (1)			
0.11.3			redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worke	redwell owner electric logKDWR over and Haul-Off Pits ONLY: I utilized in drilling/workover: _Air		
Producing Formation: Type		Type of materia	Type of material utilized in drilling/workover: Air		
Number of producing wells on lease: Number o		Number of work	lumber of working pits to be utilized: one		
Barrels of fluid produced daily:		Abandonment procedure: Air dry, fill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
August 14, 2006 Date		ony () l	AUG 1 2006 CONSERVATION DIVISION gnature of Applicant or Agent WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 8 15 05 Permit Numb	er:	Permit	Date: 8 15 06 Lease Inspection: Yes No		