For KCC Use:
Effective Date: 8-12-06
District # 3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 21, 2006	Spot ✓ East
month day year	<u>SW</u> - <u>SW</u> Sec. 30 Twp. 27 S. R. 17 West
OPERATOR: License# 33344	660 feet from N / VS Line of Section
Name. Quest Cherokee LLC	525feet fromE / V W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTION <u>✓</u> RegularIrregular?
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120 Richard Martin	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Nichard Marin	County: Wilson
hone: (405) 286-9316	Lease Name: Thorsell, G. Rev. Trust Well #: 30-1
	Field Name: Cherokee Basin CBM
ONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No
ame: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
Mall Class	Negreet Lease or unit boundary. 525
Well Drilled For: Well Class: Type Equipment.	Ground Surface Elevation: 1005 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: ↓ Yes ✓ No
✓ Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other Other Coalbed Methane	Depth to bottom of usable water: 200
✓ Other_	Surface Pipe by Alternate: 1 2
OWWO: oid well information as follows:	Length of Surface Pipe Planned to be set: 25
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1500
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	No Well Farm Pond Other Air
34	
Yes, true vertical depth:	DWR Permit #:
•	
ottom Hole Location:	(Note: Apply for Permit with DWR)
ottom Hole Location:CC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
in the undersigned hereby affirms that the drilling, completion and e is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>si</i> through all unconsolidated materials plus a minimum of 20 ft 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is et 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the vertical production in the state of	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Inventual plugging of this well will comply with K.S.A. 55 et. seans as CORPORATION COMPOSED in the underlying formation. Aug 1 7 2006 Aug 1 7 2006 Aug 1 7 2006 Aug 1 7 2006 Feet into the underlying formation. And the district office on plug length and placement is necessary prior to plugging; be interplugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. The composition of the compositio
The undersigned hereby affirms that the drilling, completion and et is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 the fit the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is effective to the surface of the surface	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Eventual plugging of this well will comply with K.S.A. 55 et. seas CORPORATION COMPOSED (Sell; AUG 1 7 2006 The set on each drilling rig; It is all be set by circulating cement to the top; in all cases surface properties of the underlying formation. If yes No AUG 1 7 2006 AUG 1 7 2006 The set into the underlying formation. If yes and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date, ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 th 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is a first an ALTERNATE II COMPLETION, production pipe shall be the organized of the surface case must be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the plate: August 14, 2006	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Inventual plugging of this well will comply with K.S.A. 55 et. seans as corporation completed on each drilling rig; Intel the set by circulating cement to the top; in all cases surface provided in the underlying formation. In and the district office on plug length and placement is necessary prior to plugging; In all the set by circulating cement to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In the best of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and entiles agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we accepted an approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 ft. If the well is dry hole, an agreement between the operator so the appropriate district office will be notified before well is a completed. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the value: August 14, 2006	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Inventual plugging of this well will comply with K.S.A. 55 et. seans as corporation completely. AUG 1 7 2006 File; AUG 1 7 2006 File the don each drilling rig; File the don each drilling rig; File the underlying formation. File the underlying formation. File the underlying formation. File complete to an plug length and placement is necessary prior to plugging; File the plugged or production casing is cemented in; File cemented from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
the undersigned hereby affirms that the drilling, completion and e is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 the 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is ended to the complete district office will be notified before well is ended to a pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the velocity that the statements made herein are true and to the part of the confidence of the c	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Inventual plugging of this well will comply with K.S.A. 55 et. seans as corporation completely. AUG 1 7 2006 File; AUG 1 7 2006 File the don each drilling rig; File the don each drilling rig; File the underlying formation. File the underlying formation. File the underlying formation. File complete to an plug length and placement is necessary prior to plugging; File the plugged or production casing is cemented in; File cemented from below any usable water to surface within 120 days of spud date. File plugged. In all cases, NOTIFY district office prior to any cementing. File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
the undersigned hereby affirms that the drilling, completion and e is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> post 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 th. 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is etc. 6. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the easter. For KCC Use ONLY API # 15 - 205 - 26930 - 2000 Conductor pipe required None feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: Put 3-17-06 This authorization expires: 2-17-07	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Inventual plugging of this well will comply with K.S.A. 55 et. seans as corporation completed in the underlying formation. Aug 1 7 2006 Aug 1 2


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26930000	Location of Well: County: Wilson
Operator: Quest Cherokee LLC	660 feet from N / V S Line of Section
Lease: Thorsell, G. Rev. Trust	525 feet from E / W Line of Section
Well Number: 30-1	Sec. 30 Twp. 27 S. R. 17
Field: Cherokee Basin CBM	
Number of Acres attributable to well: SW SW	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: SW SW	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	y Avenue, Su	iite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: (405) 286 - 9316		
Lease Name & Well No.: Thorsell, G. Rev. Trust #30-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW</u> . <u>SW</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec30Twp27R17	
Settling Pit	If Existing, date constructed:		660 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			525 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(la la la l	Wilson	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water Area? Yes Area		Chloride concentration:mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	30 Length (for		Width (feet) N/A: Steel Pits 10 (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.		
		, S	Operation lasting approx 3 days	
			Depth to shallowest fresh waterfeet. Source of information:	
NA feet Depth of water wellfeet		measuredwell owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. KANSAS CORPORATION COMMI	
August 14, 2006 Date		Legar	ignature of Applicant or Agent CONSERVATION DIVISION WICHTIA, KS	
	ксс	OFFICE USE O		
Date Received: 8/17/04 Permit Num	nber:	Perm	it Date: \$\sqrt{17/06}\$ Lease Inspection: Yes \sqrt{No}	
· · · · · · · · · · · · · · · · · · ·				