KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

LI

	d by the K.C.C. five (5) days prior to commencing well All blanks must	
Expected Spud Date SEPTEMBER 3 month day	2006	☐ East ☑ West
	950 feet from N/ S Line of Section	- V ***C31
OPERATOR: License # 3882	1260feet from ☐ E / ☒ W Line of Section	
Name: SAMUEL GARY JR. & ASSOCIATES, INC	ls SECTION x Regular Irregular?	
Address: 1670 BROADWAY, SUITE 3300	(Note: Locate well on the Section Plat on Reverse Side)	
City/State/Zip: DENVER, CO 80202	(NOW: LODGE WORDT WE OCCOUNT AND THEVEISE GIGE)	
Contact Person: TOM FERTAL	County: RICE	
Phone: (303) 831-4673	Lease Name: THOMAS Well #: 1-30	
OONTDACTOR: History	Field Name: WILDCAT	
CONTRACTOR: License 8273	Is this a Prorated / Spaced Field?	⊠ No
Name: EXCELL SERVICES, INC	Target Formation(s): ARBUCKLE	
W 18 11 15	Nearest Lease or unit boundary: 950'	
		eet MSL
	· · · · · · · · · · · · · · · · · · ·	∏ No
	Air Rotary Public water supply well within one mile:	I No
	Cable Depth to bottom of fresh water:	
Seismic; # of Holes Other	Depth to bottom of usable water: 200 Surface Pipe by Alternate: 1 1 2	
Other		
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 320' Length of Conductor pipe required: NONE	
A	Designated Total Double	
Operator:	Formation at Total Depth: ARBUCKLE	
Original Completion Date: Original Total Dep		
Ongina Completion Date Ongina Total Dep	Well ☐ Farm Pond Other X	
f yes, true vertical depth:		
Bottom Hole Location:	Will Cores Be Taken?	⊠ No
Bottom Hole Location: CCC DKT#: The undersigned hereby affirms that the drilling, completion and	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq.	No No
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operal. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" — Eastern Kansas surface carmust be completed within 30 days of spud date or the well.	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; ested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing.	No No
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operat. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shal. Or pursuant to Appendix "B" — Eastern Kansas surface camust be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; ested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, is either plugged or production casing is cemented in; 1 be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief.	No No
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2 4. If the well is a dry hole, an agreement between the operat 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" — Eastern Kansas surface camust be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; ested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, is either plugged or production casing is cemented in; 1 be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief.	No No
Bottom Hole Location: KCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operat. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shal. Or pursuant to Appendix "B" — Eastern Kansas surface camust be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to Date: JULY 26, 2006 Signature of Operator or Agen.	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, reither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief. Title: SR. GEOLOGIST Remember to:	14
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operal. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" — Eastern Kansas surface camust be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to Date: JULY 26, 2006 Signature of Operator or Agentics.	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Detect into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, is either plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief. Title: SR. GEOLOGIST	14
CCC DKT#: The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operat. 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" — Eastern Kansas surface we must be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to Date: JULY 26, 2006 Signature of Operator or Agen. For KCC use ONLY API # 15 - 159 — 22495 — 0000	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; ested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, reither plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill;	№ No
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is a dry hole, an agreement between the operation of 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" — Eastern Kansas surface cannot be completed within 30 days of spud date or the well hereby certify that the statements made herein are true and to be completed. Date: JULY 26, 2006 Signature of Operator or Agent For KCC use ONLY API # 15 - 159 - 22495 - 0000 feet.	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Differ the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; relither plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST Remember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry:	14
CCC DKT#: The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operation of the surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is a dry hole, an agreement between the operation. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" — Eastern Kansas surface must be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to coate: JULY 26, 2006 Signature of Operator or Agent For KCC use ONLY API # 15 - 159 - 22495 - 0000 For MCC use ONLY API # 15 - 159 - 22495 - 0000 Conductor pipe required feet pe	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; posted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Differ the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; relither plugged or production casing is cemented in; I be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST Remember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry:	14
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met 1. Notify the appropriate district office <i>prior</i> to spudding of w 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is a dry hole, an agreement between the operation 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" — Eastern Kansas surface cannot be completed within 30 days of spud date or the well hereby certify that the statements made herein are true and to the complete states of the complete states o	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 0 feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; reither plugged or production casing is cemented in; 1 be cemented from below any usable water to surface within 120 days of spud date. sing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. the best of my knowledge and belief. Title: SR. GEOLOGIST Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	14
Bottom Hole Location: KCC DKT#: The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operation of the properties of the surface will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" — Eastern Kansas surface must be completed within 30 days of spud date or the well thereby certify that the statements made herein are true and to be completed. Date: JULY 26, 2006 Signature of Operator or Agent For KCC use ONLY API # 15 - 159 - 22495 - 0000 feet minimum surface pipe required feet per feet feet per surface for the surface pipe required feet feet per feet feet per surface for the surface feet per feet feet feet feet feet feet feet fe	Will Cores Be Taken? If yes, proposed zone:N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title:	30
Bottom Hole Location: KCC DKT#: The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operat. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shal. Or pursuant to Appendix "B" — Eastern Kansas surface camust be completed within 30 days of spud date or the well hereby certify that the statements made herein are true and to be a complete surface of the complete statements. Date: JULY 26, 2006 Signature of Operator or Agen. For KCC use ONLY API # 15 - 159 - 22495 - 0000 Conductor pipe required feet Minimum surface pipe required feet pe. Approved by: Put 8-18-06	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Different into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; or either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST Remember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	30
Bottom Hole Location: KCC DKT#: The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operation of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" — Eastern Kansas surface must be completed within 30 days of spud date or the well thereby certify that the statements made herein are true and to be considered. Date: JULY 26, 2006 Signature of Operator or Agent For KCC use ONLY API # 15 - 159 - 22495 - 0000 feet Minimum surface pipe required feet Minimum surface pipe required feet pe Approved by: Put 8-18-04 This authorization expires: 2-18-07	If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Differ into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging, or either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submitt plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	30
Entrom Hole Location: KCC DKT#: The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met. 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> p. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is a dry hole, an agreement between the operation of the appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" — Eastern Kansas surface must be completed within 30 days of spud date or the we hereby certify that the statements made herein are true and to the complete of the statements of the complete of the statements and the complete of the statements of the statement	Will Cores Be Taken? If yes, proposed zone: N/A AFFIDAVIT eventual plugging of this well will comply with K.S.A. 55-101, et. seq. rell; psted on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set Different into the underlying formation; or and the district office on plug length and placement is necessary prior to plugging; or either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 days of spud date. Ising order #133,891-C, which applies to the KCC District 3 area, alternate II cementing I shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST Remember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	30

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of Acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 159-22495-0000	Location of Well: County: RICE		
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	950 feet from N/ S Line of Section		
Lease: THOMAS	feet from E / W Line of Section		
Well Number: 1-30	Sec. <u>30</u> Twp. <u>19</u> S. R. <u>10</u> East 🛛 Wes		
Field:	 Is Section: ⊠ Regular or ☐ Irregular		
Number of Acres attributable to well:	<u></u>		
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section comer used: □NE □NW □SE □SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling location.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil MEICEIVED CG-8 for gas wells).

JUL 27 2008

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typec

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

		omit in Dupiton		
Operator Name: SAMUEL GARY JR. AND ASSOCIATES, INC.			License Number: 3882	
Operator Address: 1670 BROAD	WAY, SUIT	E 3300 D	ENVER, CO 80202-4838	
Contact Person: TOM FERTAL			Phone Number: (303) 831 - 4673	
Lease Name & Well No.: THOMAS 1-30			Pit Location (QQQQ):	
Type of Pit:	Pit iş:		NE S/2 N/2 NW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 30 _{Twp.} 19 _{R.} 10 ☐ East ✓ West	
Settling Pit	If Existing, date constructed:		950 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		1260 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	4000	(bbls)	RICE County	
Is the pit located in a Sensitive Ground Water	the pit located in a Sensitive Ground Water Area? Yes? No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Yes No	Yes ✓	No	NATIVE MUD AND CLAY	
Pit dimensions (all but working pits):	75 Length (fe	eet) <u>75</u>	Width (feet) N/A: Steel Pits	
Depth f	rom ground level to de	eepest point: 4	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining notuding any special monitoring.	
			•	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water		
974 feet Depth of water well 60 feet		measi	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Plts ONLY: Type of material utilized in drilling/workover: FRESH MUD		
Producing Formation:		1		
Number of producing wells on lease:		Number of working pits to be utilized: 3 Abandonment procedure: ALLOW TO DRY, THEN BACKFILL Drill pits must be closed within 365 days of spud date. Correct to the best of my knowledge and belief.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	
JULY 26, 2006 Date		Tho	KANSAS CORPORATION COMMISS MASS STATEMENT OF Applicant or Agent	
	KCC	OFFICE USE O	CONSERVATION DIVISION WICHITA-KS	
7/22/06		Perm	K1-754 191	
Date Received: 1/2/06 Permit Num	nber:	Perm	it bate: State Lease inspection.	

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

August 17, 2006

Mr. Tom Fertal Samuel Gary Jr. & Associates, Inc. 1670 Broadway Ste 3300 Denver. CO 80202

Re: Drilling Pit Application

Thomas Lease Well No. 1-30 NW/4 Sec. 30-19S-10W Rice County, Kansas

Dear Mr. Fertal:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File