For KCC Use: Effective Date: 8-26-06
District #_____

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed

Expected Spud Date SEPTEMBER 13 2006	190' S & 90' E of CENTER
month day year	
ODERATOR III. #	800feet from \Bigcup N / \Bigcup S Line of Section
PERATOR: License # 3882 V	750 feet from E / W Line of Section
ame: SAMUEL GARY JR. & ASSOCIATES, INC. ddress: 1670 BROADWAY, SUITE 3300	ls SECTION x Regular regular?
ity/State/Zip: DENVER, CO 80202	(Note: Locate well on the Section Plat on Reverse Side)
Contact Person: TOM FERTAL	County: RICE
Phone: (303) 831-4673	Lease Name: HOELSCHER Well #: 1-1
_	Field Name: WILDCAT
CONTRACTOR: License 8273 V	Is this a Prorated / Spaced Field?
lame: EXCELL SERVICES INC	Target Formation(s): ARBUCKLE
May Belle d For	Nearest Lease or unit boundary: 520'
Well Drilled For: Well Class: Type Equipment: ☑ Oil ✓ ☐ Enh Rec ☐ Infield ☑ Mud Rotary ✓	Ground Surface Elevation: Est. 1760 feet MSL
☑ Oil ☐ Enh Rec ☐ Infield ☒ Mud Rotary ☐ Gas ☐ Storage ☐ Pool Ext. ☐ Air Rotary	· · · · · · · · · · · · · · · · · · ·
☐ OWWO ☐ Disposal ☐ Wildcat ☐ Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 760-
Other	Surface Pipe by Alternate: 2
<u> </u>	Length of Surface Pipe Planned to be set: 420'
f OWWO: old well information as follows:	Length of Conductor pipe required: NONE
Operator:	Projected Total Depth: 3400'
Well Name:	Formation at Total Depth: ARBUCKLE
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
•	☐ Well ☐ Farm Pond OtherX
Directional, Deviated or Horizontal wellbore?	
f yes, true vertical depth:	(Note : Apply for Permit with DWR ()
Bottom Hole Location:	Will Cores Be Taken? ☐ Yes ☑ No
KCC DKT#:	
	If yes, proposed zone: N/A
	ASSEIDAVIT RECEIVED
	AFFIDAVIT RECEIVED KANSAS CORPORATION COMMIS
The undersigned hereby affirms that the drilling, completion and eventual plugg	AFFIDAVIT RECEIVED KANSAS CORPORATION COMMIS
	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006
The undersigned hereby affirms that the drilling, completion and eventual plugg t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill shall be posted on each	AFFIDAVIT AFFIDAVIT AFFIDAVIT ANSAS CORPORATION COMMIS AUG 2 1 2006 CONSERVATION DIVISION
he undersigned hereby affirms that the drilling, completion and eventual plugg is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION VICTUALITY, KS
The undersigned hereby affirms that the drilling, completion and eventual plugg is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 2	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION VICTUAL CONTROL OF SHALL BE SET WICHTA, KS underlying formation;
The undersigned hereby affirms that the drilling, completion and eventual plugg t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plugging agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the undersided to the surface pipe as specified below. The surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the undersided to the surface pipe as specified below.	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plugging agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist. If the well is a dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugg tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist. If the well is a dry hole, an agreement between the operator and the dist. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugg t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the tell. If the well is a dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged.	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist. 4. If the well is a dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg this agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged hereby certify that the statements made herein are true and to the best of my	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pluggle is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u.4. If the well is a dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged hereby certify that the statements made herein are true and to the best of my	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugget is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist of the unimum of 20 feet into the understand the dist of the understand the	AFFIDAVIT Apring of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. Title: SR. GEOLOGIST
The undersigned hereby affirms that the drilling, completion and eventual plugger is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugger for the appropriate district office will be notified before well is either plugger for pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugger than the statements made herein are true and to the best of my poate: AUGUST 18, 2006 Signature of Operator or Agent: For KCC use ONLY	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: SR. GEOLOGIST
The undersigned hereby affirms that the drilling, completion and eventual plugg is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist. 4. If the well is a dry hole, an agreement between the operator and the dist. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged. hereby certify that the statements made herein are true and to the best of my plate: AUGUST 18, 2006. Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 224497 - DDDD	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. Kepowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plugging is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugged. 4. If the well is a dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged thereby certify that the statements made herein are true and to the best of my place. For KCC use ONLY API # 15	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual plugging is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the distance of the unconsolidated materials plus a minimum of 20 feet into the understand the distance of the understand of the understand the distance of the understand of the understand the distance of the understand of t	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plugor is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist of the well is a dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugged of the nature of the plugged of the statements of the completed or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugon hereby certify that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the statements made herein are true and to the statements made herein are true and to	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION or circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; of or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugger is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugger hereby certify that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my that the statements made herein are true and to the Destroit of the conductor pipe required	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. CONSERVATION DIVISION AUG 2 1 2006 drilling rig; circulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
the undersigned hereby affirms that the drilling, completion and eventual plugging is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist of the well is a dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged hereby certify that the statements made herein are true and to the best of my plate: AUGUST 18, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - 159 - 22497 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per Alt 19 Approved by: 244 8-21-06	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. CONSERVATION DIVISION AUG 2 1 2006 drilling rig; coroulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plugger is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the dist of the well is a dry hole, an agreement between the operator and the dist of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugger hereby certify that the statements made herein are true and to the best of my that the statements made herein are true and to the best of my part of the properties of the properties of the per Alt of the per A	AFFIDAVIT sping of this well will comply with K.S.A. 55-101, et. seq. AUG 2 1 2006 CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be set wichitta, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 days of spud date. 38,891-C, which applies to the KCC District 3 area, alternate II cementing god. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plugger is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the understand the district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the appropriate district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the district office will be notified before well is either plugger of the understand of the underst	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. CONSERVATION DIVISION AUG 2 1 2006 drilling rig; coroulating cement to the top; in all cases surface pipe shall be set underlying formation; rict office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3.891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: - File Drill Pit Application (Form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
the undersigned hereby affirms that the drilling, completion and eventual plugging agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved Notice of Intent to Drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the usual to the usual to a dry hole, an agreement between the operator and the dist of the usual to appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" – Eastern Kansas surface casing order #13 must be completed within 30 days of spud date or the well shall be plugged thereby certify that the statements made herein are true and to the best of my late: AUGUST 18, 2006 Signature of Operator or Agent: For KCC use ONLY API # 15 - S9 - 22 497 - 0000 Conductor pipe required Signature of Operator or Agent: Minimum surface pipe required feet Minimum surface pipe required feet Approved by: Mall 8 - 21 - 06 This authorization expires: 2 - 21 - D7 (This authorization void if drilling not started within 6 months of effective date.)	AFFIDAVIT ging of this well will comply with K.S.A. 55-101, et. seq. CONSERVATION DIVISION of circulating cement to the top; in all cases surface pipe shall be set WICHITA, KS underlying formation; rict office on plug length and placement is necessary prior to plugging; dior production casing is cemented in; from below any usable water to surface within 120 days of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing ged. In all cases, NOTIFY district office prior to any cementing. kpowledge and belief. Title: SR. GEOLOGIST Remember to: File Drill Pit Application (Form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled – Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of Acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within ½ mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 159-22497-0000	Location of Well: County: RICE
Operator: SAMUEL GARY JR & ASSOCIATES, INC.	feet from N/ S Line of Section
Lease: HOELSCHER	750 feet from E / W Line of Section
Well Number: 1-1	Sec. 1 Twp. 18 S. R. 10 East 🛛 West
Field:	
	ls Section: 🛛 Regular or 🔲 Irregular
Number of Acres attributable to well:	<u> </u>
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

RICE COUNTY	RIOW	· · · · · · · · · · · · · · · · · · ·	can't menent
			520' from nearest lease boundary
			Laase Rouse g
			EXAMPLE
	1	T 18	Q—1980'
	•	S	3390'
750-0 750-0			SEWARD CO.
750-0 800'			RECEIVED KANSAS CORPORATION COMM
OTE: In all cases loca	ate the spot of the proposed drilling	location.	AUG 2 1 2006

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

DENVER, CO 80202-4838 Phone Number: (303) 831 · 4673 Pit Location (QQQQ):		
Phone Number: (303) 831 - 4673 Pit Location (QQQQ):		
Pit Location (QQQQ):		
Sec. 1 Twp. 18 R. 10 East West 800 Feet from North / South Line of Section 750 Feet from East / West Line of Section RICE County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Sec. 1 Twp. 18 R. 10 East West 800 Feet from North / South Line of Section 750 Feet from East / West Line of Section RICE County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
800 Feet from North / South Line of Section 750 Feet from East / West Line of Section RICE County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Teet from North / South Line of Section 750 Feet from East / ✓ West Line of Section RICE County Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Peet from Section Fast / ✓ West Line of Section County Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Chloride concentration:mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
How is the pit lined if a plastic liner is not used?		
· · · · · · · · · · · · · · · · · · ·		
INATIVE MICHAND CLAT		
Width (feet)N/A: Steel Pits		
(feet)		
AUG 2 1 2006 Conservation division Wichita, ks		
lowest fresh water <u>\$7</u> feet. @		
measuredwell owner electric logKDWR		
illing, Workover and Haul-Off Pits ONLY:		
Type of material utilized in drilling/workover: FRESH MUD		
Number of working pits to be utilized: 3		
t procedure: ALLOW TO DRY, THEN BACKFILL		
t be closed within 365 days of spud date.		
est of my knowledge and belief.		
t procedure: ALLOW TO DRY, THEN BACKFILL It be closed within 365 days of spud date. It is st of my knowledge and belief. It is a supplied to the supplied t		
ONLY		
ic series		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Mail to: KCC - Conservation Division, 130 S. Market - Roll

* Public Water Supply Well Sec. 2-185-10W NESWSE