KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date August 22, 2006	Spot
month day year	150' W - SW - SW Sec. 31 Twp. 31 S. R. 16 West
OPERATOR: License# 33168	660' FSL feet from N / V S Line of Section
Name: WOOLSEY OPERATING COMPANY, LLC	510' FWL feet from E / W Line of Section
Address: 125 N. Market, Suite 1000	Is SECTIONRegularIrregular?
City/State/Zip: Wichita, Kansas 67202	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Dean Pattisson	County: Comanche
Phone: 316-267-4379 ext 107	Lease Name: Uhl Well #: 1
CONTRACTOR: License# 5929	Field Name: W/C
Duko Drilling Co. Inc.	Is this a Prorated / Spaced Field?
Name: Duke Drilling Co., Inc.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Oil / Enh Rec Infield / Mud Rotary	Ground Surface Elevation: 1978' est. feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 150'
Other	Depth to bottom of usable water:180'
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: n/a Projected Total Depth: 5600'
Well Name:	Trojected rotal beptiti.
Original Completion Date:Original Total Depth:	Torrida Dopin
Directional, Deviated or Horizontal weilbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other To be hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	AUG 17 70000
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ear 	ch drilling rig: KCC WICHIT
	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	
	district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	
	ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	, , ,
Thereby certify that the diatomente made neron are true and to the been	
08/16/06	
Date: 08/16/06 Signature of Operator or Agent:	Title: Operations Manager
Dean Pattiss	Remember to:
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
Dean Pattiss For KCC Use ONLY API # 15 - 033 - 21477-0000	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1)	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Dean Pattiss For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1) X Approved by: Put 8-21-06	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
Dean Pattiss For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1) X Approved by: Put 8-21-06	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1)	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1) X Approved by: Put 8-21-06 This authorization expires: 2-21-07	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
For KCC Use ONLY API # 15 - 033 - 21477-000 Conductor pipe required None feet Minimum surface pipe required 200 feet per Alt. (1) X Approved by: Put 8-21-06 This authorization expires: 2-21-07	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 033-21477-0000	Location of Well: County:Comanche
Operator: WOOLSEY OPERATING COMPANY, LLC	660' FSLfeet fromN / 🗸 S Line of Section
Lease: Uhl	510' FWL feet from E / W Line of Section
Well Number:1	Sec. 31 Twp. 31 S. R. 16 East Wes
Field:	
Number of Acres attributable to well:	ls Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:150' W SW SW	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•		•			
				·	· · ·	
	 		<i>.</i>			
	•					
	 			, , , , , , , , ,		
	•	•	•	,		
				<u> </u>		
			3	31 🛌		
	• .		. L			
	 ·					
	 	• • •				
	 					· · · ·
E101	 					
510°	 					
510°	 					



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Woolsey Operator	ting Compar	License Number: 33168			
Operator Address: 125 N. Mark	et, Suite 10	hita, Kansas 67202			
Contact Person: Carl W. Durr, Field Supervisor			Phone Number: (620) 886 - 5606 ext 27		
Lease Name & Well No.: Uhl 1			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed		Sec. 31 Twp. 31 R. 16 East West		
Settling Pit	If Existing, date constructed:		660 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		510 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	County		
Is the pit located in a Sensitive Ground Water	Area? Yes	} №	Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes V	No	Clays from mud will provide sealer.		
Pit dimensions (all but working pits):8	0 Length (fe	_{2et)} 80	Width (feet) N/A: Steel Pits		
	om ground level to de		4 (feet)		
If the pit is lined give a brief description of the		Describe proce	dures for periodic maintenance and determining		
material, thickness and installation procedure			ncluding any special monitoring.		
		Monitor pi	ts until thoroughly dry. RECEIVED		
			" / INLOCIVED		
			AUG 1 7 2006		
Distance to negrest water well within one-mile	of pit	Depth to shallo	AUG 1 7 2006		
Distance to nearest water well within one-mile	·	Depth to shallo Source of infor	AUG 1 7 2006 west fresh water		
NA feet Depth of water well	·	Source of infor	AUG 1 7 2006 west fresh water		
feetDepth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of information measu Drilling, Worke	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY:		
NA feet Depth of water well	feet	Source of inform measu Drilling, Worke Type of materia	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover:Fresh		
feetDepth of water well Emergency, Settling and Burn Pits ONLY:	feet	Source of inform measu Drilling, Worke Type of materia	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell owner electric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized:3		
feet	feet	Source of inform measu Drilling, Worke Type of materia	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Fresh king pits to be utilized: 3		
Frequency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	feet	Source of inform measu Drilling, Worked Type of materia Number of work Abandonment	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: If utilized in drilling/workover: Fresh king pits to be utilized: 3		
feet Depth of water well	feet spilled fluids to	Source of inform measu Drilling, Worker Type of material Number of work Abandonment	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized: 3 procedure: When dry, backfill and restore location. the closed within 365 days of spud date.		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No	feet spilled fluids to	Source of inform measu Drilling, Worker Type of material Number of work Abandonment	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized: 3 procedure: When dry, backfill and restore location. the closed within 365 days of spud date.		
Feet Depth of water well	spilled fluids to	Source of informeasu Drilling, Worker Type of materia Number of work Abandonment Drill pits must be	AUG 1 7 2006 west fresh water		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above states	spilled fluids to	Source of informeasu Drilling, Worker Type of material Number of work Abandonment por the port of the best	AUG 1 7 2006 west fresh waterfeet. KCC WICHIT mation: redwell ownerelectric logKDWR over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh king pits to be utilized: 3 procedure: When dry, backfill and restore location. the closed within 365 days of spud date.		
Feet Depth of water well	spilled fluids to ments are true and continued to the desired true and continued to the desired true and continued to the desired true and continued true and continu	Source of informeasu Drilling, Worker Type of materia Number of work Abandonment Drill pits must be	AUG 1 7 2006 west fresh water		



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

August 21, 2006

Mr. Dean Pattisson Woolsey Operating Company, LLC 125 N. Market Ste 1000 Wichita, KS 67202

RE: Drilling Pit Application
Uhl Lease Well No. 1
SW/4 Sec. 31-31S-16W
Comanche County, Kansas

Dear Mr. Pattisson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt-section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File