For KCC	Use:	8-28-06	
Effective	Date:	0 20 00	
District #	·	<u> 3</u>	
SGA?	Yes	X No	

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	Spot ✓ East
month day year	NE _ SW Sec. 5 Twp. 31 S. R. 19 West
33344	1980feet from N / VS Line of Section
OPERATOR: License# 33344 VARME: Quest Cherokee LLC	1980 Feet from E / V W Line of Section
Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Labette
Phone: (405) 286-9316	Lease Name: Good Rev Trust Well #: 5-1
	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field? Yes ✓ No —
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals
	Nearest Lease or unit boundary: 660
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 956 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No ✓
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OAWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water; 200
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2
If CHERNO, and worth information on fallows:	Length of Surface Pipe Planned to be set: 25
If OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1500
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION COMMISSIO
AFF	IDAVIT ALIG 2 3 2006
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq. AUU 2 3 2000
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	CONSERVATION DIVISION
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the constitution of the set of th	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete of the complete of the operator of Agent: Date: August 22, 2006 Signature of Operator or Agent:	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete of the complete of the operator of Agent: Signature of Operator or Agent: For KCC Use ONLY 24082-0200	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the deterministic office will be notified before well is either pluging the analysis of the appropriate district office will be notified before well is either pluging the analysis of the spund date of the well shall be completed within 30 days of the spund date or the well shall be the spunding that the statements made herein are true and to the best of the spunding that the statements made herein are true and to the best of the spunding that the statements of the operator of the spunding that the statements made herein are true and to the best of the spunding that the statements made herein are true and to the best of the spunding that the statements made herein are true and to the best of the spunding that the statements are true and to the spunding that the statements made herein are true and to the best of the spunding that the statements are true and to the spunding that the statements are true and to the spunding that the statements are true and to the spunding that the statements are true and to the spunding that the statements are true and to the spunding that the statement are true and to the spunding that the statement are true and to the spunding that the statement are true and to the spunding that the statement are true and to the spunding that the statement are true and to the spunding true are true and true are	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of Date: August 22, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2 4082 - OOO Conductor pipe required None feet	CONSERVATION DIVISION WICHITA, KS ef by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: August 22, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2 4082 - OOO Conductor pipe required None feet Minimum surface pipe required feet	CONSERVATION DIVISION WICHITA, KS ef by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: August 22, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: August 22, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 2 4082 - OOO Conductor pipe required None feet Minimum surface pipe required feet	CONSERVATION DIVISION WICHITA, KS ef by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the defense of the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the shall be cement. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the spud date or the well shall be the spud date or the spud date or the spud date or	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the description of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall interest that the statements made herein are true and to the best of Date: August 22, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O99 - 24082 - OOO Conductor pipe required None feet Minimum surface pipe required 10 feet per Alt. Approved by: Publication expires: 23-07 (This authorization void if drilling not started within 6 months of approval date.)	CONSERVATION DIVISION WICHITA, KS ef by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into to the description of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the shall be the spud date or the spud date or the spud date or the	CONSERVATION DIVISION WICHITA, KS et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24082-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	
Lease: Good Rev Trust	1980 feet from N / V S Line of Section 1980 feet from E / V W Line of Section
Well Number: 5-1	Sec. <u>5</u> Twp. <u>31</u> S. R. <u>19</u> ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: QTR / QTR of acreage: SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344	
Operator Address: 9520 North May	Avenue, Sui	te 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin			Phone Number: (405) 286 - 9316	
Lease Name & Well No.: Good Rev Trust #5-1			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 5 Twp. 31 R. 19	
Settling Pit	If Existing, date constructed:		1980 Feet from North / 🗸 South Line of Section	
Workover Pit Haul-Off Pit	Bit conscitu		1980 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Orilled)	Pit capacity: 300 (bbls)		Labette	
Is the pit located in a Sensitive Ground Water Area? Yes			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes ✓ No	I level? Artificial Liner? ☐ Yes ✓ No		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):			40	
Depth fr	om ground level to de		10 (feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure	.		ncluding any special monitoring. Operation lasting approx 3 days	
Distance to nearest water well within one-mil	e of pit	Depth to shall Source of info	owest fresh waterfeet. rmation:	
N A feet Depth of water well	feet	meas	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment	procedure: Air Dry, Back Fill and Cover	
Does the slope from the tank battery allow a flow into the pit? Yes No		1	be closed within 365 days of spud date.	
I hereby certify that the above stat	ements are true and	correct to the be	st of my knowledge and belief. KANSAS CORPORATION COMI	
August 22, 2006		<u> </u>	Signature of Applicant or Agent	
Date			Signature of Applicant or Agent WICHITA, KS	
Date Received: 8/23/06 Permit Nu		OFFICE USE (nit Date: 8/23/06 Lease Inspection: Yes 🖟 No	