For KCC Use:	8-28-06
Effective Date	0 0000
District #	3
SGA? Y	es 🔀 No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date August 29, 2006	Spot, ₩/2	it
month day year	Αρρ. <u>W/2</u> . <u>sw</u> . <u>sw</u> . <u>sec. ³⁴ Twp. ³¹ s. R. ¹⁸ we</u>	st
OPERATOR: License#_33344	1380 feet from N / S Line of Section	
Name: Quest Cherokee LLC	feet from ☐ E / ✓ W Line of Section	
9520 North May Avenue, Suite 300	Is SECTION <u>✓ Regular</u> Irregular?	
Address: Oklahoma City, Oklahoma 73120 City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Labette	
Phone: (405) 286-9316	Lease Name: Myers, Ben Well #: 34-1	_
Will be licensed by the KCC	Field Name: Cherokee Basin CBM	_
CONTRACTOR: License# Will be licensed by the KCC Name: Will advise on the ACO-1	Tile Is this a Prorated / Spaced Field?	10
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	_
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330	
Oil Enh Rec / Infield - Mud Rotary	Ground Surface Elevation: 992 feet MS	
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
OWO Disposal Wildcat Cable	Public water supply well within one mile:	o
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
✓ Other Coalbed Methane	Depth to bottom of usable water: 200	_
▼ Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 25	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 1500	_
Original Completion Date:Original Total Depth:	Formation at Total Depth: Cherokee Coals	_
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?		_
If Yes, true vertical depth:		_
Bottom Hole Location:	· · · · · · · · · · · · · · · · · · ·	
KCC DKT #:	— Will Cores be taken? Yes ✓ N	n
	- VIIII GOIGG BE MINGIN.	
	If Yes, proposed zone:	_
	If Yes, proposed zone:	_
	If Yes, proposed zone:	_
A The undersigned hereby affirms that the drilling, completion and eventure	If Yes, proposed zone: FFIDAVIT All plugging of this well will comply with K.S.A. 55 et. seq.	_
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	_
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FFIDAVIT All plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006	— Missic
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 each drilling rig; CONSERVATION DIVISION.	— Missic
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in	If Yes, proposed zone: FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 a each drilling rig; conservation division of the set by circulating cement to the top; in all cases surface pipewicking less to the underlying formation.	— IMISSIC
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 Leach drilling rig; CONSERVATION DIVISION To the underlying formation. The district office on plug length and placement is necessary prior to plugging;	— IMISSIC
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the proportiate district office will be notified before well is either	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in;	— IMISSIC
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either to find an ALTERNATE II COMPLETION, production pipe shall be centered.	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; The each drilling	— Imissic On
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strength of the surface o	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing	— Imissic On
A The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strength of the specified before well is either the operator and the strength of the specified before well is either the operator of the specified before well is either the operator of the specified before well is either the operator of the specified before well is either the operator of the specified before well is either the operator of the specified before well is either the operator of the specified before well is either the operator of the specified before the specified befo	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 each drilling rig; conservation DIVISION e set by circulating cement to the top; in all cases surface pipeling to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; The each drilling	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 each drilling rig; conservation DIVISION e set by circulating cement to the top; in all cases surface pipeling to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementinal be plugged. In all cases, NOTIFY district office prior to any cementing.	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either of an ALTERNATE II COMPLETION, production pipe shall be compusuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the strict office will be notified before well is either of the surface of the surface casing or must be completed within 30 days of the spud date or the well strict office will be remarked by the strict of the best of the surface of the s	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION To the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The each drilling rig; CONSERVATION DIVISION To the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 To the underlying formation of the underlying formation of the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION AUG 2 3 2006 The each drilling rig; CONSERVATION CONSERVATION DIVISION AUG 2 3 2006 AUG 2 3	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either of the specified before well is either of the specified before well is either of the specified within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use DNLY 24089-24080	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; The each drillin	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the state of the surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 5. The appropriate district office will be notified before well is either of the surface of the specified before well is either or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the surface of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the shall be completed within 3	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; nented from below any usable water to surface within 120 days of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementic hall be plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	— Imissic On
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the state of the state of the state of the specified before well is either of the state of the specified before well is either of the state of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the spud date. For KCC Use ONLY API # 15	FFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; The each drillin	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best paternament. For KCC Use ONLY API # 15 - 24088-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt.	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION of the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Thenested from below any usable water to surface within 120 days of spud date. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Thenested from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRemember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best paternament. For KCC Use ONLY API # 15 - 24088-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt.	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION of the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; Thenested from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Permember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the specified before well is either of the well should be of the specified before well is either of the specified before well is either of	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 The each drilling rig; CONSERVATION DIVISION to the underlying formation. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The ented from below any usable water to surface within 120 days of spud date. The district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; The ented from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: P Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the statement between the operator and the statements of the spuddate or the well is either of the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the spuddate. For KCC Use ONLY API # 15 - 24088-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Pub 9-33-060 This authorization expires: 2-23-07	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 Leach drilling rig; CONSERVATION DIVISION Leach drilling rig; Leach drilling rig	EMISSION ON
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on: 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the state of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the well should be of the specified before well is either of the specified before well is either of the well should be of the specified before well is either of the specified before well is either of	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 Leach drilling rig; CONSERVATION DIVISION Leach drilling rig; Leach drilling rig	EMISSION ON
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on: 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in: 4. If the well is dry hole, an agreement between the operator and the statements of the statement between the operator and the statements of the spuddate or the well is either of the properties of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the spuddate. For KCC Use ONLY API # 15 - 24088-0000 Conductor pipe required None feet Minimum surface pipe required 20 feet per Alt. (2) Approved by: Pub 9-33-060 This authorization expires: 2-23-07	FFIDAVIT al plugging of this well will comply with K.S.A. 55 et. seq. AUG 2 3 2006 Leach drilling rig; CONSERVATION DIVISION Leach drilling rig; CONSERVATION DIVISION Leach drilling rig; Leach drilling rig; Leach drilling rig; CONSERVATION DIVISION Leach drilling rig; Le	EMISSION ON


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24088-0000	Location of Well: County: Labette
Operator: Quest Cherokee LLC	1380 feet from N / V S Line of Section
Lease: Myers, Ben	330 feet from E / V W Line of Section
Well Number: 34-1	_ Sec. <u>34</u> Twp. <u>31</u> S. R. <u>18</u> ✓ East Wes
Field: Cherokee Basin CBM	_
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC			License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120						
Contact Person: Richard Marlin			Phone Number: (405) 286 9316			
Lease Name & Well No.: Myers, Ben #34-1			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	✓ Proposed		Sec. 34 _{Twp.} 31 _{R.} 1	8 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		1380 Feet from N	orth / 🗸 South Line of Section		
Workover Pit Haul-Off Pit	aul-Off Pit Pit capacity:		330 Feet from E	ast / ✓ West Line of Section		
(If WP Supply API No. or Year Drilled)	300 (bbls)		Labette	County		
Is the pit located in a Sensitive Ground Water Area? Yes V No			Chloride concentration: (For Emergency Pits	mg/l and Settling Pits only)		
Is the bottom below ground level? ☐ Yes ☑ No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	0 Length (fe	eet)10	Width (feet)	N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	10 (feet)			
If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
material, thickness and installation procedure.		Air Drilling Operation lasting approx 3 days				
			2 ming operation to any o			
				1/5		
			Depth to shallowest fresh waterfeet. Source of information:			
NA feet Depth of water wellfeet)				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Air Drilled				
		measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Air Drilled Number of working pits to be utilized: One				
Barrels of fluid produced daily:		Abandonment procedure: Air Dry, Back Fill and Cover				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION						
August 22, 2006				AUG 2 3 2006		
Date	<u></u>	S	ignature of Applicant or Agent	CONSERVATION DIVISION WICHITA, KO		
KCC OFFICE USE ONLY						
Date Received: 8/25/01- Permit Num	ber:	Perm	it Date: <u> </u>	inspection: Yes X No		