For KCC Use: Effective Date:	8-22-06
District #	3
SGA? Yes	No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date			06	Spot 4/1	. 10 21 □
	month	day	year	NW NE SW Sec. 14 T	
PERATOR: License#	<u>6168</u>				X E / W Line of Section
	<u>ter Scheu</u>				
Address: 27800 P	<u>leasant V</u>	lley Ro	1	ls SECTION X Regular Irregu	
City/State/Zip: <u>Wellsv</u>	ille, Ks.	66092		(Note: Locate well on the Secti	on Plat on reverse side)
Contact Person: Lester	Scheunem	an		County: <u>Mlami</u>	
o _{hone:} (7 9 5) 883	-4621			Lease Name: <u>Boyscout</u>	Well #:A-5
	4339			Field Name: Rantaul	
CONTRACTOR: License#=				Is this a Prorated / Spaced Field?	Yes X
Name:Da	<u>le Jackso</u>	.1		Target Formation(s): Squi:	1161 -
Well Drilled For:	Well Class:	Type	Equipment:	Nearest Lease or unit boundary: 165	
√ Oil Enh Re			fud Rotary	Ground Surface Elevation: N.A.	
Gas Storage	22-	بخف	ir Rotary	Water well within one-quarter mile:	Yes X
OWWO Dispose		=	Cable	Public water supply well within one mile:	Yes ½
Seismic;# of F	<u></u>			Depart to Dottom of House Manager	30
Other# of F				Bepar to Bottom of Course	
				Surface Pipe by Alternate: 1 X 2	. 20
f OWWO: old well informat	ion as follows:			Length of Surface Pipe Planned to be se	r:
Operator:				Length of Conductor Pipe required:	750
Well Name:				Projected Total Depth: Formation at Total Depth:	Sauirrel
Original Completion Date	:e:	Original Total	Depth:		p q data o s
	:		Yes No	Water Source for Drilling Operations: Well X Farm Pond Other _	<u> </u>
Directional, Deviated or Hor			1 1103 1110	Weil A Farm Pond Offier =	
				<u> </u>	
If Yes, true vertical depth:				DWR Permit #:	
If Yes, true vertical depth: Bottom Hole Location:				DWR Permit #:(Note: Apply for Permit	
If Yes, true vertical depth: Bottom Hole Location:				DWR Permit #:	Yes X
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NM-SW	2142 F	L 402	3'FEL	DWR Permit #:(Note: Apply for Permit	Yes X
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NM-SW	2142 F	L 402	3'FEL	DWR Permit #:	Yes X
f Yes, true vertical depth:_ Bottom Hole Location: KCC DKT #: AS: NE-NW-SW G: NW-NE-SW	2142 FS	si 402	3'FEL AFI	DWR Permit #:	Yes X
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NM-5W S: NW-NE-SW The undersigned hereby a	2142 FS 1 2145 F	5L 402 5L 386	3'FEL AFI	DWR Permit #:	Yes X
If Yes, true vertical depth:	2142 FS 1 2145 F ffirms that the dr ng minimum req	SL 402 SL 386 illing, comple uirements wi	3'FEL AFI etion and eventual	DWR Permit #:	Yes X
If Yes, true vertical depth:	2142 FS 1 2145 F Iffirms that the dr ng minimum reques district office of interest of the second control of	386 386 386 386 386 386 386 386 386 386	3'FEL AFI etion and eventual ill be met: dding of well;	DWR Permit #:	Yes X
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AS: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amou	2142 FS 1 2145 F Iffirms that the dr ng minimum reque district office a yed notice of intent of surface pip	386 386 386 illing, completion to spudent to drill she as specifie	al FEL AFI etion and eventual ill be met: dding of well; hall be posted on ead below shall be se	DWR Permit #:	Yes X
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 4\$: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the appro 3. The minimum arrow though all unconsol	2142 FS 1 2145 F ffirms that the di ng minimum reque district office produce of inter- tred notice of unterpolated materials	386 386 illing, complete interpretation of the specific of the	etion and eventual states of well; all be met: all be posted on each delow shall be soum of 20 feet into	DWR Permit #: (Note: Apply for Permit Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: each drilling rig; set by circulating cement to the top; in all case the underlying formation.	Yes X 5 et. seq. es surface pipe <i>shall be set</i>
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AS: NE-NW-SW The undersigned hereby a lit is agreed that the following a copy of the appropriator of the property of the undersigned hereby a lit is agreed that the following are not through all unconsolutions of the well is dry hole.	2142 FS 1 2145 FS ffirms that the drawn requestion of the firms of t	386 386 386 illing, completion to spudent to drill she as specifie plus a minim between the	etion and eventual still be met: Idding of well; Inall be posted on each below shall be some of 20 feet into the operator and the	DWR Permit #: (Note: Apply for Permit Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: each drilling rig; set by circulating cement to the top; in all cas the underlying formation. district office on plug length and placement i	Yes X 5 et. seq. es surface pipe <i>shall be set</i>
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW The undersigned hereby a lt is agreed that the following. A copy of the appropriate the color of the well is dry hole. The well is dry hole. The appropriate the second of the appropriate of the second of the appropriate of the second of the appropriate of the appropr	2142 Fs 1 2145 Fs ffirms that the di ng minimum reques district office into ved notice of into nt of surface pipidated materials e, an agreement ict office will be	illing, completing completing to spucient to drill she as specified plus a minim between the notified before	etion and eventual ill be met: dding of well; nall be posted on ead below shall be some of 20 feet into e operator and the plane shall be come	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin within 120 days of spud date.
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW S: NW-NE-SW The undersigned hereby a lt is agreed that the followid and the appropriate and the composition of the appropriate and the composition of the appropriate and the well is dry hole and the composition of the appropriate dist of an ALTERNATE II	2142 FS 1 2145 FS ffirms that the di ng minimum reque district office pived notice of intent of surface pipidated materials e, an agreement rict office will be COMPLETION, andix "R" - Fasti	illing, completing to drill she as specified between the notified before the notified before Kansas series.	etion and eventual ill be met: Iding of well; Inall be posted on each below shall be some of 20 feet into the poperator and the poperator shall be cemel auriace casing order	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin within 120 days of spud date. rict 3 area, alternate II cemer
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW S: NW-NE-SW The undersigned hereby a lt is agreed that the followid and the appropriate and the composition of the appropriate and the composition of the appropriate and the well is dry hole and the composition of the appropriate dist of an ALTERNATE II	2142 FS 1 2145 FS ffirms that the di ng minimum reque district office pived notice of intent of surface pipidated materials e, an agreement rict office will be COMPLETION, andix "R" - Fasti	illing, completing to drill she as specified between the notified before the notified before Kansas series.	etion and eventual ill be met: Iding of well; Inall be posted on each below shall be some of 20 feet into the poperator and the poperator shall be cemel auriace casing order	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin, within 120 days of spud date. rict 3 area, alternate II cemen
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed	2142 F: 1 2145 F	illing, completing to spudent to spudent to spudent a minim between the notified before production pern Kansas set the spud defeated.	etion and eventual states of the posted on each of 20 feet into the operator and the pore well is either plus order or the well shall be cementated or the well shall be compared or the well	DWR Permit #: (Note: Apply for Permit Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: ach drilling rig; set by circulating cement to the top; in all case the underlying formation. district office on plug length and placement is ugged or production casing is cemented in; need from below any usable water to surface or #133,891-C, which applies to the KCC Dist I be plugged. In all cases, NOTIFY district	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin, within 120 days of spud date. rict 3 area, alternate II cemen
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW S: NW-NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approx 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in I hereby certify that the sta	2142 FS 1 2145 FS I	illing, completing to drill she as specified plus a minim between the production pern Kansas sif the spud denerein are trees.	etion and eventual state of the best and the compensation and the state of 20 feet into the operator and the core well is either plus pipe shall be cemel surface casing order and to the best are	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW S: NW-NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in It hereby certify that the sta	2142 FS 1 2145 FS I	illing, completing to drill she as specified plus a minim between the production pern Kansas sif the spud denerein are trees.	etion and eventual states of the posted on each of 20 feet into the operator and the pore well is either plus order or the well shall be cementated or the well shall be compared or the well	DWR Permit #: (Note: Apply for Permit Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: ach drilling rig; set by circulating cement to the top; in all case the underlying formation. district office on plug length and placement is ugged or production casing is cemented in; need from below any usable water to surface or #133,891-C, which applies to the KCC Dist I be plugged. In all cases, NOTIFY district	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: AS: NE-NW-SW S: NW-NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in I hereby certify that the sta	2142 FS 1 2145 FS I	illing, completing to drill she as specified plus a minim between the production pern Kansas sif the spud denerein are trees.	etion and eventual state of the best and the compensation and the state of 20 feet into the operator and the core well is either plus pipe shall be cemel surface casing order and to the best are	OWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to plugging within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AS: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in the state of the	2142 FS 1 2145 FS I	illing, completing to drill she as specified plus a minim between the production pern Kansas sif the spud denerein are trees.	etion and eventual state of the best and the competence of 20 feet into the posted of the competence of the competence of the well is either plus of the competence of the well shall be compe	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to plugging within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE If Or pursuant to Appermust be completed I hereby certify that the standard in the standa	2142 FS 1 2145 FS ffirms that the diagonal minimum requestion of the control of	illing, completion of the surface of the specific plus a minim between the notified before production pern Kansas set the spud dimerein are true.	etion and eventual still be met: Idding of well; Inall be posted on each below shall be some of 20 feet into the coperator and the proper shall be cement of the well is either plus or the well shall be caused at the total shall be said to the best that the said to the best of the well shall be said to the best of the well shall be said to the best that the said to the best that the said to the best that the said that	DWR Permit #:	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin, within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing. Owner/operater h Intent to Drill; days of spud date;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in the completed in the state of the completed in the state of the completed in the state of the completed in the	2142 FS 1 2145 FS I	illing, complete uirements with conformation of the plus a minimplement the notified before production pern Kansas sof the spud demercin are the Coperator or	etion and eventual still be met: Idding of well; Inall be posted on each below shall be some of 20 feet into the coperator and the proper shall be cement of the well is either plus or the well shall be caused at the total shall be said to the best that the said to the best of the well shall be said to the best of the well shall be said to the best that the said to the best that the said to the best that the said that	DWR Permit #: (Note: Apply for Permit Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 59 ach drilling rig; set by circulating cement to the top; in all case the underlying formation. district office on plug length and placement is agged or production casing is cemented in; all defined from below any usable water to surface or #133,891-C, which applies to the KCC Dist I be plugged. In all cases, NOTIFY district of my knowledge and belief. File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 File acreage attribution plat according to	Yes X 5 et. seq. es surface pipe shall be set s necessary prior to pluggin, within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing. Owner/operater h Intent to Drill; days of spud date; offield proration orders;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE If Or pursuant to Appermust be completed I hereby certify that the standard in the standa	2142 FS 1 2145 FS I	illing, completing a minimum to drill she as specified plus a minimum todiffed beform Kansas she the spud dimerein are the Operator or	etion and eventual sill be met: Iding of well; Itali be posted on each below shall be some of 20 feet into the eoperator and the point of the shall be cemented at the control of the best	DWR Permit #:	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing. Owner/operater h Intent to Drill; days of spud date; offield proration orders; s prior to workover or re-entry;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the standard properties B-17-06 For KCC Use ONLY API # 15 - 121- Conductor pipe required Minimum audica pipe required	2142 FS 1 2145 FS Iffirms that the drag minimum reques district office produced interest of surface pipidated materials e, an agreement rict office will be COMPLETION, andix "B" - Easte within 30 days of attements made attempts made attempts of the complete of the com	illing, completion of the street of the spud done of the	et per Alt	DWR Permit #:	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing. Owner/operater h Intent to Drill; days of spud date; offield proration orders; sprior to workover or re-entry; aging is completed;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed I hereby certify that the standard properties B-17-06 For KCC Use ONLY API # 15 - 121- Conductor pipe required Minimum audica pipe required	2142 FS 1 2145 FS Iffirms that the drag minimum reques district office produced interest of surface pipidated materials e, an agreement rict office will be COMPLETION, andix "B" - Easte within 30 days of attements made attempts made attempts of the complete of the com	illing, completion of the street of the spud done of the	et per Alt	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: ach drilling rig; set by circulating cement to the top; in all case the underlying formation. district office on plug length and placement is underlying formation. district office on plug length and placement is underlying formation. district office on plug length and placement is unted from below any usable water to surface or #133,891-C, which applies to the KCC District of my knowledge and belief. File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 File acreage attribution plat according to Notify appropriate district office 48 hours Submit plugging report (CP-4) after plug Obtain written approval before disposing	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date. rict 3 area, alternate II cemen office prior to any cementing. Owner/operater h Intent to Drill; days of spud date; of field proration orders; s prior to workover or re-entry; tiging is completed; g or injecting salt water.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AS: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in the second that the standard in the second in the secon	2142 FS 1 2145 FS I	illing, complete uirements with prior to spudent to drill she eas specifie plus a minim between the production pern Kansas sof the spudent erein are true operator or	et per Alt	DWR Permit #:	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing. Owner/operater In Intent to Drill; days of spud date; of field proration orders; sprior to workover or re-entry; aging is completed; or injecting salt water. ed expiration date) please
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 45: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Approved by certify that the strength of the completed	2142 FS 1 2145 FS Iffirms that the dring minimum reques district office pictor of surface pipidated materials equal agreement rict office will be COMPLETION, endix "B" - Easte within 30 days of atements made atemptical at a second atemptical at a second atemptical at a second at a second atemptical at a second atemptical at a second atemptical atemptical at a second atemptical atemptical at a second atemptical a	illing, complete uirements with prior to spudent to drill she e as specified plus a minim between the notified before production pern Kansas sof the spud defended in the spudent or the s	et per Alt.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5: ach drilling rig; set by circulating cement to the top; in all case the underlying formation. district office on plug length and placement is underlying formation. district office on plug length and placement is underlying formation. district office on plug length and placement is unted from below any usable water to surface or #133,891-C, which applies to the KCC District of my knowledge and belief. File Drill Pit Application (form CDP-1) with File Completion Form ACO-1 within 120 File acreage attribution plat according to Notify appropriate district office 48 hours Submit plugging report (CP-4) after plug Obtain written approval before disposing	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing. Owner/operater In Intent to Drill; days of spud date; of field proration orders; sprior to workover or re-entry; aging is completed; or injecting salt water. ed expiration date) please
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: AS: NE-NWI-SW S: N W - NE-SW The undersigned hereby a It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amouthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed in the second that the standard in the second in the secon	2142 FS 1 2145 FS Iffirms that the dring minimum reques district office pictor of surface pipidated materials equal agreement rict office will be COMPLETION, endix "B" - Easte within 30 days of atements made atemptical at a second atemptical at a second atemptical at a second at a second atemptical at a second atemptical at a second atemptical atemptical at a second atemptical atemptical at a second atemptical a	illing, complete uirements with prior to spudent to drill she e as specified plus a minim between the notified before production pern Kansas sof the spud defended in the spudent or the s	et per Alt.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 5the ach drilling rig; and drilling rig	es surface pipe shall be set s necessary prior to plugging within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing. OWNEY/OPETATET In Intent to Drill; days of spud date; of field proration orders; of field proration orders; of field proration orders; of ging is completed; of injecting salt water. ed expiration date) please address below.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: 4\$: NE-NWI-SW S: N W - NE-SW The undersigned hereby a lit is agreed that the following and the appropriate is a copy of the appropriate is a copy of the appropriate is the well is dry hole. I hereby certify that the structure is a completed in the structure in the structure is a complete in the structure in the structure is a complete in the structure is a complete in the structure in the structure is a complete in the structure in the structure is a complete in the structure in the structure is a complete in the structure in the structure is a complete in the structure	2142 FS 2145 F ffirms that the dring minimum reques district office pictor of surface pipidated materials e, an agreement rict office will be COMPLETION, endix "B" - Easte within 30 days of atements made Signature of 28275- None Complete Compl	illing, complete uirements with prior to spudent to drill she e as specified plus a minim between the notified before production pern Kansas sof the spud defended in the spudent or the s	et per Alt.	Will Cores be taken? If Yes, proposed zone: FIDAVIT plugging of this well will comply with K.S.A. 55 ach drilling rig; ret by circulating cement to the top; in all case the underlying formation. district office on plug length and placement in underlying formation. district office on plug length and placement in underlying formation. Intel from below any usable water to surface in #133,891-C, which applies to the KCC District of my knowledge and belief. File Drill Pit Application (form CDP-1) with a File Completion Form ACO-1 within 120 in File acreage attribution plat according to the Notify appropriate district office 48 hours in Submit plugging report (CP-4) after pluging report (CP-4) after pluging report (See: authorize check the box below and return to the second in th	es surface pipe shall be set s necessary prior to pluggin; within 120 days of spud date, rict 3 area, alternate II cemen office prior to any cementing. OWNEY/OPERATE In lintent to Drill; days of spud date; of field proration orders; of field proration orders; of ging is completed; of injecting salt water. Sed expiration date) please address below.

RECEIVED AUG 2 3 2006 KCC WICHITA

CODDECT: IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - /	21-28275-0000	Location of Well: County: Niami
Operator:	Lactar Schannaman	2145 feet from N/XS Line of Section
Lease:	Boyscout	3861 feet from E / W Line of Section
Well Number:	A-5 Rantaul	Sec. 14 Twp. 17 S. R. 21 X East Wes
Field:	Rantaul	Is Section: A Regular or I Irregular
	attributable to well: 200	is Section: Printegular or I integular
QTR / QTR / QT	R of acreage: <u>NW - NE - SW</u>	If Section is irregular, locate well from nearest corner boundary.
		Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

grading the grade of the state of

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester 5	ame: Lester Scheuneman		License Number:	6168 ARECTE
Operator Address: 27800 Plea	sant Valley I	Rd. Wellsv	ille, Ks. 66092	·OF
Contact Person: Lester Scheumeman			Phone Number: (785	883-4621
Lease Name & Well No.: Boyscout	A-5		Pit Location (QQQQ).	
lype of Hit:	Pit is:		SW NW NE	SW
Emergency Pit Burn Pit	X Proposed Existing		•	R. 21 X East West
Settling Pit X Drilling Pit	If Existing, date constructed:		* 2145 Feet from	$igspace{ \begin{tabular}{ c c c c c c c c c c c c c c c c c c c$
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		73861 Feet from	X East / West Line of Section
	80			County
ts the pit located in a Sensitive Ground Water	Area? Yes X	No		cy Pits and Settling Pits only)
is the bottom below ground level? Yes] No	Artificial Liner?	No	How is the pit lined if a pl	
	Length (fe		, , , , , , , , , , , , , , , , , , , ,	N/A: Steel Pits
		Depth to shallowest fresh waterfeet. Source of information:		
N A feet Depth of water well feet		measuredwell ownerelectric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh water mud.		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	the same transfer of the same
Does the slope from the tank battery allow all spilled fluids to flow into the pit? [] Yes [] No		Drill pits must be closed within 365 days of spud date		
i hereby certify that the above sta	tements are true and	correct to the be-	st of my knowledge and beli	et.
8 -1 7-06 Date		Sés	To Scheu Signature of Applicant or Agr	ent ent
	KCC	OFFICE USE O	DNLY	
Date Received: 8 23 04 Permit Nu	mber:	Peri	mit Date: 8/23/66	Lease Inspection: Yes [XNo

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED
AUG 2 3 2006
KCC WICHITA