For KCC Use: Effective Date:	8-29-06
District #	3

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
Ali bignks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date	0	40	06		K Ea	nt.
		19	06	Spot	السبأ	
	month	day	year	NW - SE - NW Sec. 14 Twp.	II S. H. Line of Section	st
OPERATOR: License#				3497		
	<u>ter Scheu</u>			Is SECTION X Regular Irregular		
Address: 27800 P	<u>leasant V</u>	alley E	(d			
City/State/Zip: <u>Vellsv</u>	ille, Ks.	66092		(Note: Locate well on the Section I	Plat on reverse side)	
Contact Person: Lester	Scheunem	an		County: Miami	E-3	_
Phone: (7 9 5) 883	3-4621			Lease Name: Boyscout	Well #:	_
00MTD40T0D: 1:#	4339			Field Name: Rantaul	Yes K	— Na
CONTRACTOR: License#=	ile Jackso			Is this a Prorated / Spaced Field? Target Formation(s): Squirm	ലി	NO
Name:Da		**		Nearest Lease or unit boundary: 670	FEL -	_
Well Drilled For:	Well Class:	Туре	Equipment:	Ground Surface Elevation:		SI
X Oil / Enh Re	ec 🔽 Infield	_ x	Mud Rotary -	Water well within one-quarter mile:	Yes X	
Gas Storage	e 🖺 Pool E	xt.	Air Rotary	Public water supply well within one mile:	Yes X	
OWWO Disposa	al 🗍 Wildca	ı 🦳	Cable	Depth to bottom of fresh water: 20		
Seismic;# of I				Depth to bottom of usable water: 180		
Other				Surface Pipe by Alternate: 1 X 2		
				Length of Surface Pipe Planned to be set:	20	
If OWWO: old well informat				Length of Conductor Pipe required:	N	
Operator:				Projected Total Depth:	50	
Well Name:				Formation at Total Depth:	quirrel	
Original Completion Dat	te:	Original lot	аг Deptл:	Water Source for Drilling Operations:		
Directional, Deviated or Hor	rizontal wellbore	>	Yes No	Well X Farm Pond Other		
If Yes, true vertical depth:				DWR Permit #:		_
Bottom Hole Location:				(Note: Apply for Permit with		
KCC DKT #:				Will Cores be taken?	Yes X	No
				If Yes, proposed zone:		
			ΔFF	IDAVIT	RECEIV	'ED
The undersigned berefy a	ffirms that the d	rillina, como			seq.	າດດຄ
			eletion and eventual p	llugging of this well will comply with K.S.A. 55 et	aug 23	2006
It is agreed that the followi	ing minimum red	juirements v	eletion and eventual partial p		MOU 2 3 s	
It is agreed that the following. 1. Notify the appropriate approp	ing minimum red te district office	juirements v <i>prior</i> to spu	station and eventual particles will be met: udding of well; udding of well;	olugging of this well will comply with K.S.A. 55 et	KCC WIC	
It is agreed that the following 1. Notify the appropriat 2. A copy of the approx 3. The minimum amouting the second secon	ing minimum red te district office ved notice of int int of surface pip	juirements v <i>prior</i> to spu ent to drill s ee as specif	oletion and eventual partial be met: udding of well; chall be posted on earlied below shall be s	olugging of this well will comply with K.S.A. 55 et and the state of t	KCC WIC	
It is agreed that the following the appropriation of the appropriation o	ing minimum red te district office ved notice of int int of surface pip lidated materials	prior to spuents verior to drill some as specifications and the second s	oletion and eventual partial be met: udding of well; shall be posted on ear led below shall be someon of 20 feet into	olugging of this well will comply with K.S.A. 55 et and the control of the contro	KCC WIC	ΉΠ
It is agreed that the following 1. Notify the appropriat 2. A copy of the approx 3. The minimum amount through all unconsol 4. If the well is dry bold.	ing minimum red te district office ved notice of int int of surface pip fidated materials le, an agreemen	prior to spuents was prior to drill so the second s	oletion and eventual partial be met: Idding of well; Inhall be posted on earlied below shall be simum of 20 feet into the operator and the	olugging of this well will comply with K.S.A. 55 et and drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n	KCC WIC	ΉΠ
It is agreed that the following the appropriation of the approximation of the approximation of the approximation of the approximation of the appropriate distribution of the appropriate distr	ing minimum red te district office ved notice of int int of surface pip lidated materials le, an agreemen trict office will be	prior to spuent to drill so the as specific plus a minit between the notified be	oletion and eventual partial be met: udding of well; uhall be posted on each eled below shall be simum of 20 feet into the operator and the prine shall be comen.	olugging of this well will comply with K.S.A. 55 et a character of the complex rig; et by circulating cement to the top; in all cases the underlying formation. It district office on plug length and placement is negged or production casing is cemented in; the tropy below any usable water to surface with	Surface pipe shall be set ecessary prior to plugging and 120 days of spud date.	; ;
It is agreed that the following 1. Notify the appropriat 2. A copy of the approximation 3. The minimum amount through all unconsol 4. If the well is dry hole 5. The appropriate distriction of the construction of the constructi	ing minimum red te district office ved notice of int int of surface pip lidated materials le, an agreemen trict office will be I COMPLETION andly "B" - Fact	prior to spuent to drill so the as specific plus a minit to between the production professor Kansas	oletion and eventual partial be met: udding of well; uhall be posted on each each below shall be some of 20 feet into the operator and the fore well is either plu pipe shall be cemer surface casing order	ch drilling rig; et by circulating cement to the top; in all cases in underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133.891-C. which applies to the KCC District	surface pipe shall be set ecessary prior to plugging in 120 days of spud date. 3 area, alternate II cement	; ;
It is agreed that the following in Notify the appropriation in Notify the appropriation in Notify the appropriation in Notify	ing minimum recte district office ved notice of int of surface pip didated materials e, an agreement office will be COMPLETION endix "B" - East within 30 days of the district office will be completed to the complete of the	prior to spuent to drill some to drill	pletion and eventual partial be met: Idding of well; Idding of well be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing order date or the well shall	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off	surface pipe shall be set ecessary prior to plugging in 120 days of spud date. 3 area, alternate II cement	; ;
It is agreed that the following in Notify the appropriation in Notify the appropriation in Notify the appropriation in Notify	ing minimum recte district office ved notice of int of surface pip didated materials e, an agreement office will be COMPLETION endix "B" - East within 30 days of the district office will be completed to the complete of the	prior to spuent to drill some to drill	pletion and eventual partial be met: Idding of well; Idding of well be simum of 20 feet into the operator and the fore well is either plupipe shall be cemer surface casing order date or the well shall	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off	surface pipe shall be set ecessary prior to plugging in 120 days of spud date. 3 area, alternate II cement	; ;
It is agreed that the following agreed that the following agreement appropriate and through all unconsolutions and the well is dry holds. The appropriate dist an ALTERNATE II Or pursuant to Appearust be completed to the proper agreement and the statement and the statement appropriate dist and the statement and the statement appropriate distance and the statement and the statement and the statement appropriate and the statement appropriate and the statement a	ing minimum recte district office ved notice of int of surface pip lidated materials e, an agreement office will be COMPLETION endix "B" - East within 30 days catements made	prior to spuent to drill some as specific plus a minit between the notified be production ern Kansas of the spud herein are formatter of the spud herein are formatter to spud the spud	oletion and eventual partial be met: udding of well; uhall be posted on ear ied below shall be s imum of 20 feet into he operator and the fore well is either plu pipe shall be cemer surface casing order date or the well shall true and to the best	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief.	surface pipe shall be set ecessary prior to plugging hin 120 days of spud date. 3 area, alternate il cementice prior to any cementing.	; ;
It is agreed that the following agreed that the following agreement appropriate and through all unconsolutions and the well is dry holds. The appropriate dist an ALTERNATE II Or pursuant to Appearust be completed to the proper agreement and the statement and the statement appropriate dist and the statement and the statement appropriate distance and the statement and the statement and the statement appropriate and the statement appropriate and the statement a	ing minimum recte district office ved notice of int of surface pip lidated materials e, an agreement office will be COMPLETION endix "B" - East within 30 days catements made	prior to spuent to drill some as specific plus a minit between the notified be production ern Kansas of the spud herein are formatter of the spud herein are formatter to spud the spud	pletion and eventual partial be met: Idding of well; Idding of well be some operator and the fore well is either plupipe shall be comer surface casing order date or the well shall	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off	surface pipe shall be set ecessary prior to plugging hin 120 days of spud date. 3 area, alternate il cementice prior to any cementing.	; ;
It is agreed that the following agreed that the following agreement appropriate and through all unconsolutions and the well is dry holes. The appropriate dist an ALTERNATE II Or pursuant to Appermist be completed at the reby certify that the statement and the following agreement appropriate dist and the statement appropriate distances and the statement agreement and the statement appropriate and the statement appropriate and the statement appropriate and the statement agreement appropriate and the statement appropriate and the statement appropriate and the statement and the statement appropriate and the statement appropriate appropriate and the statement appropriate app	ing minimum recte district office ved notice of int of surface pip lidated materials e, an agreement office will be COMPLETION endix "B" - East within 30 days catements made	prior to spuent to drill some as specific plus a minit between the notified be production ern Kansas of the spud herein are formatter of the spud herein are formatter to spud the spud	oletion and eventual partial be met: udding of well; uhall be posted on ear ied below shall be s imum of 20 feet into he operator and the fore well is either plu pipe shall be cemer surface casing order date or the well shall true and to the best	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief. Title:	surface pipe shall be set ecessary prior to plugging hin 120 days of spud date. 3 area, alternate il cementice prior to any cementing.	; ;
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriate 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apparent to Apparent to Experiment of the completed of the appropriate of	ing minimum recte district office ved notice of int nt of surface pip didated materials le, an agreement office will be COMPLETION endix "B" - East within 30 days catements made Signature of	prior to spuent to drill see as specificated a	oletion and eventual partial be met: udding of well; uhall be posted on ear ied below shall be s imum of 20 feet into he operator and the fore well is either plu pipe shall be cemer surface casing order date or the well shall true and to the best	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is negled or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir	surface pipe shall be set ecessary prior to plugging thin 120 days of spud date. 3 area, alternate il cement lice prior to any cementing.	; ;
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriate 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apparent to Apparent to Experiment of the completed of the appropriate of	ing minimum recte district office ved notice of int nt of surface pip didated materials le, an agreement office will be COMPLETION endix "B" - East within 30 days catements made Signature of	prior to spuent to drill see as specificated a	oletion and eventual partial be met: udding of well; uhall be posted on ear ied below shall be s imum of 20 feet into he operator and the fore well is either plu pipe shall be cemer surface casing order date or the well shall true and to the best	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is negled or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Ir - File Completion Form ACO-1 within 120 da	surface pipe shall be set ecessary prior to plugging thin 120 days of spud date. 3 area, alternate il cement lice prior to any cementing. Support of prior to prior to plugging the prior to any cementing.	; ;
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriate 3. The minimum amount through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed in the state of the sta	ing minimum recte district office ved notice of int nt of surface pip didated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Sig	prior to spuent to drill see as specification of the production of the spud of	seletion and eventual particle of the selection and eventual particle of the selection of the selection of 20 feet into the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best of Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. In the underlying formation are underlying formation. It is to the pilow any usable water to surface with the surface with the surface. In all cases, NOTIFY district off of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir. File Completion Form ACO-1 within 120 dars. File acreage attribution plat according to file.	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement lice prior to any cementing. wher/operater intent to Drill; ys of spud date; eld proration orders;	; ;
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriate 3. The minimum amount through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed in the state of the sta	ing minimum recte district office ved notice of int nt of surface pip didated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Sig	prior to spuent to drill see as specification of the production of the spud of	seletion and eventual particle of the selection and eventual particle of the selection of the selection of 20 feet into the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best of Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. In the underlying formation are to the first office on plug length and placement is negled or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir File Completion Form ACO-1 within 120 da File acreage attribution plat according to file.	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement ice prior to any cementing. wher/operater Intent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry;	HIT ; ing
It is agreed that the following the sagreed that the following the sagreed that the following through all unconsolds. If the well is dry holds. The appropriate dist is the sagreed that the sagr	ing minimum recte district office ved notice of interest of surface pipelidated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Signature of Signature	prior to spuent to drill see as specification of the production error Kansas of the spud herein are to the production of the spud herein are to the production of the spud herein are to the spud herein are t	seletion and eventual particle of the selection and eventual particle of the selection of the selection of 20 feet into the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best of Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. In the underlying formation are underlying formation. It is not to the top in all cases the underlying formation. It is not to the top in all cases the form below any usable water to surface with the surface with the plugged. In all cases, NOTIFY district off of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir is file acreage attribution plat according to file. Notify appropriate district office 48 hours proceed the surface of the completion report (CP-4) after plugging report (CP-4) af	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement ice prior to any cementing. wher operator intent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry; g is completed;	HIT ; ing
It is agreed that the following in Notify the appropriate 2. A copy of the appropriate 3. The minimum amout through all unconsold in the well is dry holds. The appropriate dist is in the interest of the int	ing minimum recte district office ved notice of intent of surface piplidated materials le, an agreement office will be COMPLETION endix "B" - East within 30 days catements made Signature of Signature Signatu	prior to spuent to drill some as specific plus a minit between the notified be production ern Kansas of the spud herein are to	seletion and eventual particle of the selection and eventual particle of the selection of the selection of 20 feet into the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best of Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir File Completion Form ACO-1 within 120 dains - Notify appropriate district office 48 hours production within supplying report (CP-4) after plugging - Obtain written approval before disposing or	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate II cement lice prior to any cementing. wher/operater intent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry; g is completed; injecting salt water.	HIT ; ing
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amount through all unconsold 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate the completed of the theorem is the completed of the theorem is the state of the theorem is the state of the theorem is the	ing minimum recte district office ved notice of intent of surface pipelidated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Signature Sign	prior to spuent to drill see as specification in the tween the notified be production ern Kansas of the spud herein are to operator o	seletion and eventual particle of the selection and eventual particle of the selection of the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best or Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. In the underlying formation are underlying formation. It is not to the top in all cases the underlying formation. It is not to the top in all cases the form below any usable water to surface with the surface with the plugged. In all cases, NOTIFY district off of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir is file acreage attribution plat according to file. Notify appropriate district office 48 hours proceed the surface of the completion report (CP-4) after plugging report (CP-4) af	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement ice prior to any cementing. wher/operater ntent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry; g is completed; injecting salt water. expiration date) please	HIT ; ing
It is agreed that the following in Notify the appropriator in Notify the appropriator in Notify the appropriator in Notify the appropriator in Notify in Not	ing minimum recte district office ved notice of intent of surface pipelidated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Signature Sign	prior to spuent to drill see as specification in the tween the notified be production ern Kansas of the spud herein are to operator o	seletion and eventual particle of the selection and eventual particle of the selection of the operator and the fore well is either plup pipe shall be cemer surface casing order date or the well shall true and to the best or Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nigged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief. File Drill Pit Application (form CDP-1) with Ir in File Completion Form ACO-1 within 120 dato in File acreage attribution plat according to file in Notify appropriate district office 48 hours probable. Obtain written approval before disposing or if this permit has expired (See: authorized check the box below and return to the additional district of the disposing or check the box below and return to the additional district of the disposing or the content of the additional case of the content of the content of the additional case of the content of	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement ice prior to any cementing. wher/operater ntent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry; g is completed; injecting salt water. expiration date) please	HIT ; ing
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amount through all unconsold 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to Appropriate the completed of the appropriate that the state of the appropriate that the state of the appropriate o	ing minimum recte district office ved notice of interest of surface pipelidated materials le, an agreement rict office will be COMPLETION endix "B" - East within 30 days catements made Signature of Signature of Signature of COMPLETION o	prior to spuent to drill see as specification in the tween the notified be production ern Kansas of the spud herein are to the notified be production of the spud herein are to the spu	seletion and eventual partial be met: udding of well; shall be posted on earlied below shall be sind the operator and the fore well is either plupipe shall be cemer surface casing order date or the well shall true and to the best or Agent: The Agent: The true and the determinant of the best of the well shall true and to the best or the well shall true and to the best or Agent:	ch drilling rig; et by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is n gged or production casing is cemented in; ted from below any usable water to surface with #133,891-C, which applies to the KCC District be plugged. In all cases, NOTIFY district off my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Ir File Completion Form ACO-1 within 120 da File acreage attribution plat according to file Notify appropriate district office 48 hours pr Submit plugging report (CP-4) after pluggin Obtain written approval before disposing or	surface pipe shall be set ecessary prior to plugging nin 120 days of spud date. 3 area, alternate il cement lice prior to any cementing. wher/operater ntent to Drill; ys of spud date; eld proration orders; ior to workover or re-entry; g is completed; injecting salt water. expiration date) please ress below.	HIT ; ing

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 121-28290-000	Location of Well: County: Niami
Operator: Lester Scheuneman	3497 feet from N/XS Line of Section
Lease: Boyscout	3310 teet from K E / W Line of Section
Well Number: $\underline{\mathbb{Z}}-3$	Sec. 14 Twp. 17 S. R. 21 X East Wes
Field: Rantaul	
Number of Acres attributable to well: 200	Is Section: K Regular or I Irregular
OTR / OTR / OTR of acreage: NV - SE - NV	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	the control of the co

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lester Scheuneman		License Number: 6168		
Onles Addresses		Rd. Wellsv	ille, Ks. 66092	
Contact Person: Lester Scheuneman			Phone Number: (785) 883-4621	
Lease Name & Well No.: Boyscout E-3		Pit Location (QQQQ).		
Type of Pit:	Pit is:		SE NV SE NV	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 14 Twp. 17 R. 21 K East West	
Settling Pit K Drilling Pit	If Existing, date constructed:		3/197 Feet from North / South Line of Section	
	Pit capacity:		3310 Feet from 🗓 East / West Line of Section	
	L	(bbls)	Miami County	
Is the pit located in a Sensitive Ground Water Area? Yes XANo		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions rall but working pits):2	0 Length (fe	эет)	Width (feet) N/A: Steel Pits	
	orn ground level to de		i	
If the pit is lined give a brief description of the material, thickness and installation procedure		liner integrity, i	RECEI AUG 2 3	
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh waterfeet. Source of information:		
NA feet Depth of water wellfeet		measuredwell ownerelectric logKDWR		
		Driffing, Workover and Haul-Off Pits ONLY: Type of material utilized in driffing/workover: <u>Fresh Water mud.</u>		
Producing Formation:		Number of working pits to be utilized:		
Number of producing wells on lease: Number of fluid produced daily: Aban		Abandonment	Abandonment procedure: Evaporate & backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? [] Yes [] No		Drill pits must be closed within 365 days of spud date		
I hereby certify that the above state	ements are true and	correct to the bes	be closed within 365 days of spud date st of my knowledge and belief.	
8-19-06 Date		Testa	A cheuneman	
Data Received: 8/23/06 Permit Nun		OFFICE USE C	nit Date: 8/23/06. Lease Inspection: Yes [c] No	