For KCC Use: 9-2-06

Effective Date: 3

SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date September 2, 2006	Spot	✓ East
month day year	<u>swsw</u> <u>sw</u> <u>sw</u> <u>sec.</u> 5 <u>twp. 24</u> s. R.	19 West
30370		Line of Section
OPERATOR: License# 30370  Name: Rickerson Cil company Rickerson, Russell	165 Feet from E / VW	Line of Section
Address: 4252 John Brown Road	Is SECTION   ✓ RegularIrregular?	
Pentoul Vancos 66070	(Note: Locate well on the Section Plat on reverse	s cidal
City/State/Zip: Name State Sta	County: Allen	s side)
Phone: (660) 596-66079	Lease Name: Thoohoff W	ell #: <sup>3</sup>
	Field Name: lola	CII #
CONTRACTOR: License# 31708		Yes / No
Name: EK Energy, LLC Ensminger-Kimzey, a beneval Pertus	75 Annet Formation(s). Tucker	
	Nearest Lease or unit boundary: 165'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: r/a	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes √ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 50+	
Seismic;# of Holes Other	Depth to bottom of usable water: 100+	
Other	Surface Pipe by Alternate:	<del></del>
15 CNARACO. and well information no follows:	Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 1,030'	
Well Name: Original Completion Date: Original Total Depth:	Formation at Total Depth: Tucker	
Original Completion Date:Original lotal Depth	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
		~~~
		EIVED
	DAVIT KANSAS CORPOR	
The undersigned hereby affirms that the drilling, completion and eventual plants	DAVIT KANSAS CORPOR ugging of this well will comply with K.S.A. 55 et. seq.	MATION COMMISSION
	DAVIT KANSAS CORPOR ugging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPOR ugging of this well will comply with K.S.A. 55 et. seq. AUG 2	ATION COMMISSION 2 8 2006
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	DAVIT  WANSAS CORPOR  Lugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  CONSERVAL	ATION COMMISSION  2 8 2006  FION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  ch drilling rig;  t by circulating cement to the top; in all cases surface of the complex components of the cases surface of the case of the cases surface of the case of the ca	ATION COMMISSION  2 8 2006  FION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the drift the well is dry hole, an agreement between the operator and the drives.	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  CONSERVATION  To by circulating cement to the top; in all cases surface of the underlying formation.  September 1 is necessary project to the service of	ATION COMMISSION  2 8 2006  FION DIVISION  The Attornation
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  ch drilling rig;  th by circulating cement to the top; in all cases surface to the underlying formation.  istrict office on plug length and placement is necessary proged or production casing is cemented in;	ATION COMMISSION  TO DIVISION  The Asset of the plugging;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the properties of the appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  ch drilling rig;  t by circulating cement to the top; in all cases surface to the underlying formation.  istrict office on plug length and placement is necessary proged or production casing is cemented in;  ed from below any usable water to surface within 120 days.	ATION COMMISSION  TO DIVISION  The to plugging;  s of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well appropriate district o	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  ch drilling rig;  th by circulating cement to the top; in all cases surface to the underlying formation.  istrict office on plug length and placement is necessary proged or production casing is cemented in;  ged from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the second that the complete is shall be completed within 30 days of the spud date or the well shall the second that the complete is shall the second that the complete is shall the second that the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall the complete in the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete in the complete is shall be completed within 30 days of the spud date or the well shall be completed.	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  CONSERVAL  The drilling rig;  CONSERVAL  To by circulating cement to the top; in all cases surface   CONSERVAL  The underlying formation.  The instrict office on plug length and placement is necessary proged or production casing is cemented in;  The instrict office on plug length and placement is necessary proged from below any usable water to surface within 120 days   #133,891-C, which applies to the KCC District 3 area, alter   The plugged. In all cases, NOTIFY district office prior to a	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the first plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well appropriate district o	ugging of this well will comply with K.S.A. 55 et. seq.  AUG 2  CONSERVAL  The drilling rig;  CONSERVAL  To by circulating cement to the top; in all cases surface   CONSERVAL  The underlying formation.  The instrict office on plug length and placement is necessary proged or production casing is cemented in;  The instrict office on plug length and placement is necessary proged from below any usable water to surface within 120 days   #133,891-C, which applies to the KCC District 3 area, alter   The plugged. In all cases, NOTIFY district office prior to a	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation.  If the underlying formation of the underlying formation.  If the underlying formation of the u	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior is specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the second that the complete is shall be completed within 30 days of the spud date or the well shall the second that the complete is shall the second that the complete is shall the second that the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall the complete in the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete is shall be completed within 30 days of the spud date or the well shall the complete in the complete is shall be completed within 30 days of the spud date or the well shall be completed.	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of th	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying	TION COMMISSION  TO DIVISION  The to plugging;  s of spud date.  rnate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be appropriate district office will be a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill shall be compared to the drill shall be compared to the plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the best of the plug certify that the statements made herein are true and to the best of the Date: August 28, 2006  Signature of Operator or Agent:  For KCC Use ONLY	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top; in all cases surface of the underlying formation. In the top of the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the top of the underlying formation of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying for the underlying formation of the underlying fo	ATION COMMISSION 2 8 2006  FION DIVISION [Manager set
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set into the well is dry hole, an agreement between the operator and the description of the well is either plugual for a ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the three production of the well shall the statements made herein are true and to the best of the Date: August 28, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 -	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of the top of the underlying formation. In the underlying formation of the top of the underlying formation. In the underlying formation of the top of the top of the top of the underlying formation. In the underlying formation of the top	ATION COMMISSION  180 2006  FION DIVISION  180 405 est  ior to plugging;  s of spud date.  rnate II cementing  any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for a purpopriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plants are true and to the best of the plants.  For KCC Use ONLY  API # 15 - Conductor pipe required the plants are feet.	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top; in all cases surface of the underlying formation. In the top of the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the top; in all cases surface of the underlying formation. In the underlying formation of the underlying formation of the underlying formation. In the underlying formation of the underlying formation of the underlying formation of the top of the underlying formation of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the underlying formation.  It is the underlying formation of the top; in all cases surface of the underlying formation.  It is the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying formation of the underlying formation.  It is the underlying formation of the underlying for the underlying formation of the underlying fo	ATION COMMISSION  180 2006  FION DIVISION  180 405 est  Ior to plugging;  s of spud date.  rnate II cementing  any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each at through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to the hereby certify that the statements made herein are true and to the best of the plug for KCC Use ONLY  API # 15 - Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Gonductor pipe required feet	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of the top of the conservation of the top of t	ATION COMMISSION  2 8 2006  FION DIVISION  Financial Section of Section 1 Commission 1 Commissio
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district office prior and the companient of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be the appropriate district office will be notified before well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the spud date or the well shall be the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of the plug of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of the top of the cases surface of the conservation of the top of the cases surface of the cases surface of the case of the cases of the case	ATION COMMISSION  2 8 2006  FION DIVISION  Finance set  for to plugging;  s of spud date.  rnate II cementing  any cementing.  ate; orders; er or re-entry; ed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be look shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through a minimum of 20 feet into the drill shall be seen through and the drill shall be seen through a minimum of 20 feet into the drill shall be seen through and the drill shall be seen through as specified before well is a minimum of 20 feet into the drill shall be seen through and shall be seen through and shall be seen through and shall be seen through as specified before well shall be seen through and shall be seen through and shall be seen through as specified before well shall be seen through and s	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of th	ATION COMMISSION  18 2006  FION DIVISION  18 FIO
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a sufficient to drill <i>shall be</i> posted on each and the drill shall be posted on each and a sufficient to drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the driving that the state office will be notified before well is either plug of the sufficient of the sequence of the spud date of the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the plug of the spud date or the well shall be the spud date of the well shall be the spud date of the well shall be the statements made herein are true and to the best of the plug of the spud date or the well shall be the spud date of the well shall be the spud date or the spud date o	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of the top of the conservation of the	ATION COMMISSION  2 8 2006  FION DIVISION  Filter to plugging;  5 of spud date.  rnate II cementing  any cementing.  ate;  orders;  er or re-entry;  ed;  t water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each and the drill shall be look shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through a minimum of 20 feet into the drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the drill shall be seen through a minimum of 20 feet into the drill shall be seen through and the drill shall be seen through a minimum of 20 feet into the drill shall be seen through and the drill shall be seen through as specified before well is a minimum of 20 feet into the drill shall be seen through and shall be seen through and shall be seen through and shall be seen through as specified before well shall be seen through and shall be seen through and shall be seen through as specified before well shall be seen through and s	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the desired will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the desired will comply with K.S.A. 55 et. seq.  Conservation of the desired will comply the conservation of the complete of the	ATION COMMISSION  2 8 2006  FION DIVISION  Finance set  for to plugging;  s of spud date.  rnate II cementing  any cementing.  ate;  orders;  er or re-entry;  ed;  t water.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a sufficient to drill <i>shall be</i> posted on each and the drill shall be posted on each and a sufficient to drill shall be seen through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the driving that the state office will be notified before well is either plug of the sufficient of the sequence of the spud date of the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the plug of the spud date or the well shall be the spud date of the well shall be the spud date of the well shall be the statements made herein are true and to the best of the plug of the spud date or the well shall be the spud date of the well shall be the spud date or the spud date o	conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of this well will comply with K.S.A. 55 et. seq.  AUG 2  Conservation of the top of the top of the conservation of the	ATION COMMISSION  2 8 2006  FION DIVISION  Finance set  for to plugging;  s of spud date.  rnate II cementing  any cementing.  ate;  orders;  er or re-entry;  ed;  t water.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 001-294/98-000	Location of Well: County: Allen
Operator: Rickerson Oil company	165 feet from N / S Line of Section
Lease: Thoohoff	165 feet from E / V W Line of Section
Well Number: 3	Sec. 5 Twp. 24 S. R. 19 V East Wes
Field: lola	<u>_</u>
Number of Acres attributable to well:	Is Section: 🗸 Regular or Irregular
QTR / QTR / QTR of acreage:swswswsw	If Section is Irregular, locate well from nearest corner boundary.
	Section comer used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

ł						
			•			
1	•				•	
	•		'	-	•	•
						*
1						
		, .				
	- ,					
1						
1						
	•	•	•			•
				-	•	
	•		1		•	
			•		•	•
1			- · · ·			
						•
1					-	
1				' ' ' .		
					•	
_			•		•	•
1 1	•		•		•	•

EXAMPLE		Ī
	•	
-		
	· · · <del></del> · · · ·	
	1980	
-		
	10	Į
•	.   .	ĺ
•	· 3390, ·	j
•	•	
		İ
		į
-		
-		
SEWARD CO	,	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Rickerson Oil Company		License Number: 30370		
Operator Address: 4252 John Brov	vn Road, Rar	ntoul, Kans	as 66079	
Contact Person: Jim Rickerson		Phone Number: ( 660 ) 596 -4551		
Lease Name & Well No.: Thoohoff #3	 }		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SW _ SW _ SW	
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		Sec. 5 Twp. 24 R. 19	East ☐ West
Settling Pit			165 Feet from 🗸 North / 🗌 South Line of Sec	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from Ea	st / ✓ West Line of Section
		``		County
Is the pit located in a Sensitive Ground Water	Area?Yes _√	Ú√No 	Chloride concentration:	• 1
Is the bottom below ground level?	Artificial Liner?	Na	How is the pit lined if a plastic lin	er is not used?
✓ Yes  No	Yes ✓		native clay	
Pit dimensions (all but working pits):	50 Length (fe			N/A: Steel Pits
Depth fi	rom ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the			edures for periodic maintenance ar	nd determining
material, thickness and installation procedure	<b>3</b> .	liner integrity, i	ncluding any special monitoring.	RECEIVED
			KA	NSAS CORPORATION COMMISS
			AUG 2 8 2006	
Distance to nearest water well within one-mile of pit  Depth to shallor Source of information in the shallor of		west fresh water	CONSERVATION DIVISION Feet. WICHITA, KS	
1		1	rred well owner e	electric log KDWR
Emergency, Settling and Burn Pits ONLY			over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover: drilli	1
i i		i	king pits to be utilized: 1 - divided	1 1
i i		Abandonment	procedure: air dry and backfill	
Does the slope from the tank battery allow al flow into the pit? Yes No	spilled fluids to	:	be closed within 365 days of spud	\
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	
	$\bigcirc$		1	
August 28, 2006	W	onna	Thanda	
Date	\\	S	ignature of Applicant or Agent	
	KCC (	OFFICE USE O	NLY	
Date Received: $5/28/o6$ Permit Num	nher:	Perm	it Date:	spection: Yes K No
Date Neceived. Fig. De Fermit Non	1001		Lease III	163 N 140