RECEIVED KANSAS CORPORATION COMMISSION

Kansas Corporation Commission Oil & Gas Conservation Division

JUL 2 4 2006

Form ACO-1 September 1999

Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONSERVATION DIVISION
WICHITA, KS

Operator: License # 33517	API No. 15 - 125-30715 - 00- 00
Name: Kansas Production EQR, LLC	County: Montgomery
Address: 15425 North Freeway, Suite 230	SW _SE _ NW Sec. 28 Twp. 33 S. R. 16
City/State/Zip: Houston, Texas 77090	2150 feet from S / N (circle one) Line of Section
Purchaser: Southern Star	1860 feet from E / W (circle one) Line of Section
Operator Contact Person: Jeff Stevenson	Footages Calculated from Nearest Outside Section Corner:
Phone: (_281) _875-6200	(circle one) NE SE NW SW
Contractor: Name: Bart Lorenz	Lease Name: Vieth Well #: 1-28
License: 33286	Field Name: Jefferson - Sycamore
Wellsite Geologist: None	Producing Formation: Riverton
Designate Type of Completion:	Elevation: Ground: 872 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 1103 Plug Back Total Depth: 1098
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 21 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 1098
Operator:	feet depth to Surface w/ 130 sx cmt.
Well Name:	ACTIL WIKM 7-24-06
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan
Deepening Re-perf Conv. to Enhr./SWD	(Data must be collected from the Reserve Pit)
Plug BackPlug Back Total Depth	Chloride content ppm Fluid volume bbls
Commingled Docket No.	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
5/3/2005 5/4/2005 5/18/2005 Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It months if requested in writing and submitted with the form (see rule 82-3-101 geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Title: Operations Manager Date: Operations Manager	Letter of Confidentiality Received
Subscribed and sworn to before me this Olday of	If Denied, Yes Date:
20.06	Wireline Log Received
Carried and a	Geologist Report Received
Notary Public:	UIC Distribution
Date Commission Expires: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	LEMAN EXPIRES

November 23, 2009

Side Two

perator Name: Ka	nsas Production	Leas	Lease Name: Vieth		Well #: 1-28				
Sec Twp	33S. R16	✓ East		ty: Montge					
ested, time tool ope emperature, fluid re	show important tops on and closed, flowing covery, and flow rat gs surveyed. Attach	ng and shut-in pr es if gas to surfa	essures, whether s ce test, along with	hut-in pres	sure reached	d static level, hyd	rostatic pressu		
Drill Stem Tests Taken				✓ Log Formation (Top), Depth			and Datum Sample		
,			√ No	Name Riverton			_{Тор} 1031.5	Datum -159.5	
Cores Taken						793	79		
ist All E. Logs Run:							KANSAS C	RECEIVED ORPORATION COMMI	
GR-CDL-CNL								JUL 2 4 2006	
Cement Bond								CONSERVATION DIVISION	
		Depart all a	CASING RECORD	✓ Nev	· 			WICHITA, KS	
Purpose of String	Size Hole	Size Cas		ight	Setting	Type of	# Sacks	Type and Percent	
Surface	Drilled	Set (In O	.D.) Lbs.	. / Ft.	Depth 21 ft.	Portland	Used 5	Additives	
Production 6 3/4"		4 1/2" 10.5#			1098	CI "A"	130	1/4# flocele; 2% ge	
								10# gilsonite	
		ADI	DITIONAL CEMENT	ING / SQUE	EZE RECOR	D			
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone	ect Casing Back TD		ment #Sack	s Used	Type and Percent Additives			S	
Shots Per Foot		TION RECORD - E	Bridge Plugs Set/Type)		acture, Shot, Ceme		ord Depth	
4	Riverton 1031.5				(Amount and Kind of Material Used) Depth 26586 gal 10# gel +3.6K 20/40 + 2.4K #12/20				
4	Weir 793-797				7980 gal 10# gel +2.0K 20/40				
TUBING RECORD 2	Size 3/8'	Set At 1050	Packer /	At	Liner Run	☐ Yes ✓ No	0		
Date of First, Resumer		Enhr. Proc	lucing Method	Flowing	Pump			er (Explain)	
Estimated Production Per 24 Hours	0.0	Bbls. 8.0	Gas Mcf	Water			Gas-Oil Ratio	Gravity	
Disposition of Gas		COMPLETION			Production Inte	erval			
Vented ✓ Sold	Used on Lease	o	pen Hole 📝 Peri		ally Comp.	Commingled			

CONSOLIDATED OIL WELL SERVICES, INC. 211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9210 OR 800-467-8676

AUTHORIZTION_

TICKET NUMBER 3346

LOCATION BV

FOREMAN Seff Culture

KET

DATE_

TREATMENT REPORT & FIELD TICKET

CEMENT

					-			
DATE	CUSTOMER#	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY	
5-605		Vieth	# 1-2	8	28	33	16	m6
CUSTOMER	ERGY QU	. 0. 0. 4						
LN	CROY OU	1837		_	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	ESS				4/9	Kent		
					235	MARK		
CITY		STATE	ZIP CODE		454/791	Richard A		
			171		407	nate		
JOB TYPE	25	HOLE SIZE_	6 779	_ HOLE DEPTH	1106	CASING SIZE & W	EIGHT	- 10.5
CASING DEPTH	1095	DRILL PIPE_		_TUBING			OTHER	
SLURRY WEIGH	ıт <u>/3.9</u>	SLURRY VOL		WATER gal/s	k	CEMENT LEFT in	CASING	<i>)</i> —
DISPLACEMENT	17.46	DISPLACEME	NT PSI	MIX PSI		RATE		
REMARKS: K	an sel a	Kead of f	1/20 tes	+. CIRE	- Divine	d 1301x/0	146h, 5%	Salt 27-
1/2/4/2/5	- Thut	down -	washefa	ut lines	+ Dump	- dropped	plug -	
displaced			+ shue		<i>y</i> /		REC	
7	_					K	ANSAS CORPOR	ATION COMMISSION
					,	,		
(Nashed d	000		CIRC.	cont.	to suns	ace -		4 2006
100	NG /				0		CONSERVAT	ION DIVISION
13 CAS'	,, -	· · · · · · · · · · · · · · · · · · ·					ANCHI	TA, KS

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401		PUMP CHARGE LONGS TRING		765,00
5406	60 m	MILEAGE		150.00
5407	Min	BUCK TRK		240.00
5501C	4 HR	TRANSPORT		352.00
55020	4 HR	so vae		328.00
1104	130 sx	Clovent	X	1267.50
11/0	26 sx	GILSONITE :	X	568.10
1111	300 F	SALT	X	84,00
1118	51K	GEC	*	66.25
1107	25%	Flosece "	X	85.50
1105	2 5x	Hulls	*	29,00
1123	5800 CAC	City H20	*	71.05
4404	104	41/2 rubber plus	*	38.00
5402	1095'	Fro TAGE		175,20
		1023 67 7 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
		/433.67 Tippdin 10000		
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	SALES TAX	117.10
hanner of the second se			ESTIMATED TOTAL	4336,70

TITLE