KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

APR 15 ZUS

ect within

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 30282 RECEIVED	API No. 15 - 181-20342-00-00				
LOBO PRODUCTION, INC.	County: SHERMAN				
Address: 6715 RD 22 MAY 1 1 2004	<u>Ap _W/2 _ W/2 _ NW </u> <u>Sec. 2 _ Twp. 8 _ S. R. 40 _ </u> East				
City/State/Zip: GOODLAND, KS 67735	feet from S / (circle one) Line of Section				
Purchaser: PRG, LLC	feet from E / (w) (circle one) Line of Section				
Operator Contact Person: JOHN SANDERS	Footages Calculated from Nearest Outside Section Corner:				
Phone: (_785) 899-5684	(circle one) NE SE (NW) SW				
Contractor: Name: SCHAAL DRILLING # 33229	Lease Name: WOLFE-EYTH Well #: 3-2				
License: POE SERVICING INC. #3152	Field Name: GOODLAND GAS FIELD				
Wellsite Geologist:	Producing Formation: NIOBRARA				
Designate Type of Completion:	Elevation: Ground: 3610' Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: 1226' Plug Back Total Depth: 1197'				
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented atFeet				
	Multiple Stage Cementing Collar Used?  ☐ Yes ✓ No				
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet				
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from				
Operator:	feet depth tosx cmt.				
Well Name:					
Original Comp. Date:Original Total Depth:	Drilling Fluid Management Plan ACT / fer Did+4 ok (Data must be collected from the Reserve Pit) Dfu 7-22-0%				
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls				
Plug BackPlug Back Total Depth					
	Dewatering method used				
-	Location of fluid disposal if hauled offsite:				
	Operator Name:				
Other (SWD or Enhr.?) Docket No	Lease Name: License No.:				
3 - 2 - 04	Quarter Sec TwpS. R East West				
Spud Date or Pecompletion Date  Date Reached TD  Completion Date or Recompletion Date	County: Docket No.:				
Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3-and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.				
Signature: January Landle 12	KCC Office Use ONLY				
Title: Tresident Date: 4/11e LO4	Letter of Confidentiality Attached				
Subscribed and sworn to before me this	If Denied, Yes Date:				
	, Wireline Log Received				
1004.	Geologist Report Received				
Notary Public: Sulle Ann Crow	UIC Distribution				
Date Commission Expires: 9/29/107	Jed Came C Bear of & Sec				
JULIE ANN NOTARY F STATE OF F My Appt. Exp. 9	PUBLIC APR 13 200				
Liviy Appt. Exp					

## ORIGINAL

Operator Name: LOBO PRODUCTION, INC.		Lease Name: WOLFE-EYTH			Well #: 3-2			
Sec. 2 Twp. 8	S. R. <u>40</u>	☐ East			****			
ested, time tool open a emperature, fluid recov	and closed, flowing very, and flow rates	nd base of formations p and shut-in pressures, if gas to surface test, a nal geological well site	whether shut-in p dong with final cha	ressure reached	static level, hydro	static pressu	ures, bottom hole	
Drill Stem Tests Taken		Log Formation (Top), D		tion (Top), Depth a	nd Datum	Sample		
		Yes No	Nar	Name		Тор		
Cores Taken Electric Log Run (Submit Copy)		☐ Yes ☑ No ☑ Yes ☐ No	Nio	brara		1080	G.L.	
List All E. Logs Run:								
Cement Bo	ond Log							
		CASING Report all strings set-c	RECORD V	-	ction, etc.	*		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives	
SURFACE	10"	7" Used	23#	240'	COMMON	42	4% BENTONIT	
PRODUCTION	6 1/4"	4 1/2" New	13.5#	1226'	COMMON	70	0	
		ADDITIONAL	CEMENTING / SC	NIEEZE BECOR	D			
Purpose:  —— Perforate  —— Protect Casing  —— Plug Back TD  —— Plug Off Zone	Depth Top Bottom	Type of Cement #Sacks		Type and Percent Additives				
Shots Per Foot		DN RECORD - Bridge Plug ootage of Each Interval Per			acture, Shot, Cement		ord Depth	
2	1082 - 1092'			60,660 LBS 12/20 SAND 1082-11				
2	1098 - 1118'			20 TONS CO2				
		,1 .	·					
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes No	A		
Date of First, Resumerd P	roduction, SWD or En	hr. Producing Meth	nod ✓ Flowir	ng Pump		Oth	ner <i>(Explain)</i>	
Estimated Production Per 24 Hours	Oil E	Gas 60	Mcf Wat	er E	Bbls. Ga	as-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF CO	DMPLETION	£	Production Inte	rval		***************************************	
Vented ✓ Sold (If vented, Subm	Used on Lease it ACO-18.)	Open Hole Other (Specia		Dually Comp.	Commingled	4		

DELIVERY TICKET  ST. FRANCIS SAND  AND  Redi-Mix  P. O. Box 281 ST. FRANCIS, KS. 67756  Phone REDI-MIX CONCRETE Phone FEDI-MIX CONCRETE	DRESS:  It is agreed that free unloading for each first cubic yard and I thereafter. A charge of \$1.00 for time will be made.  Delivery inside curb line made of \$1.00 for the made.	Price Price Alleage Alleage Sales Tax
· · · · · · · · · · · · · · · · · · ·	Ticket ORIN	GINAL
Time Delivered for each first cubic yard a thereafter. A charge of \$1.0 time will be made.	No. 011200	ST. FRANCIS SAND  AND  Redi-Mix  P. O. Box 281 ST. FRANCIS, KS. 67756  REDI-MIX CONCRETE  Phone  EXCAVATING  PROJECTIVALE  SOLD TO:  ADDRESS:  Time Loaded  Time Delivered  Time Delivered  Time Delivered  Time Delivered  No. 011201  No. 011201
negligence.	red without proof of driver	Time Released No damage claims considered without proof of driver negligence.
Time Returned Rec'd by		Time Returned Rec'd by
Truck No. Driver Quantity  Mix Slump Total Miles S - M - D  Added Water Reduces Strength & durability	Price Amount  ileage	Truck No. Driver Quantity Price Amount  30 30 240 00  Mix Slump Total Mileage Miles  S - M - D 30 30  Added Water Reduces Strength & durability.
Gals Added Authorized By	1/2	Gals Added Authorized By F Jana Overtine 40 20
\ <b>X</b>	30.780ep	Charge Sales Tax 29 96 Total 2169 26