

OCT 07 2003

CONSERVATION DIVISION
WICHITA, KS

TICKET # 7451

HURRICANE WELL SERVICE, INC.

Date 6-4-03 Rig # 4 Operator Curt
 Roust James
 Company River # Gas Roust Ben
 Lease HAAS Well # 1 Old New
 Time Out 10:00 On 10:15 Off 1:45 In 2:00

Sucker Rods	Size:	Type:			
Rod Sube	2' 4' 6' 8' 10'				
Pump or Valve	Pump or Valve:				
Valve	Description:				
Gas Anchor	Strainer:	Size of G.A.			
<u>Slc</u> Tubing	Size: <u>2 3/4</u>	Thread: <u>3rd</u>	u0seT#Jts:		
Tubing Subs	2' 4' 6' 8' 10'				
Working Barrel	Size:	Length:	Set @		
Mud Anchor	Plugged or Open:	Length:	Size:		
Packer/Anchor	Type:	Size:	Set @		
Polish Rod	Length:	Diameter:			
Polish Rod Liner	Length:	Diameter:	Type:		
**** Indicate if what was ran in hole is different than what was removed.					
Rod Break: # Down:	Body:	Box:	Other:		
Tbg Leak: # Down:	Split:	Hole:	Collar Leak:		
Scale:	Pitting:	Corrosion:	Misc.		

Description of work: Drove to location, rigged up then tallied tubing and ran it in to 1780' and spotted cement. Then pulled up to 700' and poured cement. Then pulled up to 350' and cemented to surface. Then rigged down and drove to shop.

Equipment Used:
 Tongs
 Pump & Swivel _____
 Wt. Ind. _____
 Dp. Meter _____
 Oil Saver _____
 Other Thread dope

Supplies Used:
 Cups _____
 Misc. _____
 Remarks: _____