For KCC Use: Effective Date: __ District #_

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MOTICE OF INTENT TO DOLL I

Form C-1 December 2002 Form must be Typed Form must be Signed

Must be approved by KCC five	
September 5, 2006	
xpected Spud Date	Spot VINANIE NW 9 9 20
	Apsw NWNE NW Sec. 9 Twp. 9 S. R. 20 West
PERATOR: License# 33258	585 feet from V N / S Line of Section
lame. Fred Oden, III dba Sabine Operating Service, Inc.	reet from E / V W Line of Section
896 N. Mill Street. Suite 203	Is SECTION Regular Irregular?
City/State/Zip: Lewisville, Texas 75057	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Fred Oden	County. Jefferson
Phone: (972) 219-8585	Lease Name: NollWell #: 2-06
•	Field Name: Zachariah
CONTRACTOR: License# 33734	Is this a Prorated / Spaced Field?
Name: HAT Drilling	Target Formation(s): Mississippian
W 00 W 15 . W-00 T 5	Nearest Lease or unit boundary: 585'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 941 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100 ±
Seismic;# of Holes Other	Depth to bottom of usable water: 255
Other	Surface Pipe by Alternate: 1 / 2
COURTED AT MINE AND A STATE OF THE STATE OF	Length of Surface Pipe Planned to be set: 50'
f OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 1,600'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations. Well Farm Pond Other
f Yes, true vertical depth:	
	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR ☐) Will Cores be taken? ☐ Yes ✓ No
E surface casing through all unconsolidated	
E SUPTACE COSING ENTOUT ATT UTTOMOUTOUTED	If Yes, proposed zone:
and the standing of the standi	BECEIVED
المدرومين من معرفي (١/١/١٠)	IDAVIT KANSAS CORPORATION COMM
المدرومين من معرفي (١/١/١٠)	TIDAVIT KANSAS CORPORATION COMM Iduaging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual p	TIDAVIT KANSAS CORPORATION COMM Iduaging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	SIDAVIT KANSAS CORPORATION COMM Slugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	SIDAVIT KANSAS CORPORATION COMM Slugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2006
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ANSAS CORPORATION COMM olugging of this well will comply with K.S.A. 55 et. seq. AUG 3 1 2006 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe INCOMPANE
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	AUG 3 1 2006 ach drilling rig; et by circulating cement to the top; in all cases surface pipe CONSERVATION DIVISION CONSERVATION DIVISION CHARACTER STATEMENT OF THE CONSERVATION DIVISION CHARACTER STATEMENT OF THE CONSERVATION DIVISION CONSERVATION DIVISION CHARACTER STATEMENT OF THE CONSERVATION DIVISION DIVISION CHARACTER STATEMENT OF THE CONSERVATION DIVISION DIVIS
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the constants.	AUG 3 1 2006 ach drilling rig; but to by circulating cement to the top; in all cases surface pipe with the underlying formation. Conservation Division in all cases surface pipe with the underlying formation. Conservation district office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the composition of the composition of the plus that the proportion of the composition of the compos	ANSAS CORPORATION COMMA AUG 3 1 2006 CONSERVATION DIVISION at by circulating cement to the top; in all cases surface pipe AUG 3 1 2006 CONSERVATION DIVISION the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the foundation of the state of the set of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement.	AUG 3 1 2006 CONSERVATION DIVISION at by circulating cement to the top; in all cases surface pipe Conservation Division in the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well is either plus that a propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office will be notified before well in the propriate district office wi	AUG 3 1 2006 CONSERVATION DIVISION at by circulating cement to the top; in all cases surface pipe Conservation Division at by circulating cement to the top; in all cases surface pipe Conservation Division at by circulating cement to the top; in all cases surface pipe Conservation Division at by circulating cement to the top; in all cases surface pipe Conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation. Addistrict office on plug length and placement is necessary conservation Division at the underlying formation at the underlying form
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the composition of the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall	AUG 3 1 2006 CONSERVATION DIVISION at the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the complete of the set of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the specified before well is either plus of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into the fifth that the well is dry hole, an agreement between the operator and the fifth an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the complete of the surface will be notified before well is either plus of the surface and the complete of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete. Signature of Operator or Agent: August 31, 2006 Signature of Operator or Agent:	AUG 3 1 2006 CONSERVATION DIVISION act by circulating cement to the top; in all cases surface pipe Months at the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to:
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the desired to the surface of the well is dry hole, an agreement between the operator and the construction of the statement of the statement of the specified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the construction of the plant. Signature of Operator or Agent: **Double Only V.**	AUG 3 1 2006 CONSERVATION DIVISION act by circulating cement to the top; in all cases surface pipe INCLUMATES the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual processing that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the management of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the first the well is dry hole, an agreement between the operator and the control of the set of the management of the set of the management of the set of the	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the materials plus a minimum of 20 feet into the set of	AUG 3 1 2006 Conservation Division and in all cases surface pipe in all cases prior to plugging; in all cases in all cases surface pipe in all cases prior to plugging; in all cases, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. The interval is a constant in all cases in all cases in all cases in all cases. Notifice prior to any cementing. The interval is a constant in all cases in all cases in all cases in all cases. Notifice prior to any cementing in all cases in all cases in all cases in all cases. Notifice prior to any cementing in all cases in a
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the composition of the set	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual provided to the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each an accordance of the intent to drill <i>shall be</i> posted on each and the control of the intent to drill shall be seen to the intent to drill shall be posted on each and the control of the intent to drill shall be seen to the intent to drill shall be seen to drive the intent to drill shall be seen on the intent to drill shall be seen to drive the intent to drill shall be seen to drive the intent to drill shall be seen to drive the intent to drill shall be seen to drive the intent to drill shall be seen to drive the intent to drill shall be seen to drive the intent to drill shall be seen to drive the shall be seen to drill shall be seen to drive the shall be seen to drive the	AUG 3 1 2006 Conservation Division and in all cases surface pipe in all cases prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of	AUG 3 1 2006 Conservation deprises the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the majoropriate district office will be notified before well is either plus of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface o	AUG 3 1 2006 Conservation Division and the underlying formation. district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual provided to the tild agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather as through all unconsolidated materials plus a minimum of 20 feet into the deliminary of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the production pipe required	AUG 3 1 2006 Conservation division and a 1 2006 Conservation division conservation
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the St. The appropriate district office will be notified before well is either plus of it an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the same of the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of the well shall the statements of the spud date of	AUG 3 1 2006 CONSERVATION DIVISION and the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the set of the majoropriate district office will be notified before well is either plus of the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the surface of the well shall hereby certify that the statements made herein are true and to the best of the surface o	AUG 3 1 2006 Conservation division and a 1 2006 Conservation division conservation division and a 1 2006 Conservation division conservation division and a 1 2006 Conservation division conservation conser

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 087-20646-0000	Location of Well: County: Jefferson
Operator: Fred Oden, III dba Sabine Operating Service, Inc.	585 feet from VN / S Line of Section
Lease: Noll	1600 feet from ☐ E / ✓ W Line of Section
Well Number: 2-06 Field: Zachariah	Sec. 9 Twp. 9 S. R. 20 ✓ East West
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage: ApSW - NWNE - NW	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•
	•
	*
	•
	•
	-
	•
1	
	•
	•
	•



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Fred Oden, III dba Sabine Operating Service		License Number: 33258
Operator Address: 896 N. Mill Stre		e, Texas 75057
Contact Person: Fred Oden		Phone Number: (972) 219 - 8585
Lease Name & Well No.: Noll #2-06		Pit Location (QQQQ):
Type of Pit:	Pit is:	ApSW NW NE NW
Emergency Pit Burn Pit	Proposed Existing	Sec. 9 Twp. 9 R. 20
Settling Pit	If Existing, date constructed:	Feet from 🗸 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:	1600 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	250 (bbls)	Jefferson County
Is the pit located in a Sensitive Ground Water	Area? Yes No.	Chloride concentration:mg/l
Is the bottom below ground level?	Artificial Liner?	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes V No	native clay
Pit dimensions (all but working pits):	BO Length (feet) 10	Width (feet) N/A: Steel Pits
	rom ground level to deepest point: 5	(feet)
material, thickness and installation procedure		including any special monitoring.
Source of info		owest fresh water 19 feet.
2154feet Depth of water well_		sured well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY	_	kover and Haul-Off Pits ONLY: ial utilized in drilling/workover: drilling mud
]		orking pits to be utilized: 3
		t procedure: air dry and backfill
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.
I hereby certify that the above state	ements are true and correct to the be	st of my knowledge and belief. KANSAS CORPORATION COMMIS
August 31, 2006 Date	Wonn	AUG 3 1 2006 AUG 3 1 2006 CONSERVATION DIVISION WICHITA, KS
	KCC OFFICE USE	DNLY
Date Received: 8/31/05 Permit Num	nber:Peri	nit Date: 8/31/04 Lease Inspection: Yes (No