For KCC Use:	21.00
Effective Date:	-9-00
District # 2	
SGA? Tyes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date September 5 2006	Spot East
month day year	C - NE - SE/4 Sec. 5 Twp. 30 S. R. 5 West
OPERATOR: License# 9576 ✓	1980 leet from N / S Line of Section
Name Gen-Dor Oil Company	660feet fromE / W Line of Section
8135 281st rd	is SECTIONRegularIrregular?
City/State/Zin: Cambridge, Kansas 67023	(Note: Locate well on the Section Plat on reverse side)
Contact Person Ronnie Whiteman	County: Cowley
Phone: 620-467-2615	Lease Name: Braungardt Well #: 1-A
32854	Field Name: Combs
CONTRACTOR: License# 5495 2854 Name: McPherson Drilling Co.(surface hole) Gulick Drilling Inc.(well bore)	Is this a Prorated / Spaced Field?
Name: Most House I committee of Contract House o	Target Formation(s): Bartlesville Sand
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660 ft
VOIL Enh Rec V Infield V Mud Rotary	Ground Surface Elevation: N/A feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓No.
ONINO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic;# of Holes Other	Depth to bottom of fresh water: 120 ft Depth to bottom of usable water: 180 ft
Other	Surface Pipe by Alternate: 2 2
	Length of Surface Pipe Planned to be set: 200+
tf OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 2850
Well Name:	Formation at Total Depth: Bartlesville Sand
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Hauled
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	Attil Coles de (diveit:
Acto	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the posted on each through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. istrict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the posted on each through all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum of 20 feet into the strength all unconsolidated materials plus a minimum	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the second of the proved notice of intent to drill shall be posted on each of the second	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #193,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the approved notice of intent to drill shall be posted on each and the drill shall be posted on each and the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill the well is dry hole, an agreement between the operator and the drill shall be drill shall be composed in the drill shall be composed on the well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the prior of the well shall be completed. I hereby certify that the statements made herein are true and to the best of the prior of the prior of the prior of the well shall be conducted by the spud date or the well shall be prior of the pr	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #193,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the second of the approved in the substitution of the substitution of the second of the	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the proposed zone: the drilling rig; the proposed zone in the top; in all cases surface pipe shall be set in the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. I'my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the post of	IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: #Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-035-24257-0000	Location of Well: County: Cowley
Operator: Gen-Dor Oil Company	1980 feet from N / V S Line of Section
Lease: Braungardt	660feet from E / W Line of Section
Well Number: 1-A	Sec. 5 Twp. 30 S. R. 5 East Wes
Field: Combs	
Number of Acres attributable to well: 10	ls Section: Regular or Irregular
QTR / QTR of acreage: C - NE - SE/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreege for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

		•		
•	·	•	•	
•	`	•		
	í			
•	•	•	• •	
	. 1	•		
	- 1			
 	`			
 		• • • • •		
	. !			
	. 1			
•	`	•		
•	.	•		
	·	•	• •	
	.	•		
	, I			
•	•	•	•	
• •	•	•	•	
•	•	•		
	· i			
	l l			
 				·
				660
		•	. 1	W-0-0
		_	1	
•	· .	•	` [
	. [•	1	
 		• • • • •	1	? <u>`</u>
_	. [. L	~"
•		-	· · · · · · · · · · · · · · · · · · ·	.: 1980
•	` }	•	- 1	D.
	. !	•	· •	*
			1	
 		• • • • •	1	
•	•	•	•	
•		•		
	.			
-	1		باد	
•	.	•	· =	·



NOTE: in all cases locate the apot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Gen-Dor Oil Cor	npany	License Number: 9576			
Operator Address: 8135 281st rd, Cambridge, Kansas 67023					
Contact Person: Ronnie Whiteman			Phone Number: (620) 467 - 2615		
Lease Name & Welf No.: Braungard			Pit Location (QQQQ):		
Type of Pit:	Pit is:		CNESE/4		
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 30 R. 5 P East West		
Settling Pit Drilling Pit	If Existing, date or	onstructed:	1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from 🗹 East / West Line of Section		
(If WP Supply API No. or Year Drilled)	500	(bbis)	Cowley County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
✓ Yes No	☐ Yes 🗹	No	native clay and drilling mud		
Pit dimensions (all but working pits):	O Length (fe	et) 50	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point:	3 (feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining nctuding any special monitoring.		
material, (ilicxiiess and ilistellation procedure	.	mier integrity,	loading thy special invincents.		
		west fresh water <u>unknown</u> feet.			
N A feet Depth of water wellfeet			Source of information: measured well owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:	······································	Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	Type of material utilized in driffing/workover: chemical mud		
Number of producing wells on lease: Number			Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: let evaporate dry, back fill and level		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pi		Drill pits must	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
0 11 10 2					
Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 8 3 0 0 Permit Number: Permit Date: 8 3 0 Lease Inspection: Yes W No					

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED