For KCC Use: Effective Date: SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

,	-
Expected Spud Date September 10, 2006	Spot ✓ East
month day year	SE - NE - NE Sec. 11 Twp. 31 S. R. 14E West
OPERATOR: License# 33074	4600 FSL feet from N / ✓ S Line of Section
Name: Dart Cherokee Basin Operating Co. LLC	570 FELfeet from ✓ E / W Line of Section
211 W. Myrtle	Is SECTION RegularIrregular?
City/State/Zip: Independence KS 67301	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Tony Williams	County: Montgomery
Phone: 620-331-7870	Lease Name: J & M Shultz Well #: A4-11
	Field Name: Cherokee Basin Coal Gas Area
CONTRACTOR: License# Unknown	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Will advise of licensed contractor on ACO-1	Target Information(s): Mississippian
	Nearest Lease or unit boundary: 570 feet
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation; 910feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150' + -
Seismic;# of Holes Other	Depth to bottom of usable water: 175'
Other	
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required:
Well Name:	Projected Total Depth: 1625 feet
Original Completion Date:Original Total Depth:	Torniation at total Deptit.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
<u> </u>	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 📗)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AEE	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 at RECEIVED
The undersigned hereby animis that the drilling, completion and eventual pr	CORPORATION COMMISSION
The agree that the females grown and a quantity of the second	055
Notify the appropriate district office <i>prior</i> to spudding of well; Notify the appropriate district office <i>prior</i> to spudding of well; Notify the appropriate district office <i>prior</i> to spudding of well;	SEP 0 1 2006
2. A copy of the approved notice of intent to drill shall be posted on ear	at by circulating coment to the top; in all c omprove sce nine shall he set
through all unconsolidated materials plus a minimum of 20 feet into the	the by circulating cement to the top; in all constructed pipe shall be set no underlying formation.
4. If the well is dry hole, an agreement between the operator and the d	istrict office on plug length and placement is necessary preserved to plugging;
5. The appropriate district office will be notified before well is either plug	ged or production casing is cemented in;
If an ALTERNATE II COMPLETION, production pipe shall be cement	ed from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order	#133,891-C, which applies to the KCC District 3 area, alternate II cementing
	be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	my knowledge and belief.
Date: Aliquist 31, 2006. Gignsture of Operator of Agent:	Title: Sr Regulatory & Safety Compliance Specialist
Date: August 31, 2006 Signature of Operator or Agent:	The:
<u> </u>	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 125-31212-0000	- File Completion Form ACO-1 within 120 days of spud date;
Al out	- File acreage attribution plat according to field proration orders;
20	 Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 20 feet per Alt. X2	- Submit plugging report (CP-4) after plugging is completed;
Approved by: 24 9-1-06	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 3-1-07	1 TO 1
	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 6 months of effective date.)	If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of effective date.)	· · · · · · · · · · · · · · · · · · ·
(This authorization void if drilling not started within 6 months of effective date.) Spud date: Agent:	check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
	check the box below and return to the address below. Well Not Drilled - Permit Expired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31212-0000	Location of Well: County: Montgomery
Operator: Dart Cherokee Basin Operating Co. LLC	4600 FSL feet from N / V S Line of Section
Lease: J & M Shultz	570 FEL feet from FE / W Line of Section
Well Number: A4-11	Sec. 11 Twp. 31 S. R. 14E VEast West
Field: Cherokee Basin Coal Gas Area	
Number of Acres attributable to well: 40 QTR / QTR / QTR of acreage: SE _ NE _ NE _ NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

T31S

570 FEL


4600 FSL

11

RECEIVED
KANSAS CORPORATION COMMISSION
SEP 0 1 2006

CONSERVATION DIVISION WICHITA, KS

R14E



NOTE: In all cases locate the spot of the proposed drilling locaton.

Montgomery Co.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dart Cherokee Basin Operating Co. LLC Departor Address: 211 W. Myrtle Independence KS 67301 Contact Person: Tony Williams Lease Name & Well No.: J & M Shultz Type of Pit: Emergency Pit Burn Pit Fis: Sec. 11 Twp. 31 R. 14E Feast We 4600 FSL Feet from North / South Line of S 570 FEL Feet from South Line of S 570 FEL Feet from East / West Line of S Montgomery Is the pit located in a Sensitive Ground Water Area? Yes No Pit dimensions (all but working pits): Sec. 11 Twp. 31 R. 14E Feet from North / South Line of S 570 FEL Feet from Settling Pits only) Thought Artificial Liner? Artificial Liner? Depth from ground level to deepest point: 5 (feet) Distance to nearest water well within one-mile of pit Depth to shallowest fresh water feet.	Section Section County
Contact Person: Tony Williams Lease Name & Well No.: J & M Shultz A4-11 Pit Location (QQQQ): Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Area? Yes No Pit dimensions (all but working pits): 35 Length (feet) Pend Number: (620) 331 - 7870 Pit Location (QQQQ): Sec. 11 Twp. 31 R. 14E	Section Section County
Lease Name & Well No.: J & M Shultz Type of Pit: Emergency Pit Burn Pit Settling Pit Pit is: Emergency Pit Burn Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water Area? Yes No Artificial Liner? Yes No Pit dimensions (all but working pits): Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Section Section County
Type of Pit: Emergency Pit Burn Pit Proposed Existing Settling Pit Drilling Pit Existing, date constructed: 4600 FSL Feet from North / South Line of S Workover Pit Haul-Off Pit Pit capacity: 926 (bbls) Is the pit located in a Sensitive Ground Water Area? Yes No Notural Clays Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pit Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	Section Section County
Emergency Pit Burn Pit	Section Section County
Settling Pit	Section Section County
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Supply API No. or Year Drilled) Pit capacity: Supply API No. or Year Drilled) Supply API No. or Year Drilled) Pit capacity: Supply API No. or Year Drilled) Supply API No. or Year Drilled) Pit capacity: Supply API No. or Year Drilled) Supply API No. or Year Drilled)	Section County . mg/l
Pit capacity: 926 Montgomery East / West Line of S Montgomery West Line of S Montgom	County . mg/l
Substitute Sub	. mg/l
Is the bottom below ground level? Yes No Artificial Liner? Yes No No Artificial Liner? Yes No Natural Clays Pit dimensions (all but working pits): Depth from ground level to deepest point: 5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	
Is the bottom below ground level? Yes No No Natural Clays Pit dimensions (all but working pits): Depth from ground level to deepest point: Depth from ground level to deepest point: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	5
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	5
Pit dimensions (all but working pits): 35 Length (feet) 30 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	5
Depth from ground level to deepest point: 5	5
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.	
material, thickness and installation procedure. liner integrity, including any special monitoring.	
Distance to nearest water well within one-mile of pit Depth to shallowest fresh waterfeet.	
Source of information:	
	V R
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of material utilized in drilling/workover: Air	
Number of producing wells on lease: Number of working pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Air dry, fill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION CO. CED 0.1.200	OMMISS
August 31, 2006 Oreg Stepation of Applicant or Applicant	
Date Signature of Applicant or Agent CONSERVATION DIVI	SION
KCC OFFICE USE ONLY	
Date Received: 9/1/06 Permit Number: Permit Date: 9 1/06 Lease Inspection: Yes	