# For KCC Use: Effective Date: District # SGA? Yes X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### **NOTICE OF INTENT TO DRILL**

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date September 18 2006	Spot East
month day year	NW - SW - NW Sec. 29 Twp. 33 S. R. 19 West
3473	1650 feet from VN / S Line of Section
OPERATOR: License# 3473 Name: William T. Wax	feet from E / W Line of Section
Address: P. O. Box 276	Is SECTION Regular Irregular?
City/State/Zip: McCune, KS 66753	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Bill Wax	County: Labette
Phone: 620/724-3400	Lease Name: L. Jones Well #: 29-8
	Field Name: Mound Valley South
CONTRACTOR: License# 3473	Is this a Prorated / Spaced Field? Yes ✓ No
Name: Bill Wax	Target Formation(s): Cherokee Coals/Sands, Miss Chat/Lime
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Oil Enh Rec I Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:  Yes V No
Seismic;# of Holes Other	Depth to bottom of fresh water: 200+
Other	Depth to bottom of usable water: <sup>250+</sup> Surface Pipe by Alternate: 1 2 2
V 011110	Surface Pipe by Alternate: 1 2 2  Length of Surface Pipe Planned to be set: 20
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator: N/A	Projected Total Depth: 750
Well Name:Original Total Depth:	Formation at Total Depth: Miss Chat/Lime
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
f Yes, true vertical depth:	DWR Permit #: N/A
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	RECEIVE
The undersigned hereby affirms that the drilling, completion and eventual page 1	lugging of this well will comply with K.S.A. 55 et. seq. 💢 👝 🐧 についり
	JEP 03 ESO
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig; KCC WICH
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea</li> <li>The minimum amount of surface pipe as specified below shall be se</li> </ol>	ch drilling rig;  KCC WICH  to by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface provided in the surface pro	ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the surface properties of the well is dry hole, an agreement between the operator and the control of the surface properties of the surface plug that the surface properties of the surface plug that the surface properties of the surface properties of the surface plug that the surface properties of the surface plug that the surface properties of	ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into the strong of the stron	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the approved notice of intent to drill <i>shall be</i> posted on each and the copy of the appropriate district office price and the copy of the copy o	ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  district office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 days</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the second	ch drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the composition of the set of	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  district office on plug length and placement is necessary <b>prior to plugging</b> ; gged or production casing is cemented in; ted from below any usable water to surface within <b>120 days</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the continuous of the set of the well is dry hole, an agreement between the operator and the continuous of the specified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the continuous of the spud date or the well shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the continuous of the spud date or the well shall be completed.  Signature of Operator or Agent:  **Dotate: August 30, 2006**  Signature of Operator or Agent:  **Dotate: August 30, 2006**  Signature of Operator or Agent:	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the construction of the set of the	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ead.  3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the surface district office will be notified before well is either plug to the surface district office will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be certified before well is either plug to the surface casing order must be completed before well is either plug to the surface casing order must be completed before well is either plug to the	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; greated from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certified before well is either that the statement of the plus of the spud date or t	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; greed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the production of the statements made herein are true and to the best of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface plane of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the spud date o	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall hereby certified before well is either that the statement of the plus of the spud date or t	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea:  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the well is either plus of the spund to present the set of the set of the set of the spund date or the well shall be completed within 30 days of the spund date or the well shall be reby certify that the statements made herein are true and to the best of the set of the	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 099-24107-0000	Location of Well: County: Labette
Operator: William T. Wax	1650 feet from VN / S Line of Section
Lease: L. Jones	330 feet from ☐ E / ✓ W Line of Section
Well Number: 29-8	Sec. 29 Twp. 33 S. R. 19 East West
Field: Mound Valley South	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used:  NE NW SE SW

## PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	1 .							
	.		-					
	.							·
						,		
	1650					-		
	7 –	-	•			•	-	·
	1.1.							
	{ .							
330	-0							
) -								. :
						•		
					i	•		
		-			<u></u>	•	•	
		•			9		•	
		•			/ .		•	•
		•	•			-	-	'
	1 -	•					•	'
	_							
			-					
					i			
		•	-					
		•						•
	-	•	•		-	•	•	
				•				
								.
					1			

RECEIVED
SEP 0.5 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: William T. Wax			License Number: 3473			
Operator Address: P. O. Box 276, McCune KS 66753						
Contact Person: Bill Wax			Phone Number: ( 620 ) 724 - 3400			
Lease Name & Well No.: L. Jones #29-8			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NW</u> _ <u>SW</u> _ <u>NW</u>			
Emergency Pit Bum Pit	✓ Proposed	Existing	Sec. 29 Twp. 33 R. 19 🗸 East 🗍 West			
Settling Pit  Drilling Pit	If Existing, date of	onstructed:	1650 Feet from Morth / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	80 80	(bbls)	Labette			
Is the pit located in a Sensitive Ground Water		_	Chloride concentration:mg/l			
			(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
res I 140	Yes 🖍		Native Clay			
Pit dimensions (all but working pits):1	2 Length (fe	eet)8	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point: 6	(feet)			
			edures for periodic maintenance and determining ncluding any special monitoring.			
		None	RECEIVED			
			SEP 0.5 2006			
			RECEIVED  SEP 0.5 2006  KCC WICHITA			
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water Unknown feet.  Source of information:				
N/Afeet Depth of water wellN/Afeet		measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment procedure: Backfill when dry				
Does the slope from the tank battery allow all	spilled fluids to					
flow into the pit?  Yes  No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  8/30/06  Deta						
8/30/06 MWWW.						
Date Signature of Applicant of Agent						
KCC OFFICE USE ONLY						
Date Received: 9/5/04 Permit Number: Permit Date: 9/5/06 Lease Inspection: Yes 4 No						