For KCC Use:	QUA.
Effective Date:	9-11-06
District #	4
	(TZ)

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed

Comparison Com	Must be approved by KCC five	(5) days prior to commencing well All blanks must be Filled
Section Sect	Expected Spud Date	
1900 1900		
Ascress. P.O. Bos 550 County: Ellis Long Lon	OPERATOR: License#	leet flotti V N / S Line of Section
Contributions of the part of t	Name: Dreiling Oil, inc.	
Contributions of the part of t	Address: F.O. Bux 350 Havs Kansas 67601	
Lease Name: Lang Well #:	City/State/Zip: Tom/W Piecker	(Note: Locate well on the Section Plat on reverse side)
Field Name: State Provided Spaced Field? Target Formation(s): Landing/Kensac City Arbudde Arbudde Arbudde Provided Spaced Field? Target Formation(s): Landing/Kensac City Arbudde Nearest Lease or unit boundary; 1989	785-625-8327	County: Lang.
Solitified Speed Field Speed Field Speed Field Speed Field Speed	/	
Target Formation(s): Landing/Manages City Arbucklo	CONTRACTOR: License# 31548	
Nearest Lease or unit boundary, 13907 Seed Mills Se	Name: Dreiling Oil, Inc.	Target Formation(s): Lansing/Kansas City Arbuckle
Ground Surface Elevation: 2905 Get MSI Get MSI Ground Surface Elevation: 2905 Get MSI Ge		
Gas Storage Pool Ext. Air Rotary Gable Storage Pool Ext. Air Rotary Wildeat Gable Seismic;	· · · · · · · · · · · · · · · · · · ·	00.40
Gas Storage Pool Ext. Findary OWD Disposal Willdcate Cable Cable Cable Other Cable Other Cable Other Cable Other O		
Depth to bottom of fresh water. 1607		· · · · · · · · · · · · · · · · · · ·
Depth to bottom of usable water. So Surface Pipe by Alternate: 1 2 2 Langth of Surface Pipe by Alternate: 1 2 2 Langth of Surface Pipe Pipe Inneed to be set: 200, 1 Coperator: Well Name: Original Completion Date: Original Total Depth: Projected Total Depth: Arbuckle Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Other Depth: Arbuckle Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Other Depth: Arbuckle Water Source for Drilling Operations: Water Source of Drilling Operations: Water Source Operation Source Projected Total Depth: Arbuckle Water Source for Drilling Operations: Water Source Operation Source Operations: Water Source Operations: Water Source Operations: Water Source Operations: Water Source Operation Source Operations: Water Source Operation Source Operat		Depth to hottom of freeh water: 180'
Surface Pipe by Alternate:		Depth to bottom of usable water:
Commonstration Comm	Other	Surface Pipe by Alternate: 1 2
Operator: Well Name: Original Completion Date: Original Completion D	If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Co		Length of Conductor Pipe required: None
Original Completion Date:Original Total Depth:	•	Projected Total Depth: 3600'
Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other		Formation at Total Depth: Arbuckle
Yes, true vertical depth:	·	
Will Cores be taken?	Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2006 **CCC WICH** 1. Notify the appropriate district office *prlor* to spudding of well; 2. A copy of the approved notice of intent to drill *shall *be* posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall *be* set* by circulating cement to the top; in all cases surface pipe *shall *be* set* through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prlor* to plugging;* 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within *120 days* of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. *In all cases, NOTIFY district office* prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Part KCC Use ONLY API # 15 - OSI - 2551-0000 For KCC Use ONLY API # 15 - OSI - 2551-0000 This authorization expires: 3-6-07 This authorization expires: 3-6-07 This authorization expires: 3-6-07 This authorization expires: 3-6-07 This authorization void it drilling not started within 6 months of approval date. Spud date:	If Yes, true vertical depth:	DWR Permit #:
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0.5 2006 KCC WICH! 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Nereby certify that the statements made herein are true and to the best of my knowledge and belief. Per KCC Use ONLY API # 15 - 051- 25571-0000 Approved by: A 9-000 I feet per All. Title: Dec., Y Expl. Med. File Dinil Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office & hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expirat	Bottom Hole Location:	(Note: Apply for Permit with DWR)
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0.5 2006 SEP 0.5 2006 KCC WICH! 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate it cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Part KCC Use ONLY API # 15 - OSI - 25571-0000 For KCC Use ONLY API # 15 - OSI - 25571-0000 Feet per Alt. (2) Approved by: Part 9-000 If feet per Alt. (2) Approved by: Part 9-000 If see the purpose of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office within 6 months of approval date.) Well Not Drilled - Permit Expired Signature of Operator or Agent: Well Not Drilled - Permit Expired Signature of Operator or Agent:	KCC DKT #:	Will Cores be taken?
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. SEP 0 5 2006 It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of Intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Thereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-1-06 Signature of Operator or Agent: W. Prior Pr		If Yes, proposed zone:
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Therefore, Coulous ONLY API # 15 - OSI - 25571-0000 For KCC Use ONLY API # 15 - OSI - 25571-0000 For KCC Use ONLY API # 15 - OSI - 25571-0000 Feet provided by: For All Provided Provided Approval date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of spud date; File Completion Form ACC-1 within 120 days of sp	AFF	IDAVIT RECEIVED
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-1-06 Signature of Operator or Agent: W. Pile Deuty Fexpl. Mod. For KCC Use ONLY API #15 - 051- 25571-0000 Conductor pipe required NonL feet per All. V2 Approved by: 44 9-0-04 feet per All. V2 Approved by: 44 9-0-04 feet per All. V2 Approved by: 44 9-0-04 feet per All. V2 Approved by: 45 9-0-07 feet per All. V2 This authorization expires: 3-0-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Use II this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:		lugging of this well will comply with K.S.A. 55 et. seq. SEP 0.5 2006
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II comenting must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 9-1-06 Signature of Operator or Agent: 100 Minimum surface pipe required 100 feet 110 Minimum surface p		•
For KCC Use ONLY API # 15 - OSI - 25571-0000 Minimum surface pipe required 200 feet per Alt. Approved by: For KCC Use authorization vold if drilling not started within 6 months of approval date.) Signature of Operator or Agent: W. Desker Title: Dest, 4 Expl. Ma Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	 A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
For KCC Use ONLY API # 15	, , , , , , , , , , , , , , , , , , , ,	, , , , , ,
For KCC Use ONLY API # 15	Date: 9-1-06 Signature of Operator or Agent:	y W. Rieshes Title: Dev. 4 Expl. Man.
API # 15		Remember to:
Conductor pipe required		la la
Conductor pipe required feet Minimum surface pipe required feet per Alt. (2) Approved by: **Inst authorization expires: 3-6-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	1 AFI # 13	
Minimum surface pipe required feet per Alt. (2) Approved by: 44 96-06 This authorization expires: 3-6-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of		
This authorization expires: 3-6-07 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of Operat	inimitati caraco pipo ioquirod	- Submit plugging report (CP-4) after plugging is completed;
(This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of Operator o	7-10-07	
Spud date: Agent: Signature of Operator or Agent:		check the box below and return to the address below.
	Canal data	•
	Opud vale: Agent:	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25571-0000	Location of Well: County: Eilis
Operator: Dreiling Oil, Inc.	feet from V N / S Line of Section
Lease: Lang	1390 feet from 🗸 E / 🔲 W Line of Section
Well Number: 1	Sec32 Twp13 S. R17 East ✓ West
Field:	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:C NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

······································	****	·		
Operator Name: Dreiling Oil, Inc.			License Number: 5145	
Operator Address: P.O. Box 177	Hays, K	ansas 676	01	
Contact Person: Terry W. Piesker			Phone Number: (785) 625 - 8327	
Lease Name & Well No.: Lang #1	- 100		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE 303	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 32 Twp. 13S R. 1'7 East 🗸 West	
Settling Pit	If Existing, date c	onstructed:	1440 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			1390	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from 📝 East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🔽	No	Chloride concentration:mg/l	
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Native Mud and Fresh Water Mud	
Pit dimensions (all but working pits):25	50 Length (fe	eet)250	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to de	eepest point: 5	(feet)	
			RECEIN SEP 0 5 : KCC WIC	
Distance to nearest water well within one-mile	of pit	Depth to shallowest fresh water 40 feet. Source of information:		
850feet Depth of water well70feet		measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Chemical Mud		
Number of producing wells on lease:		Number of working pits to be utilized: 3		
Barrels of fluid produced daily:		Abandonment procedure: Evaporation and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must	pe closed within 365 days of spud date.	
I hereby certify that the above state	ments are true and o	correct to the bes	of my knowledge and belief.	
9-1-06 Date	<u></u>	Verry	W. Prashes ignature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	