*CORRECTED

For KCC Use: Effective Date:	9-4-06
District # 4	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed

pected Spud Date		East
month day year	SW SE NE Sec. 15 Twp. 9 S. R. 19	
ERATOR: License# 30598	2,970 teet from N / VS Line of Section	
mo. Habit Petroleum, LLC	990 teet from F / W Line of Section	7
639 280th Avenue	Is SECTION Regular Irregular?	
y/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)	
ntact Person. Irvin E. Haselnorsi	County: Rooks	
one: (785) 625-6190	Lease Name: Nech-B Well #: 3	
NTRACTOR: License# 33346	Field Name: Jelinek	
me: TR Service and Rental, Inc.	Is this a Prorated / Spaced Field?	NO
	Target Formation(s): Arbuckle Nearest Lease or unit boundary: 990'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2,073 feet	MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓	_
Gas Storage Pool Ext. Air Rotary		
OWNO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water:	
Seismic;# of Holes Other	Depth to bottom of usable water: 800'	
Other	- 0 1 5 1 AN 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	
DWWO: old "" Information as follows:	Length of Surface Pipe Plannod to be set: 465 700 AIL Z	
Operator: Thillips Retroleum Company	Length of Conductor Pipe required:	
Well Name. WECK AD	Projected Total Depth: 3,515'	
Original Completion Date: 3,510' Original Total Depth: 3,510'	romanon as total paptit.	
ectional, Deviated or Horizonial wellbore?	Water Source for Drilling Operations: Well Farm Pond Other	
estimate the restrict depth:		
ttom Hole Location:	(Note: Apply for Permit with DWR)	
C DKT #:	— Will Cores be taken? Yes ✓	No
MAS: API# 15-103-02241-00-02	If Yes, proposed zone:	
TS: API# 15- 163-02041-00-01 All e undersigned hereby affirms that the drilling, completion and eventual	FFIDAVIT all plugging of this well will comply with K.S.A. TANSAS CORPORATION COM	MISS
TS: APIH IS- 163-02041-00-01 All e undersigned hereby affirms that the drilling, completion and eventual sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	al plugging of this well will comply with K.S.A. **********************************	MISS
TS: API# IS- 163-02041-00-01 All e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	al plugging of this well will comply with K.S.A. SCANSAS CORPORATION COM AUG 3 0 2006	
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spuding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be though all proposed ideal of the prior of the pr	al plugging of this well will comply with K.S.A. SANSAS CORPORATION COM AUG 3 0 2006 each drilling rig; set by circulating cement to the top; in all cases surface WICHITA, KS	ON
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the	al plugging of this well will comply with K.S.A. SANSAS CORPORATION COM AUG 3 0 2006 each drilling rig; set by circulating cement to the top; in all cases surface wichita, KS to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging.	ON
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the form well is either to the control of the control	al plugging of this well will comply with K.S.A. ***CORPORATION COM AUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface properties to the underlying formation. WICHITA, KS be district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; expected from below any usable water to surface within 120 days of spud date	ON ••••••••••••••••••••••••••••••••••••
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the form the propriate district office will be notified before well is either; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemporated to Appendix "B" - Fastern Kansas surface casing or	each drilling rig; each drilling rig; each drilling rig; each drilling rement to the top; in all cases surface production. WICHTA, KS no district office on plug length and placement is necessary prior to pluggin plugged or production casing is comented in; nented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemented to come the coment of t	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first to the appropriate district office will be notified before well is either; for pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well is	al plugging of this well will comply with K.S.A. SANSAS CORPORATION COM AUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface within policy to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the form the propriate district office will be notified before well is either; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemporated to Appendix "B" - Fastern Kansas surface casing or	al plugging of this well will comply with K.S.A. SANSAS CORPORATION COM AUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface within policy to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either; 6. If an ALTERNATE II COMPLETION, production pipe shall be compused to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to file best agreements.	al plugging of this well will comply with K.S.A. ***ANSAS****CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface ***SERVATION DIVISION TO the underlying formation. The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date det #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief.	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either; 6. If an ALTERNATE II COMPLETION, production pipe shall be compused to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to file best agreements.	al plugging of this well will comply with K.S.A. ***ANSAS******CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface ***SERVATION DIVISION TO the underlying formation. The district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; hented from below any usable water to surface within 120 days of spud date det #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title: Agent** **Title: Agent**	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either the first office will be notified before well is either the complete of the complete of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shereby certify that the statements made herein are true and to fine best the: August 30, 2006	al plugging of this well will comply with K.S.A. ***ANSAS******CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases sufface **ENATION DAYSK** to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging or production casing is cemented in; the plugged or production casing is cemented in; the set of my below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cemental to be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title: Agent** **Remember to:**	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either the complete of the complete of the specified before well is either the complete of the specified before well is either the complete of the specified before well is either the complete of the specified before well in the complete of the specified before well is either the complete of the specified before well in the complete of the specified before the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: Signature of Operator or Agent:	al plugging of this well will comply with K.S.A. ***ANSAS******CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases sufface **ENATION DAYS** to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either the first and all the properties of the specified before well is either the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY Alone	al plugging of this well will comply with K.S.A. ***CORPORATION COMAUG 3 0 2006 each drilling rig; ***set* by circulating cement to the top; in all cases surface by circulating cement to the top; in all cases surface within 100 days of spud date; bugged or production casing is cemented in; hented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate II cemental be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. ***Title: Agent** ***Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either to the appropriate district office will be notified before well is either to the appropriate district office will be notified before well is either to the appropriate district office will be notified before well is either to the appropriate district office will be notified before well is either to the appropriate to the spendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shereby certify that the statements made herein are true and to fie beto the total states and the statements of the operator of the spendix to the spe	al plugging of this well will comply with K.S.A. ***CORPORATION COMAUG 3 0 2006 each drilling rig; ***set* by circulating cement to the top; in all cases surface programs of the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging or production casing is cemented in; thented from below any usable water to surface within 120 days of spud date der #133,891-C, which applies to the KCC District 3 area, alternate It cemerated be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title: Agent** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry:	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either the complete district office will be notified before well is either the complete of the complete of the spuddate or the well is ereby certify that the statements made herein are true and to fine best the complete of the statements made herein are true and to fine best the complete of the statement of the spuddate or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API * 15 - 163 - 0241 - 00 - 01 Moltmum surface pipe required feet	al plugging of this well will comply with K.S.A. **********************************	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the following structure of the well is either; 6. If an ALTERNATE il COMPLETION, production pipe shall be compusuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best lete: August 30, 2006 Signature of Operator or Agent: For KCC Use ONLY API * 15 - 163 - 0241 - 00 - 01 Conductor pipe required Minimum surface pipe required Approved by: Putt 8-30-06 / Putt 9-50-06	al plugging of this well will comply with K.S.A. ***ANSAS******CORPORATION COMAUG 3 0 2006 each drilling rig; **set** by circulating cement to the top; in all cases suitable provided to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging or production casing is cemented in; the plugged or production casing is cemented in; the district office on plug length and placement is necessary prior to plugging to the management of the plugged of spud date and the plugged. **In all cases, NOTIFY district office prior to any cementing stop of my knowledge and belief. **Premember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plet according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intended to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first to the appropriate district office will be notified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the well should be to the specified before well is either to the specified before well is either to the well should be to the specified before well is either to the well should be	al plugging of this well will comply with K.S.A. ***ANSAS*****CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface **SERVATION DIVISION** to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging beinged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title:* Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet intended to the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first to the appropriate district office will be notified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the first to the specified before well is either to the well should be to the specified before well is either to the specified before well is either to the well should be to the specified before well is either to the well should be	al plugging of this well will comply with K.S.A. ***ANSAS*****CORPORATION COMAUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases surface **SERVATION DIVISION** to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging beinged or production casing is cemented in; tented from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II cementall be plugged. In all cases, NOTIFY district office prior to any cementing st of my knowledge and belief. **Title:* Agent** **Remember to:* - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either the first office will be no	al plugging of this well will comply with K.S.A. **********************************	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and the first through all unconsolidated materials plus a minimum of 20 feet int. 5. The appropriate district office will be notified before well is either; of an ALTERNATE II COMPLETION, production pipe shall be compusted of the completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API * 15 - 163 - 0241 - 00 - 01 Approved by: Putt 8 - 30 - 09 / Putt 9 - 00 This authorization expires: 2-28-07 (This authorization void it drilling not started within 6 months of approval date.) Spud date:	al plugging of this well will comply with K.S.A. **********************************	ON ng; o. nting
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and th. 5. The appropriate district office will be notified before well is either; 6. If an ALTERNATE il COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API * 15 - /63 - 024/-00-01 Conductor pipe required Minimum surface pipe required Approved by: Put 8 - 30-00 / Put 9 - 00 This authorization void it drilling not started within 6 months of approval date.) Spud date: Mail to: KCC - Conservation Division, 1	al plugging of this well will comply with K.S.A. ***CORPORATION COM AUG 3 0 2006 each drilling rig; e set by circulating cement to the top; in all cases sufface ***ERATION DAYSK** to the underlying formation. WICHITA, KS the district office on plug length and placement is necessary prior to plugging plugged or production casing is cemented in; the plugged of production casing is cemented in; the plugged of production casing is cemented in; the plugged of production applies to the KCC District 3 area, alternate II cemented by the plugged of the plugging report (CP-4) after plugging is completed; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent: Date: Date:	on on on the one of th
e undersigned hereby affirms that the drilling, completion and eventuals agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on. 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and th. 5. The appropriate district office will be notified before well is either; 6. If an ALTERNATE il COMPLETION, production pipe shall be commust be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Signature of Operator or Agent: For KCC Use ONLY API * 15 - /63 - 024/-00-01 Conductor pipe required Minimum surface pipe required Approved by: Put 8 - 30-00 / Put 9 - 00 This authorization void it drilling not started within 6 months of approval date.) Spud date: Mail to: KCC - Conservation Division, 1	al plugging of this well will comply with K.S.A. **********************************	on on on the original of the o

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of suitable.


Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries. of the proposed acreage attribution unit for oil wells.

API No. 15-163-02241-00-01	Location of Well: County: Rooks
Operator: Habit Petroleum, LLC	2,970 feet from N / S Line of Section
Lease: Nech-B	990 feet from F / W Line of Section
Well Number: 3	Sec. 15 Twp. 9 S. R. 19 East V Wes
Field: Jelinek Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: SW - SE . NE	H Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

٦						 																				
- 1				•		٠				•			- 1				•			•				•		
н													. !				-									
- 1													- 1													
- 1										-			١,				•							•		
- 1													-)													
- 1													. 1			_										
Į	•	•	•		•		•	•		-	-	-	Ė		-											
ı													- 1													
Į				,		٠				*			- 1													
ı													- 1													
- }				•		•							- 1													
]													- 1													
1								•					· I					•	•	•		•	•			٠ .
- 1													- 1													
													- 1				-									
													- !													
				•						•			- 1				•									
-1				_									- 1													
				•																						
													.													
- 1	,	•	•		-		•	-					1													
ı						•											•									
- [ı											٠		
- 1																						-				
- 1				-						*							•					-				
- 1																										
- 1						•														-						
								_				_												-		
								_														-	-	•		
																						-	-	•		
				:		 :											•			•	•			•		
				:		 :							1				•			•	•			•		
				:		 :									-		•			•	•			•		
				:		 :							.	, ,			•			•	•			· · ·		
		•	•	:		 :							.				•			•	•			· ·	•	
	,	•		•		 :															,	•	•		•	
				•		 :															,	•			•	
	,	•		•		 •															,	•	•		•	
	•			•		 •									-						,	•	•		•	
	,	•		•		 •															,	•	•		•	
	,			•		 •															,	•	•		•	
	,					 												•							•	
	•					 												•			,				•	
	,					 												•	•						•	
	,					 :			•	· · · · · · · · · · · · · · · · · · ·												•			•	
	•					 :			•	· · · · · · · · · · · · · · · · · · ·												•			•	
	•					 :			•													•			•	
						 :			•	· · · · · · · · · · · · · · · · · · ·															•	
						 			•	· · · · · · · · · · · · · · · · · · ·															•	
	,					 				· · · · · · · · · · · · · · · · · · ·															•	
						 				· · · · · · · · · · · · · · · · · · ·															•	
						 				· · · · · · · · · · · · · · · · · · ·															•	
						 				· · · · · · · · · · · · · · · · · · ·															•	
						 				· · · · · · · · · · · · · · · · · · ·															•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION



APPLICATION FOR SURFACE PIT

Pit Location (OQQQ):		Submit in Duplicat	0	\mathcal{C}_{Δ}
Pit Location (QQQQ): SW SE NE SW SE NE Setting Pit Drilling Pit Pit is: Was Setting Pit Drilling Pit Fit capacity: Was Setting Pit Haul-Off Pit Pit capacity: BQ (bbs) Pit capacity: BQ (cbs)	Operator Name: Habit Petroleum, Inc.		License Number: 30598	URPA
Pit Location (QQQQ): SW SE NE SW SE NE Setting Pit Drilling Pit Pit is: Was Setting Pit Drilling Pit Fit capacity: Was Setting Pit Haul-Off Pit Pit capacity: BQ (bbs) Pit capacity: BQ (cbs)	Operator Address: 639 280th Avenue, Ha	ys, KS 67601		100 x
SW SE NE Semergency Pit Burn Pit Pit is: SW SE NE Sec. 15 Twp. 9 R. 19 East West 2.970 Feet from North South Line of Section 990 Feet from Rooks County South Line of Section Rooks	Contact Person: Irvin E. Haselhorst		Phone Number: (785) 625	-9190
Pit	Lease Name & Well No.: Nech-B #3		Pit Location (QQQQ):	
Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Washdown should take 3 days Distance to nearest water well within one-mile of pit source of information:	Emergency Pit Burn Pit Settling Pit Prilling Pit Workover Pit Haul-Off Pit #15-163-02241 4-9-52 Is the pit located in a Sensitive Ground Water Area? Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	g, date constructed: city: (bbls) Yes No Liner? Yes No Length (feet) 8	Sec. 15 Twp. 9 R. 19 2,970 Feet from North 990 Feet from ✓ East Rooks Chloride concentration: (For Emergency Pits and How is the pit lined if a plastic liner Width (feet)	/ South Line of Section / West Line of Section County mg/l Settling Pits only) is not used?
Source of information: n/a	material, thickness and installation procedure.	liner integrity, i	ncluding any special monitoring.	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? I hereby certify that the above statements are true and correct to the best of my knowledge and belief. August 30, 2006 Date Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: fresh water & drilling mud Number of working pits to be utilized: 2 Abandonment procedure: air dry and backrill Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. Signature of Applicant or Agent	Distance to nearest water well within one-mile of pit	Source of info	rmation:	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. August 30, 2006 Date Date Drill pits must be closed within 365 days of spud date. Drill pits must be closed within 365 days of spud date. August 365 days of spud date. Signature of Applicant or Agent	Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	Drilling, Work Type of materi Number of work	over and Haul-Off Pits ONLY: at utilized in drilling/workover: fresh working pits to be utilized: 2	
August 30, 2006 Date Date Downson Signature of Applicant or Agent		ds to Drill pits must	be closed within 365 days of spud da	de.
KCC OFFICE USE ONLY	August 30, 2006	Wonna	Manda	
		KCC OFFICE USE O	NLY	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

2 RECEIVED KANSAS CORPORATION COMMISSION

AUG 3 0 2006

rig-State Corp Comm. Copy - B. A. Conner Copy-Mary Crump Copy Well file WELL PLUGGING RECORD C2241-02241-00-W TE CORPORATION COMMISSION API NUMBER 15-163 None K.A.R.-82-3-117 JO Colorado Derby Bullding Alchita, Kansas 67202 LEASE NAME_ Nech TYPE OR PRINT WELL NUMBER 3 NOTICE: FILL out completely and return to Cons. Div. SPOT LOCATION 990 FEL & 2310 office within 30 days. SEC. 15 TWP. 9 RGE. 19 KKXOC (W) LEASE OPERATOR Phillips Petroleum Company COUNTY Rooks ADDRESS Box 287, Great Bend, Kansas 67530 Date Well Completed March 1952 PHONE # (316) 793-8421 OPERATORS LICENSE NO. 5229 Plugging Commenced 5-21-85 Character of Well Oil Plugging Completed 5-22-85 (Oll, Gas, D&A, SWD, input, Water Supply Well) Did you notify the KCC/KDHE Joint District Office prior to plugging this well? Yes Which KCC/KDHE Joint Office did you notify? Dist. #6, Hays, Kansas is ACO-1 filed? No ____ If not, is well log attached? _____ Yes ____ Producing formation Arbuckle Depth to top 3503 bottom 3510 T.D.3510 Show depth and thickness of all water, oil and gas formations. OIL, GAS OR WATER RECORDS CASING RECORD Formation Content Τo Size Put In Pulled out Surface Water <u>8 5/8"</u> 190 183 -0-Production Oil & wtr 3503 5/5/11 3526! Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used state, the character of same and depth placed, from feet to feet each set. MIRU Hallib-pmp down csg: 25 sx 60-40 Pozmix cmt w/10% gel, 3% CaCl, follow w/20 sx gel & 175 sx 60-40 Pozmix w/10% gel, 3% CaCl w/5 sx hulls. Conn to annulus & pmpd 250 sx 60-40 Poz w/10% gel, 3% CaCl @ 2 RPM @ 500 psi. ISIP 500 psi. Rel Hallib. Cut 8 5/8" & 5%" csg off 5' below GL. Cap 8 5/8" & weld on plate. Well P&A 5-22-85. Dennis Hamel, State Rep. on loc. (If additional description is necessary, use $\underline{\sf BACK}$ of this form.) Name of Plugging Contractor Halliburton Services Address Great Bend, Kansas 67530 COUNTY OF Barton STATE OF Kansas Kaare A. Westby, Agent (employee of operator) or (operatom), of above-described well, being first duly sworn on oath, says: The described well, being first duly sworn on oath, says: I have knowledge of the facts, statements, and matters harein contained and Wichica Mansas the Togood, The above-described well as filed that the same are true and the hogiet, he above-des (Signature) Kaare fulest 4.4 Westby, Ageat Box 287, Great Bend, Ks 67530 (Address) SUBSCRIBED AND SWORN TO before me this 23day of May , 19 85 JUN 62. Notary Public My Commission expires: February 15, 1988 Velma L. Mog