For KCC Use:	9-11-06
Effective Date:	· · · · · · · · · · · · · · · · · · ·
District #	4

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

sected Spud Date September 11, 2006	Spot	East
month day year	00 40 47 6	✓ West
33625 V	550feet fromN / _ S Line of Se	
ERATOR: License# 33625 V ne: Hertel Oil Company	2310feet from JE / W Line of Se	ction
re: 1704 E. 12th Street	Is SECTION <u>✓</u> Regularirregular?	
rress: //State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)	
Nact Person: Mike Hertel	County: Ellis	
nec: (785) 628-2445	Lease Name: Pete Brown Well #: 1	
	Field Name: wildcat	
NTRACTOR: License# 33237 Vine: Anderson Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Kansas City	√No
Time Fouriements	Nearest Lease or unit boundary: 550'	 .
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1959 est	eet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	, / No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	√ No
OWWO Disposal / Wildcat Cable	Depth to bottom of fresh water: 180'	
Seismic;# of Holes Other	Depth to bottom of usable water:	
Other	Purfore Dine by Attornator 1 1 2 2	
WWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200+	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 4,000	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Kansas City	
	Water Source for Drilling Operations:	
ctional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
es, true vertical depth:	DWR Permit #:	
ttom Hole Location:	(Note: Apply for Permit with DWR [_])	
C DKT #:		s √ No
	If Yes, proposed zone:	
	IDAVIT	
	lugging of this well will comply with K.S.A. 55 et. seq.	
e undersigned hereby affirms that the drilling, completion and eventual pl s agreed that the following minimum requirements will be met:		
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;		
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ch drilling rig;	eat
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be	set
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; of by circulating cement to the top; in all cases surface pipe shall be the underlying formation.	
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the design of the well is dry hole, an agreement between the operator and the design of the appropriate district office will be notified before well is either plus.	ch drilling rig; In the top in all cases surface pipe shall be the underlying formation. In the underlying formation is the top in all cases surface pipe shall be the underlying formation. In the underlying to production casing is cemented in;	gging;
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plugible to an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plu gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud	<i>gging;</i> date.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Fastern Kansas surface casing order	ch drilling rig; In the top of the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plugged or production casing is cemented in; It is the trom below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II or	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Ilistrict office on plug length and placement is necessary prior to plu aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II o be plugged. In all cases, NOTIFY district office prior to any cementer.	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Fastern Kansas surface casing order	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II completed to the plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief.	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be reeby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Ilistrict office on plug length and placement is necessary prior to plu aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II o be plugged. In all cases, NOTIFY district office prior to any cement If my knowledge and belief.	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II complete to the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the set of the well is dry hole, an agreement between the operator and the dropost of the specified district office will be notified before well is either plug of the specified of the specified or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the specified of the specified of the specified best of the sp	ch drilling rig; In the property of the top; in all cases surface pipe shall be the underlying formation. It is trict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; It is the form below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II compared to the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to:	<i>gging;</i> date. ementing
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the september 6, 2006 Signature of Operator or Agent: For KCC Use ONLY	ch drilling rig; In the top circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II complete to the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent	gging; date. ementing nting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving and unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the driving appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the september 6, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 051-25572-0000	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II completed. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	gging; date. ementing nting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-e	gging; date. ementing nting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the d	ch drilling rig; In the production cament to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-e- Submit plugging report (CP-4) after plugging is completed;	date. ementing. iting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the driving of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the september 6, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 255 72 - ODD Conductor pipe required Nore feet per Alt. (2)	ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-e	date. ementing. iting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall ereby certify that the statements made herein are true and to the best of the september 6, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25572-0000 Conductor pipe required Nore feet Minimum surface pipe required feet per Alt. Approved by: ### 45-006	ch drilling rig; In the price of the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II completed. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-esubmit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	gging; date. ementing nting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead. 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the september 6, 2006. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25572-0000 Conductor pipe required Norw feet per Alt. X 2 Approved by: **Furth* 9-6-000 This authorization expires: 3-0-07	ch drilling rig; In the process of the top of the top; in all cases surface pipe shall be the underlying formation. Ilistrict office on plug length and placement is necessary prior to plug ged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-esubmit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	date. ementing. iting.
s agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the driving of all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the driving of a specified district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be completed within 30 days of the spud date or the well shall be ereby certify that the statements made herein are true and to the best of the september 6, 2006 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 25572-OOOO Conductor pipe required None feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt. Approved by: ### 15 - OSI - OOO Approved by: #### 15 - OSI - OOO Approved by: ####################################	ch drilling rig; In the price of the top; in all cases surface pipe shall be the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ided from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II completed. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-esubmit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	date. ementing. iting.

VISION, 130 S. Market - Hoom 2078, Wichita, Kalisas 67202-14-0 0014 OTATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 051-25572-0000	Location of Well: County: Ellis
Operator: Hertel Oil Company	550 feet from N / S Line of Section
Lease: Pete Brown	2310 feet from F E / W Line of Section
Well Number: 1	Sec. 36 Twp. 13 S. R. 17 ☐ East ✓ West
Field: wildcat	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: ApN2 - swsw - SE	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				•
1				
		•	•	•
				,
	•		-	i
		`		
				_
		,	•	•
		•	•	•
				•
i				
	•	·	·	•
		•		•
				·-
		•		•
1				
				-
	·	·	•	-
l		-		•
ĺ				•
l				
[•		,	
		· · · · · ·		
ł	•			•
		•	7	•
i			1	•
			1	_



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hertel Oil Company			License Number: 33625	
Operator Address: 704 E. 12th Stre	eet, Hays, KS	67601		
Contact Person: Mike Hertel			Phone Number: (785) 628 - 2445	
Lease Name & Well No.: Pete Brown	#1		Pit Location (QQQQ):	
Type of Pit:	Pft is:		ApN2 SW SE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp 13 R. 17 East 🗸 West	
Settling Pit	If Existing, date constructed:		550 Feet from North / ✓ South Line of Section	
Workover Pit Haul-Off Pit			2310 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 3,600	(bbls)	Effis County	
Is the pit located in a Sensitive Ground Water		No Control	Chloride concentration: mg/l	
to the pictorated in a continue cream water			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	NI_	How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓	N0	native clay	
Pit dimensions (all but working pits):	SO Length (fe	eet) <u>60</u>	Width (feet) N/A: Steel Pits	
Depth fi	om ground level to de	eepest point: 5	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure		,	rocedures for periodic maintenance and determining ty, including any special monitoring.	
Distance to warrest water well within any will		Don'th to shallo	owest fresh water3©feet.	
Distance to nearest water well within one-mile of pit		Source of infor	Wood Wood Water	
239 feet Depth of water well	<u>45</u> feet	measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: drilling mud		
Number of producing wells on lease:		Number of working pits to be utilized: 1		
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	
September 6, 2006 Date	Q.	nna	Manda ignature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	
9/1-		n-	9/6/21 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
Date Received: 1 6 0 6 Permit Num	lber:	Perm	it Date: 9 6 06 Lease Inspection: Yes, KNo	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION

SEP 0 6 2006