### RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 0 6 2006

Form C-1 December 2002 Form must be Typed

## NOTICE OF INTENT TO DRILL CONSERVATION D

Form must be Signed

Expected Spud Date September 11, 2006	Spot  Appr: NW SW see 26 Time 31 S. P. 14 West
/	Sec wp S. H west
OPERATOR: License# 33365	1981feet from N / V S Line of Section
Name: Layne Energy Operating, LLC	
Address: 1900 Shawnee Mission Parkway	Is SECTION RegularIrregular?
City/State/Zip: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
Contact Person: M. B. Nattrass	County: Montgomery
Phone: 913-748-3987	Lease Name: Schwatken-Trees Well #: 12-26
CONTRACTOR: License# 33606	Field Name: Cherokee Basin Coal
Name: Thorton Air	Is this a Prorated / Spaced Field?
Name.	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 663
Oil _ Enh Rec  Infield	Ground Surface Elevation: 917 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic: # of Holes Other	Depth to bottom of fresh water: 150
Other	Depth to bottom of usable water: 200
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1500 Feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other X
	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
a pr	IDAVIT
AFt	DATI
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  listrict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order	ch drilling rig;  In the content of the top; in all cases surface pipe shall be set to the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into te 4. If the well is dry hole, an agreement between the operator and the complete district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig;  In the content of the top; in all cases surface pipe shall be set to the underlying formation.  Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the drom below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> The underlying formation.  Illistrict office on plug length and placement is necessary <b>prior to plugging</b> ;  The good or production casing is cemented in;  The deform below any usable water to surface within <b>120 days</b> of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date:    Signature of Operator or Agent:	ch drilling rig;  In the property of the top of the top; in all cases surface pipe shall be set to be circulating cement to the top; in all cases surface pipe shall be set to be underlying formation.  Illistrict office on plug length and placement is necessary prior to plugging; and production casing is cemented in; and form below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate if cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.  In the production of the proof of the prior to any cementing.  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 9/5/06 Signature of Operator or Agent: 15 - 125 - 31213 - 0000  For KCC Use ONLY API # 15 - 125 - 31213 - 0000  Conductor pipe required 100 feet per Alt. 15 - 15 - 15 - 15 - 15 - 15 - 15 - 15	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 9/5/06 Signature of Operator or Agent: 15 - 125 - 31213 - 0000  For KCC Use ONLY API # 15 - 25 - 31213 - 0000  Conductor pipe required 100 feet per Alt. 120 Approved by: 144 - 145 - 14	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 9/5/06 Signature of Operator or Agent: More  For KCC Use ONLY API # 15 - 25 - 3 12 13 - 0000  For MCC Use ONLY API # 15 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 - 6 -	ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Idistrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; tigged or production casing is cemented in; tigged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 9/5/06 Signature of Operator or Agent: More  For KCC Use ONLY API # 15 - 25 - 3 12 13 - 0000  For MCC Use ONLY API # 15 - 6-000  Minimum surface pipe required 20 feet per Alt. X 2  Approved by: 244-9-6-000  This authorization expires: 3-6-07	ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please

SEP 0 6 2006

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

CONSERVATION DIVISION WICHITA, KS

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 125-31213-0000	Location of Well: County: Montgomery
Operator: Layne Energy Operating, LLC	1981 feet from N / S Line of Section
Lease: Schwatken-Trees	663 feet from E / V W Line of Section
Well Number: 12-26	Sec. 26 Twp. 31 S. R. 14 VEast West
Field: Cherokee Basin Coal	
Number of Acres attributable to well:  OTR / OTR / OTR of paragraphy  NW SW	Is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage:	if Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	•						•
	• • • • • • • • • • • • • • • • • • •						,
	• •						
		· · · · ·			· · · · · · · · · · · · · · · · · · ·		· · · · · ·
	•		2	-		-	
હિહરું		· · · · ·					
	1186						• • • • • • • • • • • • • • • • • • •
	<u> </u>	· · · ·	,				
						•	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# RECEIVED KANSAS CORPORATION COMMISSION

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

SEP 0 6 2006

Form CDP-1 April 2004 Form must be Typed

# APPLICATION FOR SURFACE PITCONSERVATION DIVISION WICHITA, KS

Submit in Duplicate

Operator Name: Lawre Energy Operating LLC			License Number: 33365		
Operator Name: Layne Energy Operating, LLC					
Operator Address: 1900 Shawnee Mission Parkway,					
Contact Person: M. B. Nattrass		Phone Number: ( 913 ) 748 - 3987			
Lease Name & Well No.: Schwatker	Lease Name & Well No.: Schwatken-Trees 13-15 (2-26)		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>- NW - SW</u>		
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 26 <sub>Twp.</sub> 31 <sub>R.</sub> 14		
Settling Pit	If Existing, date constructed:		1981 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 📝 West_Line of Section		
(If WP Supply API No. or Year Drilled)	The dapasity.	(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes 🗸	No	Chloride concentration:mg/l		
is the pit located in a densitive croams water	, acc		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?  Yes   ✓	No	How is the pit lined if a plastic liner is not used?		
✓ Yes  No		1.500	Self-sealing pit		
Pit dimensions (all but working pits):3			Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	epest point: 3'	(feet)		
The present the great and a second transfer and the second transfer and transfer			edures for periodic maintenance and determining ncluding any special monitoring.		
			nallowest fresh waterfeet.		
N/A feet Depth of water wellfeet		Source of infor	rredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materi	al utilized in drilling/workover: Fresh Water Mud		
l l		ì	king pits to be utilized: Two		
			donment procedure: Let Evaporate until dry and then backfill		
Does the slope from the tank battery allow all spilled fluids to		restore.			
		restore.  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
118-11					
9/5/06 /VI Nother					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 9/6/05 Permit Number: Permit Date: 9/6/05 Lease Inspection: Yes & No					
Date Received: 9/6/05 Permit Num	nber:	Perm	it Date: 9/6/06 Lease Inspection: Yes 🗘 No		