For KCC Use:

Effective Date: 9-1/-06

District # SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

pected Spud Date September 11, 2006	Spot   ✓ East		
month day year	ApSW _ NESW _ Sw Sec. 19 Twp. 16 S. R. 22 West		
	956feet from N / ✓S Line of Section		
PERATOR: License# 5876   ame: Diamond B Miami Flood, LTD	4522 feet from E / Line of Section		
ame: 34475 W. 263rd Street	Is SECTIONRegularIrregular? Per Onc		
ty/State/Zip: Paola, KS 66071	(Note: Locate well on the Section Plat on reverse side)		
ty/State/Zip:	County: Miami		
ontact Person: Jim Ferley none: (913) 294-3841 (785) 883-2400	Lease Name: Tarr-1 Well #: D-2		
	Field Name: Paola-Rantoul		
ONTRACTOR: License# 32079	Is this a Prorated / Spaced Field?		
ame: John E. Leis	Target Formation(s): Squiriel		
	Nearest Lease or unit boundary: 190'		
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 995 feet MSL		
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:		
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:		
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+		
Seismic;# of Holes Other	Depth to bottom of usable water: 200		
Other	Surface Pipe by Alternate: 1 / 2		
_	Length of Surface Pipe Planned to be set: 20'		
OWWO: old well information as follows:	Length of Conductor Pipe required: none		
Operator:	Projected Total Depth: 700'		
Well Name:	Formation at Total Depth: Squirre!		
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:		
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other		
Yes, true vertical depth:	DWR Permit #:		
lottom Hole Location:	(Note: Apply for Permit with DWR )		
CCC DKT #:	Will Cores be taken? Yes ✓ No		
00 DR1 #	If Yes, proposed zone:		
A F.F.			
· · · · · · · · · · · · · · · · · · ·	IDAVIT		
	lugging of this well will comply with N.S.A. 33 et. seq.		
t is agreed that the following minimum requirements will be met:	lugging of this well will comply with K.S.A. 33 et. seq.		
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all the surface will be notified before well is either plug and the plug a</li></ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.		
<ol> <li>s agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t</li></ol>	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
<ol> <li>s agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t</li></ol>	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
<ol> <li>s agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of t</li></ol>	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.		
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dry to the set of th</li></ol>	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug of the surface of the surface of the well is either plug of the surface of the well is either plug of the surface of the well is either plug of the surface of the well shall be completed within 30 days of the spud date or the well shall be the surface of the well shall be the surface of the well shall be certify that the statements made herein are true and to the best of the surface of the well shall be the surface of the surface of the well shall be the surface of the surf	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in;  ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent		
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop that the surface of the set of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the second of	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the safety of the spurity o	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Tittle: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed;		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the second of the spud shall be considered.  September 6, 2006 Signature of Operator or Agent.  For KCC Use ONLY  API # 15 - 121 - 28293 - 0000 feet  Minimum surface pipe required feet per Alt. X(2)	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the well is district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the september 6, 2006  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 29293- 0000  Conductor pipe required None feet per Alt. (2)  Approved by: Lat 9-6-06	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please		
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set i	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;  gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the well is dry hole, an agreement between the operator and the description of the well is either plug of the second of the well is either plug of the second of the well is either plug of the second of the well is either plug of the second of the well shall be completed within 30 days of the spud date or the well shall be the second of the second of the well shall be the second of the second of the well shall be the second of the second	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired		
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set in the set of the set in the set of the set o	ch drilling rig;  et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.		

SEP 0 6 2006

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 121-28293-0720	Location of Well: County: Miami
Operator: Diamond B Miami Flood, LTD	956 feet from N / S Line of Section
Lease: Tarr-1	4522 feet from F Line of Section
Well Number: D-2	Sec. 19 Twp. 16 S. R. 22
Field: Paola-Rantoul	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  ApSW - NESW - SW	Is Section: Regular or I Irregular  If Section is Irregular, locate well from nearest corner boundary.
4	Section corner used: NE NW SE SW

#### PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1		.	-	
	•			
			•	
				· ·
	•			
į				
	,	•	•	•
		:		
	•			•
1				
1				
1				
1		•		
1				
1	•		•	
1		•	•	•
	•	-		•
			-	
1				-
<u> </u>		-		
1				
1				
1	•			•
1	•	•		•
		•	•	•
i	-	•		



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## APPLICATION FOR SURFACE PIT

Submit in Duplicate

		<del></del>	<u></u>
erator Name: Diamond B Miami Flood, LTD		License Number: 5876	
Operator Address: 34475 W. 263rd	d Street, Paola	a, KS 6607	′1
Contact Person: Jim Ferley		Phone Number: ( 913 ) 294 - 3841	
_ease Name & Well No.: Tarr-1 #D-2	-		Pit Location (QQQQ):
Type of Pit:	Pit is:		ApSW NE SW SW
Emergency Pit Burn Pit	Proposed Existing  If Existing, date constructed:		Sec. 19 Twp. 16 R. 22 Fast West  956 Feet from North / South Line of Section
Settling Pit			
Workover Pit Haul-Off Pit			4522 Feet from East / Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Miami Per 1.m. County
is the pit located in a Sensitive Ground Water		No	Chloride concentration:mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?  ☐ Yes	No.	How is the pit lined if a plastic liner is not used?
			native clay
•	15 Length (fe		Width (feet) N/A: Steel Pits
Depth f	from ground level to de		edures for periodic maintenance and determining
Distance to nearest water well within one-mi	le of pit	Depth to shalle Source of info	owest fresh waterfeet. rmation:
N feet Depth of water well feet mea		meas	uredwell owner electric log KDWR
Emergency, Settling and Burn Pits ONLY	' <del>:</del>		over and Haul-Off Pits ONLY:
Producing Formation:	<u> </u>	1	a) utilized in drilling/workover: drilling mud
		Orking pas to be dunzed.	
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill	
Does the slope from the tank battery allow a flow into the pit?  Yes  No	II spilled fluids to	Drill pits must	be closed within 365 days of spud dateKANSAS CORPORATION
hereby certify that the above state	tements are true and o	correct to the bes	st of my knowledge and belief. SEP 0.6.20
	$\left( \cdot \right)$		Manda CONSERVATION DIV.
September 6, 2006  Date	$\mathcal{U}$	onna	Signature of Applicant or Agent
			Signature of Applicant or Agent
		OFFICE USE C	Signature of Applicant or Agent