## For KCC Use: 9-/7-06 Effective Date:

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

#### NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 9-14-06	Spot <i>N(1)4</i>
month day year	NE4 NW4 Sec. 25 Twp. 34S S. R. 14 West
OPERATOR: License# 32219	330' feet from VN / S Line of Section
Name: Production Maintenance Service	850 feet from E / W Line of Section
3922 CR 1250	is SECTION <u>✓ Regular</u> Irregular?
City/State/Zip: Coffeyville, KS 67337	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Mike McClenning	County: Montgomery
Phone: 620-988-0042	Lease Name: HWR Well #: 1
Phone:	Field Name: Tyro
CONTRACTOR: License# 5831	Is this a Prorated / Spaced Field?
Name: MOKAT	Target Formation(s): Riverton.AW coal
	Nearest Lease or unit boundary: 330'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 925 feet MSL
✓ Oil ✓ Enh Rec ✓ Infield ✓ Mud Rotary	line.
✓ Gas Storage Pool Ext. ✓ Air Rotary ✓	
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water: 180
Other	Depth to bottom of usable water:
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe required: N/A
Well Name:	Projected Total Depth: 1550
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
	✓ No Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR [ ])
KCC DKT #:	—— Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
	If Yes, proposed zone:
The undersigned harshy affirms that the drilling completion and ou	AFFIDAVIT  Control plugging of this well will comply with K.S.A. 55 of sec.
The undersigned hereby affirms that the drilling, completion and every the completion and every	AFFIDAVIT RECEIVED
It is agreed that the following minimum requirements will be met:	AFFIDAVIT Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well	AFFIDAVIT Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poster	AFFIDAVIT ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  KCC WICHITA  KCC WICHITA
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posted.  3. The minimum amount of surface pipe as specified below <i>sh</i>	AFFIDAVIT ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  KCC WICHITA all be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe	AFFIDAVIT  ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  KCC WICHITA  all be set by circulating cement to the top; in all cases surface pipe shall be set  eet into the underlying formation.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator at  5. The appropriate district office will be notified before well is element.	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  Led on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set elet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator at  5. The appropriate district office will be notified before well is ef  6. If an ALTERNATE II COMPLETION, production pipe shall be	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  Led on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set elet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; are cemented from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator at  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cash	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHITA  ACC WICHITA  Action on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set elet into the underlying formation.  And the district office on plug length and placement is necessary prior to plugging; in ither plugged or production casing is cemented in; is comented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator at  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cash	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  Led on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set elet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; are cemented from below any usable water to surface within 120 days of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> posts  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator at  5. The appropriate district office will be notified before well is ei  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cash	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHITA  The end on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set  and the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  and cemented from below any usable water to surface within 120 days of spud date,  and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  tell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is el  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  Acc WICHITA  SEP 1 2006  It:  Acc WichitA  Set by circulating cement to the top; in all cases surface pipe shall be set  set into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  accemented from below any usable water to surface within 120 days of spud date.  In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  tell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  In the set of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  CONTITUTE  CONTITUTE  SEP 1 2006  CONTITUTE  CONTITUTE  SEP 1 2006  CONTITUTE  CONTITUTE  SEP 1 2006  CONTITUTE  SEP 1 2006  CONTITUTE  SEP 1 2006  CONTITUTE  SEP 1 2006  CONTITUTE  CONTITUTE  SEP 1 2006  SEP 1
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator of the appropriate district office will be notified before well is eited. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well is the completed within 30 days of the spud date or the well are the completed within 30 days of the spud date or the well appears to the spud date or the spu	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHITA  The end on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set  and the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  and cemented from below any usable water to surface within 120 days of spud date,  and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  tell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel  2. A copy of the approved notice of intent to drill <i>shall be</i> poste  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator a  5. The appropriate district office will be notified before well is el  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHIT  Action on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set elet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; inter plugged or production casing is cemented in; is comented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> poste.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is et.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casimust be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date:  9-5-06  Signature of Operator or Agent:	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHIT  Action on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posts.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date:  9-5-06  Signature of Operator or Agent:  For KCC Use ONLY	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHITA  Lead on each drilling rig:  Lead o
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posts.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date:  9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125-31221-0000	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHITA  Lead on each drilling rig:  Lead o
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posts.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date:  9-5-06  Signature of Operator or Agent:  For KCC Use ONLY	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It:  ACC WICHIT  Lead on each drilling rig;  all be set by circulating cement to the top; in all cases surface pipe shall be set  and the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  and the district office on plug length and placement is necessary prior to plugging;  ither plugged or production casing is cemented in;  a cemented from below any usable water to surface within 120 days of spud date,  and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing  well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cash must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25-3/221-0000  Conductor pipe required Now feet per Alt.	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  KCC WICHIT  Let do neach drilling rig;  Let do neach drilling rig;  Let do neach drilling rig;  Let all be set by circulating cement to the top; in all cases surface pipe shall be set  Let into the underlying formation.  Let and the district office on plug length and placement is necessary prior to plugging;  Let are replaced or production casing is cemented in;  Let a cemented from below any usable water to surface within 120 days of spud date,  Let a cemented from below any usable water to surface within 120 days of spud date,  Let a cemented from below any usable water to surface within 120 days of spud date,  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cementing the let a cases, NOTIFY district office prior to any cementing.  Let a cemented from below any usable water to surface within 120 days of spud date;  Let a cemented from below any usable water to surface within 120 days of spud date;  Let a cemented from below any usable water to surface within 120 days of spud date;  Let a cemented from below any usable water to surface within 120 days of spud date;  Let a cemented from below any usable water to surface prior to workover or re-entry;  Let a cemented from below any usable water to surface pipe shall be set  Let a cemented from below any usable water to surface pipe shall be set  Let a cemented from below any usable water to surface pipe shall be set  Let a cemented from below any usable water to surface pipe shall be set  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cemented from below any usable water to surface within 120 days of spud date.  Let a cemented from below
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> postes.  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface cash must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25-3/221-0000  Conductor pipe required Now feet per Alt.	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  CC WICHIT  Centual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  CC WICHIT  Completion cach drilling rig;  Lead on each drilling rig;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posts:  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is el.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25 - 3/22/-0000  Conductor pipe required None feet per Alt. Approved by: 2449-12-06	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 2006  It is action each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation.  In and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing right shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is eight of an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25-3/221-0000  Conductor pipe required Now feet per Alt. Approved by: Purgle 12-04  This authorization expires: 3-12-07	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  Comply with K.S.A. 55 et. seq.  SEP 1 1 2006  Comply With K.S.A. 55 et. seq.  SEP 1 1 2006  Comply With K.S.A. 55 et. seq.  SEP 1 1 2006  Comply Comply Comply Comply With K.S.A. 55 et. seq.  SEP 1 1 2006  Comply
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posts:  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is el.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25 - 3/22/-0000  Conductor pipe required None feet per Alt. Approved by: 2449-12-06	AFFIDAVIT  Ventual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  Company to the set by circulating cement to the top; in all cases surface pipe shall be set be tinto the underlying formation.  And the district office on plug length and placement is necessary prior to plugging; in the plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing hell shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is eight of an ALTERNATE II COMPLETION, production pipe shall be 0r pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the will hereby certify that the statements made herein are true and to the Date: 9-5-06  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - /25-3/221-0000  Conductor pipe required Now feet per Alt. Approved by: Purgle 12-04  This authorization expires: 3-12-07	AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  CC WICHITA  all be set by circulating cement to the top; in all cases surface pipe shall be set elect into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; ither plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing real shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of wel:  2. A copy of the approved notice of intent to drill <i>shall be</i> posted:  3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is elected. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casis must be completed within 30 days of the spud date or the well in the statements made herein are true and to the provided to the surface of the spud date of the well in the statements made herein are true and to the part of Operator of Agent:  For KCC Use ONLY  API # 15 - /25 - 3/22/-0000  Conductor pipe required	AFFIDAVIT  rentual plugging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1 2006  CC WICHTA  all be set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation.  and the district office on plug length and placement is necessary prior to plugging; and the district office on plug length and placement is necessary prior to plugging; and the plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 days of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing and the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Operator  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 1	15/み、	5-31	221-0	2000			_ Lo	cation of Well:	County: Montgomery			
Operator	Production	Maintenand	e Service					30'	feet from VN / S Line of Section			
Lease:							85	50	feet from E / W Line of Section			
Well Num							Se	ec. <u>25</u> 1	Twp. 34S S. R. 14			
Field: Tyl	го						_					
Number	of Acres at	tributahla :	to wall:				ls	Section: ✓	Regular or Irregular			
	TR / QTR o			, 44E	<del></del>	NW4	-					
<b>4</b> , <b>4</b> .		. dorougo.		- Nu	14 — —				egular, locate well from nearest corner boundary.			
	• •						56	Section corner used: NE NW SE SW				
							PLAT					
		(	(Show loc	ation of the	e well and	shade att	ributable	acreage for pr	rorated or spaced wells.)			
		Oam*		(Show	v footage	to the nea	rest leas	e or unit bound	dary line.)			
		330										
_		-	-	-		•	•					
850	C						•					
000									RECEIVED			
		•	-	•		-	-	•				
		•	•	-		-	•	-	SEP 1 1 2006			
	1								KCC WICHITA			
		•	•	•		•	•	-	KCC MICHINA			
		•	·	·			- • • • •					
						- •						
		•	-	•		-	-	-	EXAMPLE			
		·	<u> </u>	<u>:</u> —∂	5	•						
		•	•	•		•						
		•	•	•	1		<u>.</u>		- III o 1980			
					• • •							
	Ì	-	•			-	•	,	10 - 10			
		• • • •		`				·	3390'			
						-		:	• • •			
	i	-	•				•					

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Production Mainter	nance Service		License Number: 32219			
Operator Address: 3922 CR 1250	Coffeyville, K	S 67337				
Contact Person: Mike McClenning		Phone Number: ( 620 ) 988 - 0042				
Lease Name & Well No.: HWR #1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		NW4 NE4 NE4 NW4			
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec25Twp34SR14			
Settling Pit	If Existing, date o	onstructed:	330' Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit	Dit and the second	<del>.</del>	850' Feet from East / ✓ West Line of Sec			
(If WP Supply API No. or Year Drilled)	Pit capacity: 200	(bbls)	Montgomery			
ls the pit located in a Sensitive Ground Wate			Chloride concentration: m			
is the pit located in a censitive Ground viate	Alea: Tes V		(For Emergency Pits and Settling Pits only)	19/1 		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
✓ Yes  No	Yes ✓	No	Natural Clays			
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits			
Depth	from ground level to de	eepest point; —	(feet)			
			SEP 1			
Distance to nearest water well within one-mi	le of pit	Depth to shallowest fresh water 40' feet.  Source of information: measured well owner electric log KDWR				
2500' feet Depth of water well_	165' feet					
Emergency, Settling and Burn Pits ONLY	<b>'</b> :	Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	ıl utilized in drilling/workover: Air			
Number of producing wells on lease:		Number of working pits to be utilized: 1				
Barrels of fluid produced daily:		Abandonment procedure: Air dried and backfilled				
Does the slope from the tank battery allow a flow into the pit? Yes No	ll spilled fluids to	Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	tements are true and	correct to the best	of my knowledge and belief.			
		ul 1	1800			
9-5-06	<u> </u>	wy /	1 Oscary			
Date		S	gnature of Applicant of Agent			
	KCC	OFFICE USE O	NLY			
Date Received: 9/11/05 Permit Nur	mber:	Perm	t Date: 9/11/06 Lease Inspection: Yes No	0		