# For KCC Use: 9-/7-06 Effective Date: 9-/7-06 District # 3 SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

Expected Spud Date 9-13-06 month day year	Spot 30 33	ast
<u>, ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '</u>	SW NW NE 30xxx33xxxxxxxxx19 wp. 19 wp. 4230 feet from N/ S Line of Section	'est
OPERATOR: License# _32756	2300 feet from E / W Line of Section	
Name: Double 7 Oil and Gas	Is SECTION X Regulartrregular?	
Address: 21003 Wallace RD. 24020 Kavier Rd	ris SECTION Hegular Irregular?	
City/State/Zip: Parsons Ks. 67357 Mc Cune KS	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Bruce Schulz 66753	County: Labette	
Phone: 620-423-0951	Lease Name: McKinzie Well #: 1	
	Field Name:	<del></del> _
CONTRACTOR: License# 32756		<del></del>
Name: company tools	Is this a Prorated / Spaced Field?	No
Company coors	Target Information(s): Bartlesville & Miss.	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 340	
	Ground Surface Elevation: N/A feet M	//SL
	Water well within one-quarter mile:	
Gas Storage Pool Ext. X Air Rotary	Public water supply well within one mile:	•
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 200+	Tino
Seismic;# of Holes Other		
Other	Depth to bottom of usable water: 300+	
	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: RXX X25XX, 700!	
Original Completion Date: Original Total Depth:	Formation at Total Depth: About leswink Miss	
Original Completion DateOriginal Foldi Depth	Water Source for Drilling Operations:	<del></del>
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:		_
•	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲 )	-
KCC DKT #:	Will Cores be taken?	No
	If Yes, proposed zone:	•
a ———	B. 43.54	
	PAVIT RECEIV	VED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	CONTRACTOR	VED
	igging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	CONTRACTOR	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	rigging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1	2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	SEP 1 1 h drilling rig;	2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	rigging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set	2006
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	sigging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.	2006 CHITA
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger.	rigging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	In drilling rig;  In drilling	2006 CHITA 9:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the complete of the complete shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the complete shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the complete shall be completed by the complete shall be completed by the complete shall be cemented to the complete shall be completed by the completed by the complete shall be completed by the completed by the complete shall be completed by the	In drilling rig;  In drilling	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the complete of the complete shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district of the complete shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the complete shall be completed by the completed by the complete shall be completed by the completed by the complete shall be completed by the	rigging of this well will comply with K.S.A. 55 et. seq.  SEP 1 1  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in;	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the interval of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	In drilling rig; In dri	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the statements are through all unconsolidated materials plus a minimum of 20 feet into the statements. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	SEP 1 1  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. It is made to surface within 120 days of spud date.	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the statements are through all unconsolidated materials plus a minimum of 20 feet into the statements. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	In drilling rig;  In drilling	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the interval of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	SEP 1 1  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It 33,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. It is made to surface within 120 days of spud date.	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the statements are through all unconsolidated materials plus a minimum of 20 feet into the statements. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	In drilling rig;  In drilling	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent sent sent sent sent sent sen	SEP 1 1  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is a specific plugged. In all cases, NOTIFY district office prior to any cementing. It is many knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interpolation of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plate:  2. Signature of Operator or Agent:  3. The initial plus is appropriate district office prior to a gent:  4. If the well is dry hole, an agreement between the operator and the difference plus is either plugged. The propriate district office will be notified before well is either plugged. The propriate district office will be notified before and the difference plugged in the plugged plu	SEP 1 1  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Title:  Title:  Title:	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent sent sent sent sent sent sen	SEP 1 1  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging god or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is a specific plugged. In all cases, NOTIFY district office prior to any cementing. It is many knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be a completed. Signature of Operator or Agent:    Post CC Use ONLY	In drilling rig; In dri	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent through all unconsolidated materials plus a minimum of 20 feet into the sent sent sent sent sent sent sent sen	In drilling rig; In dri	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the pluster of the	In drilling rig; In dri	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the different plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24110-0000  Conductor pipe required None feet per Alt. 12  Approved by: 44-12-00	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. It is my knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the different plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24110-0000  Conductor pipe required None feet per Alt. 12  Approved by: 44-12-00  This authorization expires: 3-18-07	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing. Title:    Title:   Title	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the different plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24110-0000  Conductor pipe required None feet per Alt. 12  Approved by: 44-12-00	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Imply knowledge and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the display.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent: 50 Date: 9-8-66 Signature of Operator or Agent: 50 Date: 50	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. It is plugged and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the different plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O99-24110-0000  Conductor pipe required None feet per Alt. 12  Approved by: 44-12-00  This authorization expires: 3-18-07	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. Imply knowledge and belief.  Title:  Remember to:  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2006 CHITA 9;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: 9-8-66 Signature of Operator or Agent: Date: 9-8-66 Signature of Operator or Agent: Date: 9-8-66 Nonly Signature of Operator or Agent: Date: 9-8-66 Signature of Operator or Agent: 10-8-66 Sig	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation.  It is strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. It is 133,891-C, which applies to the KCC District 3 area, alternate II cement is plugged. In all cases, NOTIFY district office prior to any cementing. It is plugged and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired	2006 CHITA 9;

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


APINO. 15 - 099-24110-0000	Location of Well: County:
	feet from N / S Line of Section
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Well Number:	
Field:	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage:	in Section is aregular, locate well from hearest confier boundary.
	Section comer used: NE NW SE SW

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	- 2300
	4230
 · · · · · · · · · · · · · · · · · · ·	
 : : : : : : : : : : : : : : : : : : :	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form COP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Double 7 Oil & Gas		License Number: 32756			
Operator Address:21003 Wallace		ons Ks. 6	7357		
Contact Person: Bruce Schulz			Phone Number: ( 620) 423-0951		
Lease Name & Well No.: McKinzie	1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW NW NE		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 30 Twp. 33 R. 19		
Settling Pit	If Existing, date of	onstructed:	4230 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	2300 Feet from East / West Line of Section Labette County		
Count Water	Area? Ves V	No	Chloride concentration: mg/l		
Is the pit located in a Sensitive Ground Water	Wiear Ties V	g (10	(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
	om ground level to de	epest point:	Width (feet)N/A: Steel Pits  1(feet)  dures for periodic maintenance and determining		
			RECEIV SEP 1 1		
Distance to nearest water well within one-mile		Source of infon	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
NA feet Depth of water well	feet	measu	red well owner electric log KDWR		
Linergency, bearing and burn the arrange			Drilling, Workover and Haul-Off Pits ONLY:		
			ype of material utilized in drilling/workover: <u>Fresh mud</u>		
Training of producing from the second			procedure: Air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to		of my knowledge and belief.			
I hereby certify that the above state	ments are true and o	correct to the best	of my knowledge and belief.		
0 0 ~/		) 			
7-8-00 Date	Kr	uch de	gnature of Applicant or Agent		
Date	KCC	OFFICE USE OF	gnature of Applicant or Agent		