For KCC Use: 9-18-06
Effective Date: 3
SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing wel

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date 9/18/06	Spot NE-NE-SW	East
month day year	SW74 Sec. 29 Twp. 28 S. R. 15	West
OPERATOR: License# 33342	2307feet from ☐N / ✓S Line of Sect	
Niomo. Blue Jay Operating LEC	2307 feet from E / W Line of Sect	on
Address: 4916 Camp Bowie Blvd., Suite 204	Is SECTION RegularIrregular?	
City/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. Rhonda Wilson	County: Wilson	
Phone: (620) 378-3650	Lease Name: C. Jantz Weil #: A-8	
	Field Name: Cherokee Basin Coal Gas	
CONTRACTOR: License# 33072 Name: Well Refined Drilling Co., Inc	Is this a Prorated / Spaced Field?	√ No
Name: Well Remied Driving Co., tile	Target Formation(s): Cherokee Basin Coal/Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 2307 Feet	
Oil Enh Rec / Infield / Mud Rotary		MSL
✓ Gas ✓ Storage Pool Ext. ✓ Air Rotary	•	✓No.
OWO Disposal Wildcat Cable		√ No
Seismic:# of Holes Other	Depth to bottom of fresh water: 100 +	·····
Other	Depth to bottom of usable water: 200 +	
Olloi.	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1,350 Feet Secretion at Total Positive Mississippian	
Original Completion Date:Original Total Depth:	Formation at total Deptir.	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well ✓ Farm Pond Other	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR)	
KCC DKT #:		√No
ROO DRI #	If Yes, proposed zone:	<u>(*)</u> (40
AFF	IDAVIT RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 *6N\$65; CORPORATION C)MMI55
It is agreed that the following minimum requirements will be met:	SEP 1 3 200	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each. 	ch drilling rig; CONSERVATION DIV	
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	of by circulating cement to the top; in all cases surface process, contents,	er ging; ete. enting
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the latest of the spud that the statements made herein are true and to the spud that the statements made herein are true and to the spud that the statements made herein are true and to the spud that the statements made herein are true and to the spud that the statements made herein are true and to the spud that the statements made herein are true and the spud that the statements made herein are true and to the spud that the statements made herein are true and the spud that the statements are true and the spud that the statement is the spud that the	the underlying formation. district office on plug length and placement is necessary prior to plug leged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.	er ging; ete. enting
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall in the complete of the spud date or the well shall be completed with the complete or the spud date or the spud dat	the underlying formation. district office on plug length and placement is necessary prior to plug leged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.	er ging; te. enting
through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the dispersion of the appropriate district office will be notified before well is either plug for it is an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 9/11/06 Signature of Operator or Agent: For KCC Use ONLY	the underlying formation. district office on plug length and placement is necessary prior to plug leged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cementing from knowledge and belief.	ete. enting,
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the post of the spud date. Post	the underlying formation. district office on plug length and placement is necessary prior to plugging good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cementi of my knowledge and belief. Title: Office Manager Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;	er Hing; tte. Henting ng.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: Por KCC Use ONLY	the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cement if my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entr	ering; te. eenting
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decomposition of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 9/11/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-26959-0000 Conductor pipe required 1000000000000000000000000000000000000	the underlying formation. the district office on plug length and placement is necessary prior to plugicated from below any usable water to surface within 120 days of spud date; #133,891-C, which applies to the KCC District 3 area, alternate II center by the plugged. In all cases, NOTIFY district office prior to any cements of my knowledge and belief. Title: Office Manager ##134,891-C, which applies to the KCC District 3 area, alternate II center to prior to any cements of my knowledge and belief. Title: Office Manager ##135,891-C, with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entress of the plugging report (CP-4) after plugging is completed;	ering; tte. eenting ng.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 9/11/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-20959-0000 Conductor pipe required None feet per Alt. (2) Approved by: 444 9-13-06	the underlying formation. district office on plug length and placement is necessary prior to plugication district office on plug length and placement is necessary prior to plugicated or production casing is cemented in; ded from below any usable water to surface within 120 days of spud days at 133,891-C, which applies to the KCC District 3 area, alternate II center be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entrescentially supported to the plugging is completed; Obtain written approval before disposing or injecting salt water.	er enting; te. eenting ng.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 9/11/06	the underlying formation. district office on plug length and placement is necessary prior to plugication. district office on plug length and placement is necessary prior to plugicated or production casing is cemented in; ded from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entreduced to the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ering; tte. eenting ng.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall if hereby certify that the statements made herein are true and to the best of the position	he underlying formation. district office on plug length and placement is necessary prior to plugication of the underlying formation. district office on plug length and placement is necessary prior to plugicated from below any usable water to surface within 120 days of spud days area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District office prior to any cement if my knowledge and belief. #131,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #133,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centrologies. #134,891-C, which applies to the KCC District 3 area, alternate II centro	er enting; te. eenting ng.
through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dispersion of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of Date: 9/11/06	the underlying formation. district office on plug length and placement is necessary prior to plugication. district office on plug length and placement is necessary prior to plugicated or production casing is cemented in; ded from below any usable water to surface within 120 days of spud da #133,891-C, which applies to the KCC District 3 area, alternate II cen be plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entreduced to the plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	er enting; te. eenting ng.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26959-0000	Location of Well: County: Wilson
Operator: Blue Jay Operating LLC	
Lease: C. Jantz	2307 feet from N / S Line of Section 2307 feet from E / W Line of Section
Well Number: A-8	Sec. 29 Twp. 28 S. R. 15 VEast West
Field: Cherokee Basin Coal Gas	
Number of Acres attributable to well:	Is Section: ✓ Regular or Irregular
QTR / QTR / QTR of acreage:	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section comet usedideidayideiday

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					•		:
					•	•	
	• ·	•				•	
					•		
	-						
	•	· ·					
	•				·	•	•
	2307	•					•
		• 💃			-	•	-
		· · · ′	• • •				
			.]	1			l
• • •			1~				
			38		•	•	•
			9307				
				1			
	•						-

RECEIVED KANSAS CORPORATION COMMISSION SEP 1 3 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Blue Jay Operating LLC			License Number: 33342		
Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107					
Contact Person: Rhonda Wilson			Phone Number: (620) 378 - 3650		
Lease Name & Well No.: C. Jantz A-8			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SW4		
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 28S R. 15		
Settling Pit	If Existing, date constructed:		2307 Feet from North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2307 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	. 1	How is the pit lined if a plastic liner is not used?		
✓ Yes No	Yes 🗸	No .	Natural Clay & Earth		
Pit dimensions (all but working pits):	Length (fe	et)40			
Depth fr	om ground level to de	sepest point: 6	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic material, thickness and installation procedure.			edures for periodic maintenance and determining including any special monitoring. KANSAS CORPORATION COMMISSION		
			SEP 1 3 2006		
		CONSERVATION DIVISION WICHITA, KS			
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh waterfeet.			
N/A feet Depth of water well feet		Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water			
Number of producing wells on lease:		Number of working pits to be utilized: One			
Barrels of fluid produced daily:		Abandonment	procedure: Remove Fluids, Allow to Dry and Level Surface		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? ✓ Yes ☐ No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
$0 \times 1 \times 100$					
9/11/06 Monda Wilson					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
Date Received: 9/13/06 Permit Number: Permit Date: 9/13/06 Lease Inspection: Yes X No					