For KCC Use: Effective Date: _ District #_ SGA? Yes Y No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date 9/19/06	Spot NE-NE-SE 5 30 14	✓ East
month day year	Sec Sec S. R	West
DPERATOR: License# 33342	2140 feet from N / V S Line of	
toma. Bale Jay Operating LLC	iget from V L / Line or	Section
4916 Camp Bowie Blvd., Suite 204	is SECTION ✓ Regularirregular?	
City/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)	
Contact Person. Rhonda Wilson	County: Wilson	
Phone: (620) 378-3650	Logen Mama. McGinnis Well #: A-	4
/	Field Name: Cherokee Basin Coal Gas	
CONTRACTOR: License# 33072 lame: Well Refined Drilling Co., Inc	Target Formation(s): Cherokee Basin Coal/Mississippian	Yes 🗸 No
	Nearest Lease or unit boundary: 330 Feet	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 896.9	feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes 🗸 No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 200 +	
Other	Surface Pine by Alternate: 1 / 2	•
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe required: Note:	
Weil Name:	Projected Total Depth: 1,350 Feet	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 🔲)	, ,
(CC DKT #:	Will Cores be taken?	Yes ✔ No
	If Yes, proposed zone:	
AFE	IDAVIT RECEIVED	
The undersigned hereby affirms that the drilling, completion and eventual p		MMISSION
me undersigned nereby amin'ns that the drawing, completion and overtical p	SEP 1 4 200	6
the second that the following minimum requirements will be met	SED 1 9 ZINI	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	ULI 1	O
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	ch drilling rig; To the top circulating cement to the top; in all cases surface to the underlying formation. The underlying formation is a case of the underlying formation. The underlying formation is a case of the underlying formation. The underlying formation is a case of the underlying formation. The underlying formation is a case of the underlying formation. T	SION person pers
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the sec	ch drilling rig; Ton Servation Division by circulating cement to the top; in all cases surface and the underlying formation. District office on plug length and placement is necessary prior to aged or production casing is cemented in; and from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce firmy knowledge and belief.	SION person pers
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE If COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date.	ch drilling rig; Ton Servation Division by circulating cement to the top; in all cases surface and the underlying formation. District office on plug length and placement is necessary prior to good or production casing is cemented in; and the form below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any center of the plugged of the plugged. In all cases, NOTIFY district office prior to any center of the plugged of the plugged of the plugged. Title: Office Manager	SION De set plugging; pud date. Il cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> as through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the control of the second of the sec	ch drilling rig; Ton SERVATION DIVIS CONSERVATION DIVIS to by circulating cement to the top; in all cases surface and the underlying formation. District office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any center of the prior to any center of the plugged. In all cases, NOTIFY district office prior to any center of the plugged of the plugged. Title: Office Manager	SION De set plugging; pud date. Il cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the post of the spud date. Signature of Operator or Agent: Signature of Operator or Agent:	ch drilling rig; Ton SERVATION DIVIS To by circulating cement to the top; in all cases surface and the underlying formation. T	SION De set plugging; pud date. Il cementing
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the past of Date: 9/12/06 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 269 44 -0000	ch drilling rig; Ton SERVATION DIVIS To by circulating cement to the top; in all cases surface and the underlying formation. The underlying formation is all cases surface within 120 days of specific formation. The underlying formation is all cases surface within 120 days of specific formation. The underlying formation is all cases surface within 120 days of specific formation. The underlying formation is all cases surface within 120 days of specific formation. The underlying formation. The underlying formation is all cases surface within 120 days of specific formation. The underlying formation. The	plugging; pud date. Il cementing menting.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of the surface plus an appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of	ch drilling rig; conservation pivis at by circulating cement to the top; in all cases surface pivis the underlying formation. district office on plug length and placement is necessary prior to aged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce from knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders	plugging; bud date. Il cementing menting.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified below shall be second of the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will b	ch drilling rig; It by circulating cement to the top; in all cases surface the state of the underlying formation. It is trict office on plug length and placement is necessary prior to good or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce if my knowledge and belief. Creative	plugging; bud date. Il cementing menting.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; conservation pivis at by circulating cement to the top; in all cases surface and the underlying formation. district office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any centre of the prior to a	plugging; pud date. Il cementing. menting.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second to the well is dry hole, an agreement between the operator and the construction of the surface plus an alternative of the specified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the past of the spud shall be completed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 26944-0000 Conductor pipe required	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. It is trict office on plug length and placement is necessary prior to ged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce if my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or a Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	plugging; aud date. Il cementing. menting.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the least of the second o	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. It is trict office on plug length and placement is necessary prior to ged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce if my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or a Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	plugging; pud date. Il cementing. menting.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface plus an appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the plus of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statements made herein are true and to the bast of the spud date or the well shall hereby certify that the statement hereby certified before the spud date or the spud date or the spud date or the spud date or the spud dat	ch drilling rig; It by circulating cement to the top; in all cases surface in the underlying formation. It is trict office on plug length and placement is necessary prior to ged or production casing is cemented in; ted from below any usable water to surface within 120 days of sp. #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce if my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or a Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	plugging; pud date. Il cementing. menting.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the well is dry hole, an agreement between the operator and the construction of the specific plus and the surface district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the least of the specific plus of t	ch drilling rig; It by circulating cement to the top; in all cases surface the underlying formation. Idistrict office on plug length and placement is necessary prior to good or production casing is cemented in; ted from below any usable water to surface within 120 days of spirit 133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any centry in the plugged and belief. File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders. Notify appropriate district office 48 hours prior to workover or a submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water check the box below and return to the address below.	plugging; aud date. Il cementing. menting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-26964-0000	Location of Well: County: Wilson		
Operator: Blue Jay Operating LLC	2140 feet from N / V S Line of Section		
Lease: McGinnis	2140 feet from N / S Line of Section 330 feet from F E / W Line of Section		
Well Number: A-4	Sec. 5 Twp. 30 S. R. 14 ✓ East Wes		
Field: Cherokee Basin Coal Gas			
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE4	Is Section: 🗸 Regular or 🔲 Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

-			
	: :		
	•		
:	: :		
			` • • •
	•	·	
-			
	:		330
			Y
	· · · · · · · · · · · · · · · · · · ·	We CIMMIS	
		A:-4	
		OFIG	
		के विशेष	
	: :		

RECEIVED KANSAS CORPORATION COMMISSION SEP 1 4 2006

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Blue Jay Operating LLC		License Number: 33342		
Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107				
Contact Person: Rhonda Wilson		Phone Number: (620) 378 - 3650		
Lease Name & Well No.: McGinnis A-	-4		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE4 NE NE SE	
Emergency Pit Bum Pit	✓ Proposed Existing		Sec. 5 Twp. 30S R. 14	
Settling Pit	If Existing, date constructed:		2140 Feet from North / V South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		Feet from	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County	
is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓		Natural Clay & Earth	
Pit dimensions (all but working pits):			•	
Depth fi	om ground level to de	eepest point: 6	(feet)	
If the pit is lined give a brief description of the liner Describe promaterial, thickness and installation procedure.		liner integrity, i	edures for periodic maintenance and determinance IVED notuding any special monitoring. KANSAS CORPORATION COMMISS SEP 1 4 2006 CONSERVATION DIVISION WICHTA, KS	
Distance to nearest water well within one-mile of pit Depth to shall Source of info		west fresh waterfeet, mation:		
NA feet Depth of water well	feet	measu	red well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:	· · · · · · · · · · · · · · · · · · ·	l.	ype of material utilized in drilling/workover: Fresh Water	
Number of producing wells on lease: Number of wo		Number of wor	umber of working pits to be utilized: One	
· ·	Abandonment procedure: Remove Fluids, Allow to Dry and Level S		procedure: Nemove Fluids, Allow to Dry and Level Surface	
Does the slope from the tank battery allow all flow into the pit? Yes No	Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
9/12/06 Date Once Signature of Applicant or Agent		Color of Applicant or Agent		
KCC OFFICE USE ONLY				
Date Received: 9/14/06 Permit Num	nber:	Perm	iit Date: 9/14/05 Lease Inspection: Yes 🕡 No	