For KCC U	se:	9-19-06	
Effective [Date:	7-17-00	
District #_	بسا	<u> </u>	
SGA? [Yes	☑ No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

REC	E	1	/ED
SEP	1	3	SUUE

Form C-1

SEP 1 3 CHAT Community be Typed All blanks must be Filled

NOTICE	OF IN	TENT'	TO DRILL
INVIIVE	. 🔾 1 1		

Must be approved by KCC five (5) days prior to commencing

Expected Spud Date 9/20/06 month day year	Spot	✓ East
, and the same of	<u>S 1/2</u> - <u>NW 1/4</u> Sec. <u>33</u> Twp. <u>33</u> S. R.	14 West
OPERATOR: License# 31486 /		Line of Section
Name. Jack Horton	1200 3840 per operator feet from VE / W	Line of Section
Address: PO Box 97	Is SECTION Regular Irregular?	
City/State/Zip: Sedan Ks 67361	(Note: Locate well on the Section Plat on reverse	side)
Contact, Person, Jack Horton	County: Montgomery	
Phone: 620 249 4476		ell #: 19
5989	Field Name: Wayside	
CONTRACTOR: License# 5989 K	Is this a Prorated / Spaced Field?	Yes Vo
vame:	Target Formation(s): Wayside	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 400	
Oil Enh Rec Infield I Mud Rotary	Ground Surface Elevation: n/a	teet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 175	
Other	Depth to bottom of usable water: 175	
	Surface Pipe by Alternate: 1 2	
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20	
Operator:	Length of Conductor Pipe required:	
Well Name:	Projected Total Depth: 775	
Original Completion Date:Original Total Depth:	Formation at Total Deptil.	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well ✓ Farm Pond Other	
If Yes, true vertical depth:		
Bottom Hole Location:	DWR Permit #:	
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken?	✓ Yes No
	11 100, proposed 2010.	ECEIVED
	IDAVIT	D ~ ~ ~ ~
The undersigned hereby affirms that the drilling, completion and eventual p	lagging of this well will comply with record. See Seq.	
	KCa	MICHITA
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;		WICHITA
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig;	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be s</i> i	ch drilling rig; of by circulating cement to the top; in all cases surface pipe	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation.	shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the sec	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in;	shall be set
 it is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days	shall be set for to plugging; of spud date.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plus If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte	shall be set for to plugging; s of spud date. rnate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plue If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a	shall be set for to plugging; s of spud date. rnate II cementing
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements. 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set for to plugging; s of spud date. mate II cementing my cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be si</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the statements made herein are true and to the best of the statements.	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set for to plugging; s of spud date. mate II cementing my cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into t If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plue If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief.	shall be set for to plugging; s of spud date. mate II cementing my cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the surface case of the statements of the surface case of the statements of the surface case of the statements of the statements of the surface case of the surface case of the statements of the statements of the surface case of </i></i>	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a off my knowledge and belief. Title:	shall be set for to plugging; s of spud date. mate II cementing my cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the second shall be supported to the second shall be notified before well is either plugible. 1. The appropriate district office will be notified before well is either plugible. 2. The appropriate district office will be notified before well is either plugible. 3. The appropriate district office will be notified before well is either plugible. 4. If the well is dry hole, an agreement between the operator and the confidence of the spudible of the spudible of the second shall be computed within 30 days of the spudible or the well shall hereby certify that the statements made herein are true and to the best of the spudible of th</i>	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a off my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	shall be set for to plugging; s of spud date. rnate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus of the superior and the surface district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the superior of the</i></i>	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a off my knowledge and belief. Title:	shall be set for to plugging; s of spud date. rnate II cementing any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of the se	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a f my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud da - File acreage attribution plat according to field proration and Notify appropriate district office 48 hours prior to workover.	shall be set ior to plugging; s of spud date. rnate II cementing iny cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is complete	shall be set ior to plugging; s of spud date. rnate II cementing iny cementing. ate; orders; er or re-entry; ed;
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the defence of the well is dry hole, an agreement between the operator and the construction of the district office will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the surface of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface of the su	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a f my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud day File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting sale	shall be set for to plugging; s of spud date. rnate II cementing iny cementing. ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Title: Operation Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt— If this permit has expired (See: authorized expiration date	shall be set for to plugging; s of spud date. rnate II cementing any cementing. ate; orders; er or re-entry; ed; t water.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the desired district office will be notified before well is either plus 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the prior of the prior of the desired of the statements of the prior of the desired of the prior of the	ch drilling rig; et by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a finy knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt If this permit has expired (See: authorized expiration date check the box below and return to the address below.	shall be set for to plugging; s of spud date. rnate II cementing iny cementing. ate; orders; er or re-entry; ed; t water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be single through all unconsolidated materials plus a minimum of 20 feet into the surface properties district office will be notified before well is either plus.</i> 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the price of Operator or Agent: Date: 9/11/0 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125-31222-0000 Conductor pipe required </i>	ch drilling rig; ef by circulating cement to the top; in all cases surface pipe he underlying formation. district office on plug length and placement is necessary pri gged or production casing is cemented in; ted from below any usable water to surface within 120 days #133,891-C, which applies to the KCC District 3 area, alte be plugged. In all cases, NOTIFY district office prior to a firmy knowledge and belief. Title: Operation Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud da File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete Obtain written approval before disposing or injecting salt— If this permit has expired (See: authorized expiration date	shall be set for to plugging; s of spud date. rnate II cementing any cementing. ate; orders; er or re-entry; ed; t water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125 - 31222-0000	Location of Well: County: Montgomery
Operator: Jack Horton	3040 feet from N/ZS Line of Section
Lease: Miller	1200 3840' per operator feet from VE/ W Line of Section
Well Number: 19	Sec. 33 Twp. 33 S. R. 14 ✓ East Wes
Field: Wayside	
Number of Acres attributable to well: 10	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage: S 1/2 _ NW 1/4	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

1		•		
1				•
1				
1		•	•	
1		•	•	•
1				
1		•		•
1		•	•	
1				
1				
1				
1				
1 . , ,				
i				
•				
L.				
T .				•
		•		
				•
1		•		
4	•	•	•	
1				
1				
1		•		
1				•
1				
1				
1		•	•	
1			•	
i				
1				
1				
1		:	-	
1				
				•
1	-			
				•
1		•	i	,
1				
				•
1				
1		•		
		·		
	•	•	•	
	•	•	•	
	•	•	•	
	·	•	•	
	·	•		
	·	•		
	·	•		
	·	•		
	·	•		
	·	•		
	·	•		
	·	•		
	·	•		
	·	· · ·		
	·	· · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	·	· · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
	·	· · ·	· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
		· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · ·		

RECEIVED
SEP 1 3 2006
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Jack Horton			License Number: 31486		
Operator Address: PO box 97					
Contact Person: Jack Horton			Phone Number: (620) 249 - 4476		
Lease Name & Well No.: Miller 19			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>S 1/2</u> _ <u>NW 1/4</u>		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 33 _{Twp.} 33 _{R.} 14 ✓ East		
Settling Pit	If Existing, date of	constructed:	3040 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 400 (bbls)		Feet from East / West Line of Section Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/i		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)		
Yes No	l <u>—</u> —	No	How is the pit lined if a plastic liner is not used? clay bottom & sides		
Pit dimensions (all but working pits):5	0 Length (fe	eet)9	Width (feet) N/A: Steel Pits		
	om ground level to d		(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe proce liner integrity, in	dures for periodic maintenance and determining acluding any special monitoring.		
		!	RECEIVED		
			SEP 1 3 2006		
Distance to nearest water well within one-mile	of pit	Depth to shallow Source of information	west fresh water none feet. KCC WICHITA		
none feet Depth of water well	none feet	1	redwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:	···•	Drilling, Worke	over and Haul-Off Pits ONLY:		
Producing Formation: Type			l utilized in drilling/workover: fresh water		
			ting pits to be utilized: one		
Barrels of fluid produced daily:		Abandonment p	procedure: haul water off, back fill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
i nereby certify that the above states	ments are true and o				
Plate	ments are true and o	correct to the best			
9/11/Date		correct to the best	of my knowledge and belief. Q 4———————————————————————————————————		